



TUTORIAL JALANKAN WEB LOCAL HOSTING

- a. Download Xampp for windows, search google dengan kata kunci "Xampp for windows"
- b. Install Xampp, tinggal next next aja
- c. Copy folder polije ke C:/xampp/htdocs/


> This PC > Local Disk (C:) > xampp > htdocs




d. Buka xampp dari start menu





e. Setelah muncul seperti gambar dibawah, Klik start untuk apache dan MySql




f. Setelah di start maka akan berubah seperti gambar dibawah, berarti sudah siap




- g. Sebelum buka web, setting database nya. Buka browser lalu ketikkan localhost/phpmyadmin di url bar



- h. Klik new di halaman sebelah kiri



- i. Masukan nama database = **polije** (wajib sama untuk menghindari error)



- j. Klik menu **Import** di menu bar



- k. Pilih file sql



Importing into the database "polije"

File to import:

File may be compressed (gzip, bzip2, zip) or uncompressed.
A compressed file's name must end in **.[format].[compression]**. Example: **.sql.zip**

Browse your computer: **Choose File** No file chosen (Max: 2,048KiB)

You may also drag and drop a file on any page.

Character set of the file: utf-8

Partial import:


☒ Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. (This might be a good way to i

Skip this number of queries (for SQL) or lines (for other formats), starting from the first one:

Other options:

☒ Enable foreign key checks

- l. Cari file polije.sql di folder polije, lalu klik open



- m. Setelah terpilih maka tekan tombol ctrl+Enter di keyboard

File to import:

File may be compressed (gzip, bzip2, zip) or uncompressed.

A compressed file's name must end in **[format].[compression]**. Example: **.sql.zip**

Browse your computer: **Choose File** polije.sql (Max: 2,048KiB)


You may also drag and drop a file on any page.

Character set of the file: utf-8

Partial import:

☒ Allow the interruption of an import in case the script detects it is close to the PHP timeout limit.

n. Setelah terpilih akan menampilkan seperti dibawah



o. Setelah setting database selesai. Web sudah bias dijalankan. Ketok localhost/polije di address bar browser. Untuk login masukkan username : admin password: admin123

