Exercise 2

1.) SQL Query

```
SELECT COUNT(*) AS Total Employees
FROM employees;
```

Result

Total Employees
10

2) Q 2
SQL Query

```
SELECT SUM(salary) AS TotalIT Salary
FROM employees
WHERE department = 'IT'
```

Result

TotalIT Salary
22 00000

3.) Q3
SQL Query

```
SELECT AVG.(salary) AS Average HR Salary
FROM employees
WHERE department = 'HR';
```

Result

Average HR Salary
49 500

Powered by CamScanner

Q4
SQL Query

```
SELECT
        MIN (salary) AS Lowest Salary
        Max (salary) AS Highest Salary
FROM employees;
```

Result

lowest salary	Highest Salary
48 000	62 000

Q5
SQL Query

```
SELECT department, SUM (salary) AS Total Salary
FROM employees
GROUP BY department;
```

Result

Department	Total Salary
IT	220 000
~~HR~~ Finance	99 000
Finance	119000
Marketing	105 000

Q6
SQL Query

```
SELECT city, COUNT(*) AS Employee Count
FROM employees
GROUP BY city;
```

Result

City	Employee Count

Powered by CamScanner

FROM employees
GROUP BY city;

Result

City	Employee Count
Chicago	3
New York	2
Los Angeles	2
San Francisco	2
Houston	1

Q7

SQL Query

```
SELECT department, AVG(salary) AS Average Salary
FROM employees
GROUP BY department
ORDER BY Average Salary DESC;
```

Result

Department	Average Salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

Question 8

SQL Query

```
SELECT department, SUM(salary) AS Total Salary
FROM employees
GROUP BY department
HAVING SUM(salary) > 100 000;
```

Result

Department	Total Salary
IT	[illegible]

Powered by CamScanner

HAVING SUM(salary) > 100 000;

Result

Department	Total Salary
IT	22 0008
Finance	119 000
Marketing	105 000

Q 9
SQL Query

```
SELECT city, COUNT(*) AS Employee Count
FROM employees
GROUP BY City
HAVING COUNT(*) >1
ORDER BY Employe Count DESC;
```

Result

City	Employee Count
Chicago	3
New York	2
Los Angeles	2
San Francisco	2

Q 10
SQL Query

```
SELECT department, AVG(salary) AS AverageSalary
FROM employees
GROUP BY department
ORDER BY Average Salary DESC
Limit 1;
```

Result

Department	Average Salary
Finance	59500

Powered by CamScanner