

# Geographic Variation in Opioid Mortality by Race/Ethnicity, 1999–2016

## Identifying epidemic hotspots

Mathew Kiang<sup>1</sup>   Monica Alexander<sup>2</sup>   Zhe Zhang<sup>3</sup>   Jarvis Chen<sup>1</sup>


<sup>1</sup>Department of Social and Behavioral Sciences  
Harvard TH Chan School of Public Health

<sup>2</sup>Department of Demography  
University of California, Berkeley


<sup>3</sup>Heinz College  
Carnegie Mellon University

PAA 2018: Denver, CO

# Almost 30x increase since 1980




# More than deaths by car accidents or guns




## Variation in the opioid epidemic


# Variation by opioid type



# Variation by race/ethnicity



# Variation by state



# Aims of the paper

- 1 Systematically describe the opioid epidemic across geography (state), race/ethnicity, and opioid type.



# Aims of the paper

- 1 Systematically describe the opioid epidemic across geography (state), race/ethnicity, and opioid type.
  - The epidemic over time (1999–2016)

# Aims of the paper

- 1 Systematically describe the opioid epidemic across geography (state), race/ethnicity, and opioid type.
  - The epidemic over time (1999–2016)
  - The *current* epidemic in terms of both mortality rate and rate of increase

# Aims of the paper


- ① Systematically describe the opioid epidemic across geography (state), race/ethnicity, and opioid type.
  - The epidemic over time (1999–2016)
  - The *current* epidemic in terms of both mortality rate and rate of increase
- ② Identify “epidemic hotspots” — areas with high mortality and rapid increases

- 1 Multiple cause of death data from NCHS


- ① Multiple cause of death data from NCHS
- ② Calculate age-standardized rates by state, race/ethnicity, and opioid type

- ① Multiple cause of death data from NCHS
- ② Calculate age-standardized rates by state, race/ethnicity, and opioid type
- ③ Joinpoint regression

# Example Results: Maryland




# Example Results: Synthetic Opioids






## Results: Current Epidemic



# Current Mortality



## Current Trajectory



# Epidemic Hotspots



# Results

- No decreases in opioid mortality over whole time period

# Results

- No decreases in opioid mortality over whole time period
- Where there were increases, it is just as bad (or worse) for the black population

# Results

- No decreases in opioid mortality over whole time period
- Where there were increases, it is just as bad (or worse) for the black population
- Increases are driven by heroin and synthetic opioids in eastern states

# Results

- No decreases in opioid mortality over whole time period
- Where there were increases, it is just as bad (or worse) for the black population
- Increases are driven by heroin and synthetic opioids in eastern states
  - Heroin deaths increased 30-34% per year for both populations



# Results

- No decreases in opioid mortality over whole time period
- Where there were increases, it is just as bad (or worse) for the black population
- Increases are driven by heroin and synthetic opioids in eastern states
  - Heroin deaths increased 30-34% per year for both populations
  - Synthetic opioids increased 70% per year for whites and 150% for blacks

# Results

- No decreases in opioid mortality over whole time period
- Where there were increases, it is just as bad (or worse) for the black population
- Increases are driven by heroin and synthetic opioids in eastern states
  - Heroin deaths increased 30-34% per year for both populations
  - Synthetic opioids increased 70% per year for whites and 150% for blacks
- Synthetic opioids are doubling in 12 states for whites and 18 for blacks

# Results

- No decreases in opioid mortality over whole time period
- Where there were increases, it is just as bad (or worse) for the black population
- Increases are driven by heroin and synthetic opioids in eastern states
  - Heroin deaths increased 30-34% per year for both populations
  - Synthetic opioids increased 70% per year for whites and 150% for blacks
- Synthetic opioids are doubling in 12 states for whites and 18 for blacks
- Strong geographical clustering of epidemic hotspots

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access



# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access
  - Drug testing on-site and point-of-site

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access
  - Drug testing on-site and point-of-site
  - Supervised consumption sites

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access
  - Drug testing on-site and point-of-site
  - Supervised consumption sites
- Surveillance of illicit markets needs to be dramatically improved

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access
  - Drug testing on-site and point-of-site
  - Supervised consumption sites
- Surveillance of illicit markets needs to be dramatically improved
  - Better measurement of potency of drugs

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access
  - Drug testing on-site and point-of-site
  - Supervised consumption sites
- Surveillance of illicit markets needs to be dramatically improved
  - Better measurement of potency of drugs
  - Types of drugs

# Conclusions

- Interventions must be local and tailored to region, race/ethnicity, and opioid type
- Supply-side interventions need to be balanced with harm reduction interventions
  - Syringe exchange programs
  - Medication assisted treatment
  - Increased naloxone access
  - Drug testing on-site and point-of-site
  - Supervised consumption sites
- Surveillance of illicit markets needs to be dramatically improved
  - Better measurement of potency of drugs
  - Types of drugs
  - Cost and availability

# Thank you

**Code and interactive results explorer:**

`https://tiny.cc/paa2018`

[mathewkiang.com](http://mathewkiang.com) | : [mkiang](#) | : [@mathewkiang](#)

# Epidemic Hotspots





# Average Annual Percent Change

