

BevOS

Team Silver

Feasibility Presentation

June 2026



Table of Contents

05 - Team Bios	13- What BevOS Will NOT Do
06 - Elevator Pitch	14 - Development Tools
07 - The “Problem”	15 - Major Functional Component
08 - Current Process Flow	16 - Major Functional Components Diagram
09 - The Solution Statement	17 -> 29 - Risks
10 - Solution Process Flow	30 - Competition Matrix
11 - What BevOS Will Do	31 - Conclusions
12- Enterprise Resource PLanning	32 - References


Team Bios

Team Silver

BevOS



Phillip De Guzman



Amber Ponder



Jeweliana Beayon



Julien Fernandes



Matt Kirby



Kushal Honnappa
Mentor

Elevator Pitch

The beverage packaging industry was estimated to be at USD 157.73 billion in 2023 and is projected to reach USD 222.08 billion by 2030 (Grand View Research, 2024.) Beverage manufacturers often manage product launches through disconnected spreadsheets, email chains, and multiple software systems. This fragmented approach can lead to delays, communication breakdowns, and costly operational errors.

BevOS is a centralized workflow management platform designed specifically for beverage manufacturing. The platform connects suppliers, co-packers, logistics providers, and operational teams into a single system, providing visibility across the entire production lifecycle. By streamlining approvals, tracking production activities, and coordinating logistics, BevOS helps companies operate more efficiently and scale their business with fewer operational bottlenecks.



The “Problem”




As beverage companies grow, coordination of production activities become more challenging to manage.

The beverage manufacturing industry relies on multiple spreadsheets, email chains, and phone calls. While these are all helpful tools that allow companies to operate they create inefficiencies as a business grows. Important updates can become lost in long email chains, causing delays and miscommunication between brands, suppliers, co-packers, and logistic providers. Approval processes for artwork, purchase orders, and production schedules frequently require a manual follow up creating bottlenecks that slow projects and increase workload.

BevOS addresses these challenges by providing a centralized workflow management platform specifically design for beverage manufacturing operations.

Current Process Flow






The Solution Statement

Current beverage manufacturing operations rely heavily on manual coordination between suppliers, production facilities, logistics providers, and finance teams. These processes are often managed through spreadsheets, emails, and disconnected software applications, creating inefficiencies and increasing the risk of errors.

BevOS addresses this problem by providing a unified operational platform that centralizes workflow management, approval tracking, production scheduling, document management, and logistics coordination. The goal is to improve visibility, reduce manual effort, and create a scalable system that supports business growth.

Solution Process Flow




- a. Automated product request/artwork approval with escalation to partial automation when needed.
- b. Automated quote calculation with partial automation of negotiation where needed.
- a. Automated placement and follow-up on purchase orders, supplier responses, etc. on behalf of internal clients.
- a. Partial automation of internal user feedback into issue tracking to identify and consider emerging shortcomings.
- a. Repetition and tedium eliminated last step of solid plan to on store shelves fast, painless, for all involved now through minimizing communication delay, opacity, needs for manual approval, data fragmentation

What BevOS Will Do



- Centralize operational workflows
- Improve communication between stakeholders
- Track quotes, approvals, and purchase orders
- Manage production scheduling and tracking
- Coordinate logistics activities
- Store and organize operational documents
- Provide visibility through dashboards and reporting

Enterprise Resource Planning



Enterprise Resource Planning (ERP) is a software system that integrates and manages core business processes such as finance, inventory, manufacturing, sales, and HR all with one platform. ERP provides a centralized database for unified workflow that allows multiple people to share information across departments.

What BevOS Will NOT Do



- Physically manufacture products
- Operate production equipment
- Replace all existing ERP systems
- Handle direct consumer sales
- Manage warehouse automation systems
- Replace human decision-making processes

Development Tools



Testing



Source control



Visual Studio Code

Integrated Development
Environment



Framework



GitHub Actions

CI/CD


Major Functional Components



Main language



Major Functional Components Diagram (MFCD)



Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3 CR2	CR5
Medium (3)				CR4	CR1
Low (2)				CM1	
Very Low (1)					

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3 CR2	CR5
Medium (3)				CR4	CR1
Low (2)				CM1	
Very Low (1)					

CR1: Breach of Client Confidentiality/IP

CR2: Adoption Friction and Production Error

CR3: Centralized Service Outages

CR4: Wrong Information

CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.

CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.

CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.

CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3 CR2	CR5
Medium (3)				CR4	CR1
Low (2)			CM2	CM1	
Very Low (1)					

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3 CR2	CR5
Medium (3)				CR4	CR1
Low (2)			CM2	CM1	
Very Low (1)					

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)						
High (4)					CR3 CR2	CR5
Medium (3)					CR4	CR1
Low (2)				CM2	CM1	
Very Low (1)		CM3				

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3	CR5
Medium (3)				CR4	CR1
Low (2)			CM2	CM1	
Very Low (1)		CM3			

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3 CR2	CR5
Medium (3)				CR4	CR1
Low (2)		CM4	CM2	CM1	
Very Low (1)		CM3			

CR1: Breach of Client Confidentiality/IP

CR2: Adoption Friction and Production Error

CR3: Centralized Service Outages

CR4: Wrong Information

CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.

CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.

CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.

CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)						
High (4)					CR3 CR2	CR5
Medium (3)					CR4	CR1
Low (2)			CM4	CM2	CM1	
Very Low (1)			CM3			

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)						
High (4)					CR3 CR2	CR5
Medium (3)				CM5	CR4	CR1
Low (2)			CM4	CM2	CM1	
Very Low (1)			CM3			

CR1: Breach of Client Confidentiality/IP

CR2: Adoption Friction and Production Error

CR3: Centralized Service Outages

CR4: Wrong Information

CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.

CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.

CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.

CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Client Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				CR3 CR2	CR5
Medium (3)				CM5 CR4	CR1
Low (2)		CM4	CM2	CM1	
Very Low (1)		CM3			

CR1: Breach of Client Confidentiality/IP
CR2: Adoption Friction and Production Error
CR3: Centralized Service Outages
CR4: Wrong Information
CR5: Customer Trust

CM1: Role-based access controls with only need to know data provided break up single point of failure potential.
CM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
CM3: Local redundancy in infrastructure alongside minimizing need for communication with central database provides tolerance for partial functionality during minor outages.
CM4: System design emphasizes cohering with reality as provided by the user but prevents entry of known nonsensical data, validation falls to user facilitated by system metrics.
CM5: Emphasis on transparent and continuing dialogue between development and domain clients gradually handing off to client tools to self-maintain workflows.

Technical Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)				TR1	
High (4)			TR3		TR4
Medium (3)		TM3	TM1 TM4		TR2
Low (2)			TM2		
Very Low (1)					

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)				TR1	
High (4)			TR3		TR4
Medium (3)		TM3	TM1 TM4		TR2
Low (2)			TM2		
Very Low (1)					

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)				TR1	
High (4)			TR3		TR4
Medium (3)		TM3	TM1 TM4		TR2
Low (2)			TM2		
Very Low (1)					

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)				TR1	
High (4)			TR3		TR4
Medium (3)		TM3	TM1 TM4		TR2
Low (2)			TM2		
Very Low (1)					

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					TR1	
High (4)				TR3		TR4
Medium (3)			TM3	TM1 TM4		TR2
Low (2)				TM2		
Very Low (1)						

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt (Unmaintainable)

TR5: Long-Term Viability? (

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					TR1	
High (4)				TR3		TR4
Medium (3)			TM3	TM1		TR2
Low (2)				TM2		
Very Low (1)						

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)				TR1	
High (4)			TR3		TR4
Medium (3)		TM3	TM1		TR2
Low (2)			TM2		
Very Low (1)					

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain. Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Technical Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)				TR1	
High (4)			TR3		TR4
Medium (3)		TM3	TM1		TR2
Low (2)			TM2		
Very Low (1)					

TR1: Domain & Process Scalability

TR2: Cybersecurity

TR3: Opaque Automation

TR4: Accumulating Technical Debt

TM1: Limited and gradual increase in system scope leaning towards strong foundation which clients and developers can build on to gradually encompass given process domain.

Continual domain feedback and dialogue.

TM2: Separation of process coordination network except through specific role interactions. Encryption and local emphasis on sensitive data storage.

TM3: Data and metric visualization functionality which emphasizes multiple perspectives to a clear big picture.

TM4: Recognition of and minimization of the technical debt issue as fundamental tenet of BevOS with emphasis on futureproof Careful foundation construction and gradual architecture design.

Legal Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				LR2	
Medium (3)	LM2		LR3		
Low (2)		LM3		LR1	
Very Low (1)			LM1		

LR1: Regulatory Compliance

LR2: Multi-Party Contract Complications

LR3: System Client Obligations

LM1: Role-based access controls with only need to know data provided break up single point of failure potential.

LM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

LM3: System emphasizes trying to represent reality as closely as possible versus serving as source of truth, internal tooling empowers rather than replaces clients self-oversight.

Legal Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				LR2	
Medium (3)	LM2		LR3		
Low (2)		LM3		LR1	
Very Low (1)			LM1		

LR1: Regulatory Compliance

LR2: Multi-Party Contract Complications

LR3: System Client Obligations

LM1: Role-based access controls with only need to know data provided break up single point of failure potential.

LM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

LM3: System emphasizes trying to represent reality as closely as possible versus serving as source of truth, internal tooling empowers rather than replaces clients self-oversight.

Legal Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				LR2	
Medium (3)	LM2		LR3		
Low (2)		LM3		LR1	
Very Low (1)			LM1		

LR1: Regulatory Compliance

LR2: Multi-Party Contract Complications

LR3: System Client Obligations

LM1: Role-based access controls with only need to know data provided break up single point of failure potential.

LM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

LM3: System emphasizes trying to represent reality as closely as possible versus serving as source of truth, internal tooling empowers rather than replaces clients self-oversight.

Legal Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)						
High (4)					LR2	
Medium (3)		LM2		LR3		
Low (2)			LM3		LR1	
Very Low (1)				LM1		

LR1: Regulatory Compliance
LR2: Multi-Party Contract Complications
LR3: System Client Obligations

LM1: Role-based access controls with only need to know data provided break up single point of failure potential.
LM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.
LM3: System emphasizes trying to represent reality as closely as possible versus serving as source of truth, internal tooling empowers rather than replaces clients self-oversight.

Legal Risks



		Impact				
		Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)						
High (4)					LR2	
Medium (3)		LM2		LR3		
Low (2)			LM3		LR1	
Very Low (1)				LM1		

LR1: Regulatory Compliance

LR2: Multi-Party Contract Complications

LR3: System Client Obligations

LM1: Role-based access controls with only need to know data provided break up single point of failure potential.

LM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

LM3: System emphasizes trying to represent reality as closely as possible versus serving as source of truth, internal tooling empowers rather than replaces clients self-oversight.

Legal Risks



	Impact				
	Very Low (1)	Low (2)	Medium (3)	High (4)	Severe (5)
Severe (5)					
High (4)				LR2	
Medium (3)	LM2		LR3		
Low (2)		LM3		LR1	
Very Low (1)			LM1		

LR1: Regulatory Compliance

LR2: Multi-Party Contract Complications

LR3: System Client Obligations

LM1: Role-based access controls with only need to know data provided break up single point of failure potential.

LM2: Phased adoption through trial simulation, real world process modeling, minimum workflow adoption, full adoption minimize potential losses and rapid issue discovery/resolution.

LM3: System emphasizes trying to represent reality as closely as possible versus serving as source of truth, internal tooling empowers rather than replaces clients self-oversight.

Competition Matrix

Feature	Email & Spreadsheets	Generic ERP	BevOS
Centralized Workflow			
Beverage Industry Focus			
Approval Tracking			
Production Tracking			
Logistics Visibility			
Document Management			

Conclusion




The beverage manufacturing industry continues to rely on spreadsheets, email chains, manual approvals, and disconnected software systems to coordinate intricate production workflows. The spread out process causes communication delays, limited visibility, and more workload making it difficult to scale the company.

BevOS addresses all of these issues by having a centralized workflow management platform that connects brands, suppliers, co-packers, logistics, and more through a single system. Through automate workflow, real time updates, and approval management BevOs makes operations across the entire production more efficient.

References

1. Wilson, T. (2026). BevOS Presentation / Nice Package Co. Guest Presentation. CS410 Professional Workforce Development, Old Dominion University.
2. Kennedy, T. (2026). CS410 Recitation Recording and Discussion Materials. Old Dominion University.
3. Grand View Research. (2024, June). Beverage packaging market size, share & trends analysis report, 2030. <https://www.grandviewresearch.com/industry-analysis/beverage-packaging-market>



Appendix

1. Supporting Research
2. Diagrams
3. Additional Materials

