



TARMOR RAM
Risk Adverse Maintenance

Work Order

W26000011



Equipment ID

HTD-001

Dump Haul Truck, 001, Epiroc, MT2010

Work Type

Priority

Machine OOS

Meter Read

Meter Description

Job Status

Date/Time

Troubleshooting

Mandatory PPE



Description of Failure

Scheduled Maintenance

Extended Description

Equipment Location

Troubleshooting Service Report



TARMOR RAM
Risk Adverse Maintenance

Repair

Plan Start Date

Description of Repair

Special Requirements

Safety Instructions

Job Instructions Outside of Service Manual

FC-System

FC-Component

FC-Fail Mode

Repair Type

Service Report



Post Job Steps

- ☐ Recheck all fluid levels, verify all drain and level plugs are tight
- ☐ Make sure every closure, access panel, cover, and door is properly closed and locked
- ☐ Clean work area of debris, old parts, excess / unused materials and lubricants, roll up hoses and cords, return chemicals to flammable cabinet, etc
- ☐ Return equipment worked on or inspected to a safe operating condition
- ☐ Ensure any follow up work orders are submitted to planning for all found corrective issues to be resolved later
- ☐ Walk around equipment to ensure that all foreign materials are cleaned up & put away properly. (rags, tools, blocks, chains, parts, garbage)
- ☐ Complete parts & core returns
- ☐ Clean up old filters / oils and dispose of properly

Timesheet

Technician	Date	Start	Finish	T/TS/R

Note: T = Travel, TS = Troubleshoot, R = Repair

Please ensure time is separated for each instance. This is to track travel time in addition to troubleshooting time and repair time.