



# Forensic User Data

## Cloud Insights

Tony Lavoie  
February 27, 2020

This PDF was generated from [https://docs.netapp.com/us-en/cloudinsights/forensic\\_user\\_data.html](https://docs.netapp.com/us-en/cloudinsights/forensic_user_data.html) on May 08, 2020. Always check docs.netapp.com for the latest.

# Table of Contents

Forensic User Data ..... 1

    Filtering Forensic User Data ..... 1

# Forensic User Data

The User page identifies the users monitored by Cloud Secure.

The data available in this page, includes the following:

- Each user that is monitored by Cloud Secure with a link to the [User Profile](#).
- Alerts raised by the user's activities the user performed. Alert severity is identified as follows:  
image::critical.png[Critical] + \  
image::warning.png[Warning] + \  
image::low.png[Low] + \  
image::critical.png[Critical] + \  
image::warning.png[Warning] + \  
image::low.png[Low] + \
- The last activity performed by the user.
- The user's location - Country and State.
- The number of communities the user is a member of.

## Filtering Forensic User Data

You can filter Forensic Activity History data by the following:

- Alerts
  - None
  - Low
  - Warning
  - Critical
- Associated community
  - TBD
- Community Count
  - A numerical value or range
- Last Activity
  - A time or a time range
- Location
  - IP address from which the activity was performed
- Alerts
  - None
  - Low
  - Warning

- Critical
  - Associated community
- Community Count
  - A numerical value or range
- Last Activity
  - A time or a time range
- Location
  - IP address from which the activity was performed
  - \*
  - User
  - User ID
- Location that the entity was accessed from
- Path of the entity
- Time the activity occurred
- User performing the activity

## Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.