

StarWall

Intelligent Security & Integration Platform

The Ultimate Command Center for Maritime,
Estate, and Critical Infrastructure.

By AGRON Inc.

Any Sensor

Proprietary Radars,
Sonar, CCTV, IoT

Unified AI

Normalization, Risk Correlation,
Threat Baselines


Human Decision

AGRON Bridge UI, Support
Center, Operator Action



StarWall is an advanced intelligence co-pilot. It functions as a vendor-agnostic integration layer that fuses disparate radar, sonar, RF, and video protocols into a single, real-time situational picture.

Automation Spectrum & The AGRON Red Line



AGRON Integration Architecture

Human Layer

The AGRON Bridge console & remote Support Center escalation.

Intelligence Layer

The Risk Engine & Adaptive AI. Correlates normalized data to identify anomalous patterns.

Normalization Layer


Converts disparate data into a unified AGRON schema (Objects, Events, Coordinates)

Adapter Layer

Translates proprietary vendor protocols (NMEA, ONVIF, MQTT, RS-485)

Because of the dedicated Adapter Layer, StarWall integrates with your existing legacy equipment.

You own the hardware; AGRON owns the integration architecture.



AGRON Domain Integration Overview

Air & Surface



Integration of 3D AESA Radar (up to 15km), AIS, Counter-UAS, and Auto-tracking capabilities.

Underwater




Integration of Acoustic Sonar, diver detection, and UUV (stealth drone) tracking.

RF / Electronic Warfare



Integration of GNSS/GPS-spoofing detection, comms jamming detection, and spectrum analysis.

Perimeter & Access



Integration of Biometrics, PTZ CCTV, and Industrial IoT motion sensors.

AGRON Bridge Software Interface

Dynamic Situational Picture

Automatically switches views (Radar, Sonar, RF, Map) based on the highest priority event.

Live Telemetry Ribbon

UTC, Vessel Heading, Speed, Wind, Depth updating in real-time without visual clutter.



Ranked Recommendations

Moves beyond simple alerts; offers 2-3 actionable, ranked solutions (e.g., 'RECOMMENDED: Hail VHF ch.16').

Procedural Event Log

Chronological thread visually separating human decisions from auto-actions.

AI RISK ENGINE THREAT LEVELS

Level	Context	Example	Action
NORMAL	Routine operations. Baseline intact. 	3 static harbor contacts. 	Continuous monitoring.
ATTENTION	Single anomaly detected. 	Loitering UAV holding position for 14 minutes. 	Auto-log and maintain visual track. 
ELEVATED	Multi-factor event. 	GPS spoofing detected + converging vessel without AIS. 	Cross-check sensors, prepare intervention. 
CRITICAL	Direct, imminent threat. 	Payload drone on inbound approach / USV swarm. 	Triggers full Crisis Mode.

CRISIS MODE

MAN OVERBOARD PROTOCOL

- ☒ Activate Alarm / Deploy MOB Marker
- ☒ Plot Initial MOB Position (GPS)
- ☐ Maintain Visual Contact (Spotter)
- ☐ Turn Vessel / Initiate Search Pattern
- ☐ Prepare Rescue Equipment
- ☐ Contact Rescue Services (VHF Ch. 16)
- ☐ Brief Crew / Assign Roles
- ☐ Continue Monitoring / Log Actions

Structured Protocols:

Crisis Mode replaces open-ended recommendations with rigid, predefined checklists specific to the scenario. Zero guesswork under extreme stress.

Secure

Secure




1-Click Escalation:

Instantly links to remote AGRON specialists who share the exact same live screen context. No need to explain the situation—they already see it.

Pilot: The AI Security Co-Pilot

- **Powered by Claude:** Highly advanced, context-aware reasoning based on real-time sensor data.
- **Frictionless Input:** Voice-activated via Web Audio API or text chat. Native support for EN, RU, FR, and AR.
- **Absolute Security:** Server-side routing ensures API keys and raw intelligence never hit the local browser.
- **Explainability:** Pilot acts as a true co-pilot, explicitly explaining why the Risk Engine classified a specific event.






Day 1: The Raw State

Known Vessels: 3 | Baseline: None


System relies entirely on standard physics and preset parameters.



Day 30: Partial Baseline

Known Vessels: 14 | False Positives: ~22%

The AI begins identifying routine marina traffic and authorized personnel.



Day 90: Complete Profile

Known Vessels: 37+ | False Positives: ~6%

System has learned the unique behavioral profile, standard routes, and access patterns of the specific yacht or estate. Anomaly detection is highly accurate.


Rugged Failsafe Architecture: Edge & Cloud Redundancy

No Single Point of Failure

If the external satellite or internet link to the cloud is severed, StarWall does not crash. System integrity is maintained offline.



Cloud Processing
(PostgreSQL)



Local Buffering

Utilizing robust IndexedDB edge-storage, the vessel or estate retains full situational awareness and AI capability offline.



Local Edge Processing
(IndexedDB)

Controlled Degradation

In the event of sensor damage, the system explicitly flags the offline component and operates on remaining valid data rather than failing entirely.

Physical Hardware Deployments

AGRON Yacht Unit

Compact, onboard integration engineered specifically for superyachts. Seamlessly ties into existing NMEA and navigation networks.



AGRON Marina Unit

Distributed local network designed to provide absolute coverage across vast port and harbor topographies.



AGRON Estate Unit

Tailored for private islands and high-net-worth residences. Focuses heavily on perimeter defense, biometrics, and special event modes.



Rapid Deployment Kit

Self-contained 20ft mobile container. Outputs 10-15kW and remains fully autonomous for 72+ hours for temporary high-risk deployments.



StarWall

UNIVERSAL



Integrates flawlessly with your existing legacy equipment via custom hardware adapters.

INTELLIGENT



Builds a dynamic, learning baseline of your specific environment to eliminate false positives.

DECISIVE



Eliminates cognitive overload by providing ranked recommendations and rigid crisis protocols.

Access the live pricing configurator or request an integration audit at agron1.com