GENIUS USER GUIDE

Producer Pal Genius (Live Actions) — Full Action Reference & Categorized, Model-Tagged Prompt Library

108 tools across 18 categories | 110 example prompts across 19 categories | 42 Music/Audio database datasets | Ableton Live 12 Standard

Genius is an expert music producer and music theorist — harmony, arrangement, sound design, mixing/mastering, genre convention, and the Ableton Live / Max for Live production stack — wired into your running Live Set through the Live Actions Bridge. It answers from two knowledge sources: the **Music/Audio database** (42 real full-text-search datasets, checked first) and **TRAINING DOCS** (official manuals and plugin books, used as a fallback). It acts on Live through 108 dedicated tools — it does not click around Live's GUI or the browser, so it cannot add a new VST/AU plugin, run stem separation, or reach anything the Live Object Model doesn't expose.

How to read the model tags

Every prompt below is tagged with the model family it tends to suit best, based on how each provider's strengths map onto Genius's two jobs (precise tool-calling vs. open-ended reasoning). This is a starting point, not a benchmark — the model actually used is whatever is selected in Settings, and results still vary by version and by ask.

Tag	Model family	Best for
CLAUDE	Anthropic Claude	precise multi-step Live automation / exact tool sequencing
GPT	OpenAI GPT	balanced generalist, strong second choice for automation
GROK	xAI Grok	long-form theory/creative coaching, big-context digestion
GEMINI	Google Gemini (Flash-class)	fast, cheap single-fact lookups and simple citations

Part 1 — Full Action Reference

Every tool Genius can call, grouped by job. 108 total: 105 act on Ableton Live directly (live_*), 5 inspect saved .als project files offline without opening Live (als_*), and 3 search the knowledge library (library_*).

Connect & Read Live State

`live_connect`	Connect/ping the bridge; returns set name, tempo, scale, track/scene counts.
`live_read_set`	Read Set globals + tracks/scenes/routings/mixer/color/locators.
`live_get_selected`	What's selected in Live's GUI right now (track/scene/device/clip).
`live_session_snapshot`	Deep JSON snapshot of the whole session for before/after verification.
`live_session_diff`	Compare a prior snapshot to current state; exact change list.
`live_read_link_status`	Ableton Link / external sync status (peers, quantum, tempo sync).
`live_read_meter`	Real-time peak/VU output meters on a track, return, or master.

Tempo, Transport & Global

`live_update_set`	Tempo, time signature, scale, locators, metronome, launch quantization.
`live_playback`	Play/stop arrangement, fire clip/scene, loop region, stop session clips.
`live_undo`	Undo the last Live action.
`live_redo`	Redo the last undone Live action.
`live_jump_to_time`	Move the arrangement playhead without starting playback.
`live_set_overdub`	Toggle MIDI/arrangement overdub recording.
`live_tap_tempo`	Tap-tempo the session BPM.
`live_continue_playing`	Resume transport from the current playhead position.
`live_scrub`	Scrub the playhead forward/backward by a beat delta.
`live_jump_cue`	Jump to the next/previous locator.
`live_set_punch`	Toggle arrangement punch-in/punch-out.
`live_set_cue_volume`	Set master headphone/cue preview volume.
`live_stop_all_clips`	Stop every playing session clip at once.
`live_batch_tracks`	unarm_all / unmute_all / unsolo_all / solo_exclusive across the Set.
`live_set_crossfader`	Master crossfader position + A/B/None track assignment.

Tracks & Mixer

`live_read_track`	Read one track: mixer, devices, clips, drum map, routings.
`live_update_track`	Name, color, mute/solo/arm, volume/pan, sends, monitoring, routing.
`live_create_track`	Create MIDI, audio, or return track(s).
`live_edit_track`	Unified delete / duplicate / rename for a track.
`live_delete`	Delete a track, clip, scene, or device.
`live_duplicate`	Duplicate a track, scene, or session clip.
`live_select`	Show/select a track, scene, clip slot, or device; switch view.
`live_set_fold_state`	Inspect/toggle a Group track's fold (collapse) state.

Scenes

`live_read_scene`	Read a scene and its clips.
`live_update_scene`	Scene name, color, or tempo.
`live_create_scene`	Create an empty scene, or capture playing clips into a new one.
`live_edit_scene`	Unified delete / duplicate / rename for a scene.

Session Clips -- Create & Edit

`live_read_clip`	Read a session clip: notes, timing, warp/sample data.
`live_update_clip`	Name/color/mute/loop/length, quantize, audio warp/pitch.
`live_create_clip`	Create a MIDI or audio clip (Session slot or Arrangement).
`live_edit_clip`	Unified delete / duplicate / rename for a clip.
`live_write_notes`	Write MIDI notes into a session clip (creates it if empty).
`live_remove_notes`	Surgically remove notes in a pitch/time window.
`live_duplicate_loop`	Double a clip's loop length, duplicating the notes inside.
`live_commit_groove`	Bake quantize/groove permanently into a clip's notes.
`live_groove_pool`	Inspect the Groove Pool, or attach a groove to a clip.
`live_set_clip_fades`	Audio clip fade-in/out timing (beats).
`live_set_clip_markers`	Clip start/end markers and loop start/end.
`live_manage_warp_markers`	Get/add/delete warp markers on an audio clip.
`live_set_clip_follow_action`	Follow actions A/B, chance, time, enabled.
`live_get_clip_follow_action`	Read a clip's follow-action settings.
`live_set_clip_launch_mode`	Launch mode, launch quantization, legato.

Clip Automation & Envelopes

`live_set_clip_automation`	Write an automation envelope for a named parameter.
`live_get_clip_automation`	Check whether a clip has automation envelopes.
`live_add_shaped_automation`	Generate sine/triangle/saw/square/random envelope curves.
`live_clear_clip_envelopes`	Clear all automation/modulation envelopes on a clip.
`live_re_enable_automation`	Re-arm automation overridden by a manual knob tweak.

Arrangement Timeline

`live_record_to_arrangement`	Record a Session scene's performance into the Arrangement.
`live_duplicate_to_arrangement`	Copy a Session clip into the Arrangement at a beat position.
`live_read_arrangement_clips`	Read every clip placed on a track's Arrangement timeline.
`live_update_arrangement_clip`	Rename/color/mute an Arrangement clip.
`live_move_arrangement_clip`	Move an Arrangement clip to a new time and/or track.
`live_read_arrangement_notes`	Read MIDI notes from an Arrangement clip.
`live_write_arrangement_notes`	Write or append MIDI notes into an Arrangement clip.
`live_remove_arrangement_notes`	Surgically remove notes from an Arrangement clip.
`live_read_arrangement_length`	Total Arrangement/song length in beats.
`live_back_to_arranger`	Return playback control to the Arrangement (native button).
`live_capture_midi`	Pull Live's retrospective MIDI capture buffer into a new clip.

Take Lanes / Comping

`live_create_take_lane`	Create an audio or MIDI take lane on a track.
`live_read_take_lanes`	List a track's take lanes with index and name.
`live_update_take_lane`	Rename an existing take lane.
`live_create_take_lane_clip`	Create an empty MIDI clip inside a take lane.

Devices, Racks & Macros

`live_read_device`	Read a device, rack chain, or drum pad (native or present VST/AU).
`live_update_device`	Set params, rename, mute/solo chains; load a Drum Rack pad sample.
`live_create_device`	Insert a native Live device by name (Live 12.3+).
`live_move_device`	Reposition a device within a track's chain.
`live_read_macros`	List a Rack's macro controls: names, values, ranges, quantized state.
`live_update_macro`	Set a Rack macro by number or name (native units or 0-1).
`live_map_rack_magnitude`	Auto-detect Dry/Wet across a Rack, bind to Macro 1 as 'Magnitude'.
`live_read_drum_pads`	Inspect all active Drum Rack pads: notes, names, mute/solo, chains.
`live_update_drum_pad`	Rename, mute, or solo a specific Drum Rack pad.
`live_inspect_plugin`	Deep discovery on a device: native vs VST/AU/M4L, class, params, presets.

Algorithmic & Generative MIDI

`live_generate_euclidean`	Bjorklund Euclidean rhythm generator, written straight to a clip.
`live_generate_chords`	Voiced chord progressions with voice leading (drop-2, rootless, etc.).
`live_generate_walking_bass`	Jazz/blues quarter-note walking bassline with chromatic approaches.
`live_transform_clip`	Invert, retrograde, augment, diminish, transpose, or humanize a clip.
`live_write_drum_grid`	Parse an ASCII drum grid into timed notes on a Drum Rack track.
`live_create_drum_pattern`	Step-string drum pattern writer with velocity dynamics/polyrhythm.
`live_create_chord_progression`	Roman-numeral or named-chord progression writer with voicings.
`live_detect_key`	Deterministic Krumhansl-Schmuckler key/mode detection.

Genre Recipes (multi-step builds)

`live_list_recipes`	Catalog of embedded multi-step production recipes.
`live_apply_recipe`	Execute a recipe by ID: tracks, devices, params, and MIDI in one call.

Audio Analysis, Recording & Mix Tools

`live_analyze_audio`	LUFS, true peak, RMS, crest factor, 10-band spectrum, brightness, width.
`live_compare_audio`	Diff two audio files (before/after a tweak) with delta metrics.
`live_record_audio`	Capture Live's real-time output to a WAV via Windows loopback.
`live_record_and_analyze`	Capture + analyze in one call -- closed-loop parameter tuning.
`live_analyze_mix`	Heuristic mix audit: low-end clashes, clipping, missing limiter, panning.

Sample & Library Search

`live_library`	Search the user's disk Samples folder (tags/categories included).
`live_find_samples`	Search Samples folder for one-shots (kicks, snares, 808s, hats).

Persistent Memory

`live_context`	Persistent production memory -- project, global, or named-fact scope.

Raw LOM & Host Actions

`live_api`	Raw Live Object Model access (get/set/call/goto) -- escape hatch only.
`live_run_action`	Run a built-in Live Actions host tool by track/field payload.

Offline .als Project Tools (no Ableton needed)

`als_summary`	Creator version, tempo, signature, scale, track count, clips, locators.
`als_list_tracks`	All tracks, mixer volumes/pans, loaded devices, and clips -- from disk.
`als_extract_midi`	Extract a clip's MIDI notes from a saved .als into JSON.
`als_diff`	Diff two .als versions: added/removed/renamed tracks, tempo, clip counts.
`als_find_unfinished`	Lint a saved .als for unfinished-work signals (clipping, empty clips...).

View Focus

`live_focus_view`	Focus Session/Arrangement/Detail/Clip/Device, toggle Draw/Follow.

Knowledge Library

`library_db_search`	Full-text (FTS5) search over the 42-dataset Music/Audio database -- first stop.
`library_read`	Open one studio-library file (INDEX.md, chapter, or PDF) -- TRAINING DOCS.
`library_search`	Search TRAINING DOCS + plugin manuals by filename or INDEX row.

Part 2 — Categorized Prompt Library

110 example prompts across 19 categories. Paste one in as-is or adapt it — each row shows what actually happens, which tool(s) fire, and which model tends to suit it best.

Getting Started

Connect Genius to the running Live Set and get oriented before asking for changes.

Prompt	What it does	Tool(s)	Model
Connect to Ableton and tell me what's in my Set	Pings the bridge, reads tempo/scale/tracks/scenes.	`live_connect, live_read_set`	GEMINI
What do I currently have selected in Live?	Reads the GUI-selected track/scene/device/clip.	`live_get_selected`	GEMINI
Give me a full snapshot of my session before I start	Deep JSON capture for later before/after comparison.	`live_session_snapshot`	CLAUDE
Is Ableton Link on, and how many peers am I synced to?	Link/external sync status.	`live_read_link_status`	GEMINI
Walk me through what Genius can actually do in my Set	Explains capabilities using this guide's action list.	`(knowledge only)`	GROK
What genre recipes are built in?	Lists the embedded multi-step production recipes.	`live_list_recipes`	GEMINI

Tempo, Transport & Global Control

Set the session up, move the playhead, and control global transport state.

Prompt	What it does	Tool(s)	Model
Set the project to 128 BPM, 4/4, in F Minor	Tempo, time signature, and project scale in one call.	`live_update_set`	GPT
Tap tempo for me around 124 BPM	Simulated tap-tempo BPM calculation.	`live_tap_tempo`	GEMINI
Play the arrangement starting at bar 32	Jumps playhead then starts playback.	`live_jump_to_time, live_playback`	GPT
Turn on punch-in at bar 8 and enable overdub	Arms punch recording + overdub together.	`live_set_punch, live_set_overdub`	CLAUDE
Mute every track except Drums and Bass	Batch mute/unmute across the whole Set.	`live_batch_tracks, live_update_track`	CLAUDE
Undo that last change / now redo it	Native Live undo/redo without touching the keyboard.	`live_undo, live_redo`	GEMINI

Tracks, Mixer & Routing

Build out the track list and dial in levels, sends, and routing.

Prompt	What it does	Tool(s)	Model
Create a MIDI track called 'Lead Synth' and an audio track called 'Vox'	Creates typed tracks with names in one turn.	`live_create_track`	GPT
Pull track 2 down 3 dB and pan it 25% left	Precise volume/pan adjustment in dB or 0-1 fader units.	`live_update_track`	CLAUDE
Send 20% of the Drums track to Return B	Sets a named return's send amount.	`live_update_track`	CLAUDE
Duplicate track 1 with everything on it	Full track duplication including devices/clips.	`live_duplicate`	GPT
Fold all my group tracks to clean up the view	Collapses Group tracks in Session view.	`live_set_fold_state`	GEMINI
Solo the Bass and un-arm every other track	Combined solo + batch un-arm.	`live_batch_tracks, live_update_track`	CLAUDE

Scenes & Session Arranging

Organize the Session grid: scenes, launch behavior, and capture.

Prompt	What it does	Tool(s)	Model
Capture what's currently playing into a new scene	Native Capture-and-Insert-Scene behavior.	`live_create_scene`	GPT
Fire scene 2, then stop everything after 8 bars	Scene launch plus a later global stop.	`live_playback`, `live_stop_all_clips`	GEMINI
Rename scene 3 to 'Chorus' and color it orange	Scene metadata update.	`live_update_scene`	GEMINI
Set clip 0 on track 1 to 80% Play Next / 20% Stop	Follow-action A/B with chance weighting.	`live_set_clip_follow_action`	CLAUDE
What launch quantization is clip 0 on track 2 set to?	Reads launch mode/quantization/legato.	`live_get_clip_follow_action`, `live_read_clip`	GEMINI
Double the loop on the drum clip and duplicate the notes	Doubles loop bracket, duplicating MIDI inside.	`live_duplicate_loop`	CLAUDE

Writing MIDI: Beats & Drums

Program drum patterns by ear, by grid, or by genre convention.

Prompt	What it does	Tool(s)	Model
Write a 2-bar tech-house kick and hat pattern on track 1	Full drum programming with velocity dynamics.	`live_write_notes`, `live_create_drum_pattern`	CLAUDE
Draw this grid as a drum clip: kick: X...X...X...X... hat: x.x.x.x.x.x.x.x.	Parses ASCII grid into timed note events.	`live_write_drum_grid`	GPT
Give me a Euclidean rhythm, 5 pulses over 16 steps, on the hats	Bjorklund-algorithm rhythm generation.	`live_generate_euclidean`	GEMINI
Add ghost snares and humanize the velocities a little	Surgical note add + humanize transform.	`live_write_notes`, `live_transform_clip`	CLAUDE
Remove every note below C1 in the first 2 bars of that clip	Bounded pitch/time note removal.	`live_remove_notes`	CLAUDE
What key/scale is this drum clip actually implying?	Real Krumhansl-Schmuckler detection, not a guess.	`live_detect_key`	GEMINI

Writing MIDI: Melody, Chords & Bass

Theory-grounded composition, straight into a clip.

Prompt	What it does	Tool(s)	Model
Write an 8-bar D Dorian progression in a MIDI clip	Scale-aware voiced progression writing.	`live_create_chord_progression`	CLAUDE
Give me a ii-V-I in C Major with rootless voicings	Roman-numeral chord writer with named voicing styles.	`live_create_chord_progression`	GPT
Write a jazz walking bassline under that progression	Quarter-note walking bass with chromatic approaches.	`live_generate_walking_bass`	GPT
Invert this melody around its root, then write the retrograde too	Classical motif transformation (invert/retrograde).	`live_transform_clip`	GROK
What scale works for a dark dubstep bassline, and program it	Theory answer + Live-side MIDI writing in one ask.	`library_db_search`, `live_write_notes`	CLAUDE
Generate a neo-soul chord progression in Db Major with extensions	Voice-led chords (drop-2, spread, shell voicings).	`live_generate_chords`	GROK

Music Theory Coaching (no Live action)

Pure knowledge asks -- theory, harmony, and ear-training explained and cited.

Prompt	What it does	Tool(s)	Model
Explain the difference between Dorian and Aeolian, with examples	Modal theory explanation grounded in the theory dataset.	`library_db_search (music_theory)`	GROK
What makes a ii-V-I resolve so strongly?	Functional harmony explanation.	`library_db_search (music_theory)`	GROK
Give me 5 common chord progressions used in lo-fi/neo-soul	Genre-specific harmonic vocabulary.	`library_db_search (music_theory, production_djing)`	GROK
What's the fastest way to identify a song's key by ear?	Ear-training technique from the theory corpus.	`library_db_search (music_theory)`	GEMINI
Explain secondary dominants like I'm new to theory	Beginner-level concept explanation with citation.	`library_db_search (music_theory)`	CLAUDE
What time signatures are common in DnB vs. dubstep?	Genre/rhythm convention lookup.	`library_db_search (production_djing)`	GEMINI

Audio Clip Editing & Warping

Audio-specific clip work: fades, markers, and warp.

Prompt	What it does	Tool(s)	Model
Set a 0.25-beat fade-in and 0.5-beat fade-out on that vocal clip	Non-destructive edge fades on an audio clip.	`live_set_clip_fades`	GEMINI
List the warp markers on this sample	Reads all current warp markers.	`live_manage_warp_markers`	GEMINI
Add a warp marker at beat 4.5 to fix that transient	Inserts a warp marker at a beat position.	`live_manage_warp_markers`	CLAUDE
Set the loop start to beat 4 and length to 8 beats	Loop bracket + start/end marker control.	`live_set_clip_markers`	GEMINI
Quantize this audio clip's transients to the grid	Warp-aware quantization on audio content.	`live_update_clip`	CLAUDE
Pitch this sample down 3 semitones without changing tempo	Warp-mode pitch shift on an audio clip.	`live_update_clip`	GPT

Clip Automation & Modulation

Write and manage parameter automation inside clips.

Prompt	What it does	Tool(s)	Model
Automate the filter cutoff to sweep up over this 4-bar clip	Shaped envelope generation (ramp/curve) for a param.	`live_add_shaped_automation`	CLAUDE
Write a custom automation curve for Reverb Dry/Wet: 0% at bar 1, 100% at bar 3	Explicit {time, value} envelope points.	`live_set_clip_automation`	CLAUDE
Does this clip have any automation on it already?	Checks for existing envelopes before writing new ones.	`live_get_clip_automation`	GEMINI
Clear all the automation on that clip, I want to start over	Wipes every envelope on a clip.	`live_clear_clip_envelopes`	GEMINI
I tweaked a knob by hand and now automation isn't playing back -- fix it	Re-arms automation overridden by manual control.	`live_re_enable_automation`	CLAUDE
Add a slow LFO-style triangle wave to the pan on this clip	Cyclical shaped automation (sine/triangle/saw/square/random).	`live_add_shaped_automation`	GPT

Devices, Racks & Macros

Insert native devices, read/set params, and manage Racks.

Prompt	What it does	Tool(s)	Model
Add EQ Eight to the Drums track	Native device insertion by name (Live 12.3+).	`live_create_device`	GEMINI
What native devices can I even insert right now?	Lists insertable native device names.	`live_create_device`	GEMINI
Read every parameter on the Compressor on track 3	Full device/param dump for a native or present VST/AU.	`live_read_device`	GEMINI
Set the Reverb's Dry/Wet to 35% on the Vocal return	Precise device parameter set in display units.	`live_update_device`	CLAUDE
Rename Macro 1 on this Rack to 'Magnitude' and bind it to Dry/Wet everywhere	Auto-discovers blend params across nested chains.	`live_map_rack_magnitude`	CLAUDE
What are this Rack's macros set to right now?	Names, values, ranges, quantized state for all macros.	`live_read_macros`	GEMINI

Drum Racks & Sampling

Build and manage a Drum Rack, and find real samples on disk.

Prompt	What it does	Tool(s)	Model
Build a trap kit: kick, snare, 808, hats, clap on a Drum Rack	Creates the Rack, finds real samples, loads pads, writes the pattern.	`live_create_device`, `live_find_samples`, `live_update_device`, `live_write_notes`	CLAUDE
Find me some punchy kick one-shots in my sample library	Disk search scoped to kicks/one-shots.	`live_find_samples`	GEMINI
What pads are active on this Drum Rack and what's loaded on each?	Full pad inventory: notes, names, mute/solo, chains.	`live_read_drum_pads`	GEMINI
Mute the clap pad and rename the snare pad to 'Snare Layer'	Per-pad rename/mute/solo.	`live_update_drum_pad`	GEMINI
Search my samples for anything tagged '808'	Tag/category-aware disk sample search.	`live_library`	GEMINI
Load a new sample onto the hat pad without touching the rest of the kit	Single-pad sample load via device params.	`live_update_device`	CLAUDE

Already-Present Plugin Control

Work with a VST/AU that's already inserted -- Genius can't add it from the browser.

Prompt	What it does	Tool(s)	Model
What plugin is on track 4, and is it native, VST, or M4L?	True class name, param count, and type discovery.	`live_inspect_plugin`	GEMINI
Read all the exposed knobs on that Serum instance	Live-visible parameter dump for a present VST/AU.	`live_read_device`	GEMINI
Turn the filter cutoff on that plugin up to 60%	Sets a Live-visible plugin parameter.	`live_update_device`	CLAUDE
Does this plugin have any factory presets Live can see?	Lists a preset catalog (not a load command).	`live_inspect_plugin`	GEMINI
Why can't you turn the wavetable knob on my synth?	Explains the LOM-visible-only limitation honestly.	`(knowledge only)`	GROK
Separate the vocal and put it on a return with Ozone-style limiting	Native half (return + Limiter) + a cited manual handoff for the rest.	`live_create_track`, `live_create_device`, `library_db_search`	CLAUDE

Arrangement Timeline Production

Move from Session ideas into a finished Arrangement.

Prompt	What it does	Tool(s)	Model
Record scene 2 into the Arrangement starting now, stop after 16 bars	Starts/stops Arrangement recording of a Session scene.	`live_record_to_arrangement`	CLAUDE
Copy the chorus clip into the Arrangement at bar 33	Places a Session clip directly on the Arrangement timeline.	`live_duplicate_to_arrangement`	GPT
Show me every clip currently on the Bass track's timeline	Full Arrangement clip inventory with start/end/length.	`live_read_arrangement_clips`	GEMINI
Move that clip from bar 17 to bar 25 on the same track	Repositions an Arrangement clip in time (and/or track).	`live_move_arrangement_clip`	CLAUDE
Add a fill into the drum clip sitting in the Arrangement at bar 40	Direct note writing into an already-placed Arrangement clip.	`live_write_arrangement_notes`	CLAUDE
Grab what I just played and drop it into a new clip	Pulls Live's retrospective capture buffer.	`live_capture_midi`	GEMINI

Take Lanes / Comping

Multi-pass recording and comping on the Arrangement timeline.

Prompt	What it does	Tool(s)	Model
Create a new audio take lane on the Vocal track	Adds a take lane for a fresh recording pass.	`live_create_take_lane`	GEMINI
What take lanes exist on the Vocal track right now?	Lists lanes with index and name.	`live_read_take_lanes`	GEMINI
Rename take lane 2 to 'Best Take'	Simple take-lane rename.	`live_update_take_lane`	GEMINI
Add an empty MIDI clip to take lane 3 so I can record a new pass	Creates an empty clip directly inside a take lane.	`live_create_take_lane_clip`	GPT

Genre Recipes (one-shot builds)

Multi-step production sequences, executed in a single call.

Prompt	What it does	Tool(s)	Model
What genre recipes do you have built in?	Full catalog: tech-house, reese bass, 808 subs, lofi chords, parallel comp, and more.	`live_list_recipes`	GEMINI
Build me a tech-house kick and bass groove using the recipe	Runs the multi-step recipe: tracks, devices, params, MIDI.	`live_apply_recipe`	CLAUDE
Apply the parallel-comp rack recipe to my drum bus	Builds a parallel compression rack with sane defaults.	`live_apply_recipe`	CLAUDE
Give me a lofi/neo-soul chord voicing starter using a recipe	Genre-authentic voicings via the embedded recipe.	`live_apply_recipe`	GPT
Run the 808 sub recipe on a new bass track	Sub-bass patch + pattern in one call.	`live_apply_recipe`	CLAUDE
If a recipe step fails, tell me exactly which one and why	Tests the engine's clear partial-failure reporting.	`live_apply_recipe`	CLAUDE

Audio Analysis, Mixing & Mastering Coaching

Objective measurement plus coaching on what to do about it.

Prompt	What it does	Tool(s)	Model
Analyze my master bus WAV and tell me the LUFS and true peak	Objective DSP measurement, not a guess.	`live_analyze_audio`	CLAUDE
Compare my mix before and after that EQ change	Delta metrics: LUFS, brightness, punch, width.	`live_compare_audio`	CLAUDE
Record Live's output for 8 bars and tell me if it's too loud	Loopback capture + LUFS/true-peak in one call.	`live_record_and_analyze`	CLAUDE
Run a heuristic mix check on my current session	Flags low-end clashes, clipping, missing limiter, panning issues.	`live_analyze_mix`	GEMINI
Why does my low end sound muddy, and how do I fix it in Live?	Diagnosis + cited mixing technique + native device fix.	`live_analyze_mix`, `library_db_search`	GROK
What LUFS target should I master to for Spotify vs. club play?	Platform loudness-standard knowledge.	`library_db_search (production_djing)`	GEMINI

Sound Design Coaching

Synthesis theory and named-plugin manual lookups.

Prompt	What it does	Tool(s)	Model
Explain FM synthesis like I've never touched an operator before	Beginner-safe synthesis concept explanation.	`library_db_search (sound_design)`	GROK
How do I get a Reese bass sound out of Wavetable?	Technique explanation grounded in the sound-design corpus.	`library_db_search (sound_design)`	GROK
What does Surge XT's filter section offer that's different from Serum?	Named-synth manual comparison.	`library_db_search (surge, hw_synths_standalone)`	GROK
Look up how Ozone's maximizer character modes differ	Named third-party manual lookup with citation.	`library_db_search (hw_mixing_mastering)`	GEMINI
What's a good frequency map for carving space between kick and bass?	Frequency-map cheat-sheet knowledge.	`library_db_search (sound_design)`	GEMINI
Design a dark, evolving pad patch concept, then help me build it	Concept + native-device build-out where possible.	`library_db_search, live_create_device, live_update_device`	CLAUDE

Offline .als Project Inspection

Inspect saved projects without opening Ableton at all.

Prompt	What it does	Tool(s)	Model
Summarize this .als file without opening Ableton	Creator version, tempo, signature, scale, track/clip counts.	`als_summary`	GEMINI
List every track and device in this saved project	Full offline track/mixer/device/clip dump.	`als_list_tracks`	GEMINI
Pull the MIDI notes out of the bass clip in this old project file	Extracts note events straight from the .als XML.	`als_extract_midi`	GPT
What changed between song_v1.als and song_v2.als?	Structural diff: tracks, tempo, clip counts.	`als_diff`	CLAUDE
Is this project actually finished, or are there loose ends?	Lints for empty clips, default names, soloed tracks, clipping.	`als_find_unfinished`	GPT

Troubleshooting & Verification

Confirm a change actually happened, or explain why something didn't work.

Prompt	What it does	Tool(s)	Model
Snapshot my session, make the change, then show me exactly what changed	Before/after diff to catch silent no-ops.	`live_session_snapshot, live_session_diff`	CLAUDE
That automation write failed -- what actually happened?	Reads the bridge's real attempts/diagnostic payload, not a guess.	`live_set_clip_automation`	CLAUDE
Re-read track 4 before you touch it, I think the numbering shifted	Forces a fresh live_read_set instead of trusting stale numbers.	`live_read_set, live_read_track`	CLAUDE
Why did you say track 7 when I asked for track 4?	Surfaces a real track-numbering mismatch for correction.	`live_read_set`	CLAUDE
Check Max Console and tell me what it printed	Genius has no tool that reads Max Console -- it will say so, not fabricate output.	`(not possible via chat)`	GROK