LU ICPC komanda "Mazmazītiņie Pipariņi"

-         Valters Kļaviņš
- Ansis Gustavs Andersons
-         Matīss Kristiņš

The equation $Q = \rho A v + C$ defines the glacial flow rate.

it (but the spaces are trimmed). And `here` the leading space is also trimmed.

0.1. Table organization

Total displaced soil by glacial flow:

$$7.32\beta + \sum_{i=0}^{\nabla} \frac{Q_i(a_i - \varepsilon)}{2}$$

What is `fn main()` in Rust would be `int main()` in C.

```
int main(){
  int x, y;
  cin >> x >> y;
  set<int> nihau;
  return 0;
}
```

This has `backticks` in it (but the spaces are trimmed). And `here` the leading space is also trimmed.

This has `backticks` in it (but the spaces are trimmed). And `here` the leading space is also trimmed. This has `backticks` in it (but the spaces are trimmed). And `here` the leading space is also trimmed. This has `backticks` in it (but the spaces are trimmed). And `here` the leading space is also trimmed. This has `backticks` in it (but the spaces are trimmed). And `here` the leading space is also trimmed. This has `backticks` in

1. Organization

	A	B	C	D	E	F	G	H	I	J	K	L	M
Read													
Attempted													
Estimate													
#													