

DOKUMENTACIJA

(Praktikum Php)

link: <http://optics.infinityfreeapp.com/>

SADRZAJ:

1. Uvod

- 1.1. Korisceni programski jezici
- 1.2. Funkcionalnosti
- 1.3. Template

2. Organizacija

- 2.1. Baza podataka
- 2.2. Slike stranica uz opis funkcionalnosti

3. Kodovi

Student: Milana Krnic

Indeks: 4/22

1. Uvod

1.1.

Sajt je napravljen upotrebom: HTML, CSS, Bootstrap, JavaScript, jQuery, AJAX, PHP.

1.2.

Index.php

- Rutiranje stranica
- Upis u log.txt

Home.php

- Dinamicki ispis proizvoda.
- Dinamicki ispis menija, kao i na ostalim stranicama

Shop.php

- Dinamicki ispis svih proizvoda i njihovih podataka.
- Dinamicki ispis kategorija i broja proizvoda u svakoj.
- Opcija "Add to cart" dodaje proizvod u korpu tj. cart.php.
- Odradjena paginacija, 8 proizvoda po stranici uz next i prev.
- Odradjeno sortiranje po ceni od nize ka visoj, obrnuto i defaultno.

Cart.php

- Prikaz proizvoda dodatih u korpu, kao i quantity ukoliko je proizvod dodat vise puta.
- Proizvod moze da se izbrise iz korpe.
- Klikom na "Proceed" svi proizvodi dodati u korpu se upisuju u bazu (u tabele orders i order_details).
- Stranice za upravljanje logikom korpe: [add_to_cart.php](#), [remove_from_cart.php](#), [place_order.php](#)

Admin.php

- CRUD operacije
- Prikaz svih proizvoda i njihovih features iz baze
- Klikom na insert dodaje se novi proizvod u bazu / Add features za features
- Klikom na edit dugme popunjavaju se podaci selektovanog proizvoda u inputima i enableuje se update dugme
- Klikom na delete proizvod se brise

- Klikom na “Add feature name” dodaje se naziv feature-a i samim tim pojavi se i u ddl listi kako bi mogao da se dodeli nekom proizvodu nakon toga
- Prikaz statistike pristupa stranicama
- Prikaz broja ulogovanih korisnika
- Prikaz orders sa imenom kupca, nazivom proizvoda, quantity, datumom (spajanje 4 tabele).
- Upotreba ajaxa, stranice za logiku crud operacija:
[get_product_data.php](#), [insert_product.php](#), [update_product.php](#),
[delete_product.php](#), [add_feature.php](#), [add_feature_name.php](#).

Registration.php

- Registracija korisnika, unos njegovih podataka u bazu
- Zastita od sql injection i validacija (serverska i klijentska strana)
- Ispis gresaka za svako pogresno uneseno polje

Login.php

- Ulogovanje prethodno registrovanog korisnika
- Ispis greske ukoliko su kredencijali pogresni
- Uspostavljanje sesije za cart

Logout.php

- Odjava korisnika


1.3

Template sajta: [Fruitables - Vegetable Website Template \(htmlcodex.com\)](#)

2. Organizacija

2.1

Baza podataka



2.2

home.php



Eyewear Boss

These BOSS men's sunglasses are a blend of sporty....

\$0.00 [Add to Cart](#)



Eyewear O5N

Discover our chic square-shaped optical glasses, s...

\$0.00 [Add to Cart](#)



Case Q27

A very practical, elegant and lightweight glasses ...

\$49.00 [Add to Cart](#)



HYDRAGLYDE

Introducing our cutting-edge lenses, meticulously ...

\$12.25 [Add to Cart](#)

shop.php

Shop

Categories

- 🍏 Optical glasses (3)
- 🍏 Sunglasses (2)
- 🍏 Accessories (2)
- 🍏 Lenses (2)

-dinamicki ispis kategorija i broja proizvoda



-paginacija, 8 proizvoda po stranici



Sort By: Price: High to Low ▾

Optical glasses



Eyewear Dior

Introducing our latest eyewear creation for women:...

\$299.99

Add to Cart

Sunglasses



Eyewear Carre

The custom hinge construction combines flexibilit...

\$199.99

Add to Cart

Optical glasses



Eyewear PLD

Crafted for comfort and durability, these glasses ...

\$70.00

Add to Cart

Accessories



Case Q27

A very practical, elegant and lightweight glasses ...

\$49.00

Add to Cart

-sortiranje, po 3 kriterijuma

mkoptic.000webhostapp.com says

Product added to cart successfully

[Home](#) / [Pages](#) / [Shop](#)

Sunglasses



Eyewear Boss

These BOSS men's sunglasses are a blend of sporty,...

[Read More](#)

\$720.00

[Add to Cart](#)

Optical glasses



Eyewear O5N



Discover our chic square-shaped optical glasses, s...

[Read More](#)

\$560.00

[Add to Cart](#)

-klikom na "Add to cart" proizvod se dodaje u korpu



-ponovnim klikom za isti proizvod povecava se njegov quantity

cart.php

MKOptic

Home Shop Contact Author

Cart User

Cart

Home / Pages / Cart

Products	Name	Price	Quantity	Total	Handle
	Case with flap Q27	49.00	- 1 +	49	
	Eyewear Carrera	199.99	- 1 +	199.99	
	Eyewear Boss	720.00	- 1 +	720	

-dinamicki ispis proizvoda dodatih u korpu

-klikom na X proizvod se brise iz korpe

MKOptic

Order placed successfully

Cart

Home / Pages / Cart

Products	Name	Price	Quantity
	Case Q27	49.00	- 1 +
	Eyewear Carre	199.99	- 2 +

Proceed

-klikom na "proceed" svi proizvodi se unose u orders

registration.php

Registration Form

First name	Last name
Password	Confirm password
Email address: name@example.com	Phone Format: 060/1234567
Country	City
Enter street address	Enter postal code

Register

Validation failed. Please correct the errors:

- Invalid first name
- Invalid last name
- Invalid email, must contain @
- Invalid phone format
- Invalid country format
- Invalid city format

-registracija sa validacijom i sa serverske i klijentske strane

login.php

Login Form

Login

Wrong username or password.

admin.php

Products							
Product name	Description	Path	Price	Category name	Modify	Remove	
Case Q27	A very practical, elegant and lightweight glasses case with a pocket and a flap closure.	img/case1.jpg	49.00	Accessories	Edit	Delete	
Case H24	Protect your eyewear in style with our luxurious eyewear case crafted from genuine natural leather.	img/case2.jpg	17.00	Accessories	Edit	Delete	
a	a	a	11.00	Accessories	Edit	Delete	
HYDRAGLYDE	Introducing our cutting-edge lenses, meticulously crafted to deliver unparalleled clarity, durability, and comfort, ensuring optimal vision for every moment of your day.	img/lenses1.jpg	12.25	Lenses	Edit	Delete	
DAILIES AQUA	Elevate your vision with our premium lenses crafted for clarity and comfort. Engineered with precision and expertise, our lenses offer unparalleled optical performance, delivering crisp, distortion-free vision in any environment.	img/lenses2.jpg	35.00	Lenses	Edit	Delete	

-ispis svih proizvoda u bazi sa kategorijom

Unos/edit proizvoda

Product Name

Description

Path

Price

Category Name

[Insert](#) [Update](#)

-mogucnost dodavanja novog klikom na insert

Eyewear Carre	The custom hinge construction combines flexibility and comfort with a refined design highlighted by Carrera's signature red color.	img/eyewear4.png	199.99	Sunglasses	Edit	Delete
ppp	ppp	ppp	200.00	Sunglasses	Edit	Delete

Unos/edit proizvoda

Product Name

Description

Path

Price

Category Name

[Insert](#) [Update](#)

-klikom na edit u polja se automtatski upisuju podaci tog proizvoda i dozvoljava se update

-klikom na delete vrsi se brisanje proizvoda

Eyewear Carre	Shape	oval
Eyewear Carre	Gender	male
Product Name	Feature Name	Feature Value
Eyewear Boss	Shape	oval

Add Feature ←

- "Add feature" dodavanje features(insert u features i features_item) za proizvode, ispis features name dinamicki iz ddl liste bez dupliranih vrednosti

Length

Add Feature Name

- "Add feature name" dodavanje feature name koji cec nakon toga biti dostupan i u ddl listi (mozda je potrebno refreshovati stranicu)

Page Access Statistics

home: 19.64%

shop: 21.43%

contact: 1.79%

login: 10.71%

admin: 30.36%

cart: 12.50%

registration: 3.57%

Users Logged In Today

2 users have logged in today.

-ispis statistike

Orders					
Order ID	User	Email	Order Date	Product Name	Quantity
1	Pera Peric	pera@gmail.com	2024-03-19 05:25:10	Case Q27	1
1	Pera Peric	pera@gmail.com	2024-03-19 05:25:10	HYDRAGLYDE	2
2	Probaime Probaprezime	proba@gmail.com	2024-03-19 05:25:43	Eyewear O5N	1
2	Probaime Probaprezime	proba@gmail.com	2024-03-19 05:25:43	DAILIES AQUA	2
2	Probaime Probaprezime	proba@gmail.com	2024-03-19 05:25:43	Eyewear Carre	1

-ispis orders sa imenom korisnika, mejlom, datumom porucivanja, imenom proizvoda i njegovim quantity

3. Kodovi

index.php

```
<?php

include "../config/conn.php";
require_once "../config/common.php";
require_once(BASE_DIR . "models/functions.php");

require_once "views/fixed/header.php";

$page = get("page");

//za logove
logAccess($page ? $page : DEFAULT_PAGE);

if(!$page) {
    require_once("views/pages/" . DEFAULT_PAGE . ".php");
} else {
    $page = strtolower($page);

    if(!file_exists("views/pages/" . $page . ".php")) {
        require_once("views/pages/404.php");
    } else {
        require_once("views/pages/$page.php");
    }
}
```

```
}  
}  
  
require_once "views/fixed/footer.php";
```

.env

```
DB_NAME=bazapphp_final  
HOST=localhost  
PASSWORD=  
USERNAME=root  
DEFAULT_PAGE=home  
DOMAIN=http://localhost/optics/
```

common.php

```
<?php  
  
session_start();  
  
define("BASE_DIR", $_SERVER["DOCUMENT_ROOT"] . "/optics/");  
  
$configFile = BASE_DIR . "config/.env";  
  
$configRows = file($configFile);  
  
foreach($configRows as $c) {  
    $key = explode("=", $c)[0];  
    $value = explode("=", $c)[1];  
  
    define($key, trim($value));  
}
```

```
function setFlash($key, $value) {
    $_SESSION[$key] = $value;
}

function getFlash($key) {
    if(!hasFlash($key)) {
        return null;
    }

    $flashData = $_SESSION[$key];

    unset($_SESSION[$key]);

    return $flashData;
}

function hasFlash($key) {
    return isset($_SESSION[$key]) && $_SESSION[$key];
}

function get($key) {
    if(isset($_GET[$key])) {
        return $_GET[$key];
    }

    return null;
}

function post($key) {
    if(isset($_POST[$key])) {
        return $_POST[$key];
    }

    return null;
}

//log.txt
function logAccess($page) {
```

```

        $logFile = $_SERVER['DOCUMENT_ROOT'] .
'/optics/config/data/log.txt';
        $timestamp = date('Y-m-d');
        $user = isset($_SESSION['user']) ? $_SESSION['user']->email :
'Guest';
        $entry = "{$user};{$page};{$timestamp}\n";

        file_put_contents($logFile, $entry, FILE_APPEND);
    }

?>

```

conn.php

```

<?php

include_once($_SERVER["DOCUMENT_ROOT"] . "/optics/config/common.php");

try {

    $conn = new
PDO("mysql:host=".HOST.";dbname=".DB_NAME.";charset=utf8", USERNAME,
PASSWORD);

    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}

```

main.js

```

$(document).ready(function() {
    //ajax za korpu
    $(document).on('click', '.add-to-cart', function(e) {

```

```
e.preventDefault();
var productId = $(this).data('product-id');
console.log('Product ID:', productId);

$.ajax({
  url: 'models/add_to_cart.php',
  method: 'POST',
  data: { product_id: productId },
  dataType: 'json',
  success: function(response) {
    console.log('Ajax Response:', response);
    if (response.success) {
      alert(response.message);
    } else {
      alert(response.message);
    }
  },
  error: function(xhr, status, error) {
    console.error('Ajax Error:', error);
    alert('An error occurred while adding the product to
the cart');
    console.log(xhr.responseText);
  }
});

$('.remove-product-btn').click(function(e) {
  e.preventDefault();

  var productId = $(this).data('product-id');
  var rowToRemove = $(this).closest('tr');

  $.ajax({
    url: 'models/remove_from_cart.php',
    method: 'POST',
    data: { product_id: productId },
    dataType: 'json',
    success: function(response) {
      console.log('Ajax Response:', response);
      if(response.success) {
        alert(response.message);
      } else {
        alert(response.message);
      }
    }
  });
});
```

```

    }
    },
    error: function(xhr, status, error) {
        console.log('Ajax Error:', error);
        alert('An error occurred while removing the product
from the cart');
    }
});
});

```

```

$('#proceed-btn').click(function(e) {
    e.preventDefault();

```

```

$.ajax({
    url: 'models/place_order.php',
    method: 'POST',
    dataType: 'json',
    success: function(response) {
        console.log('Ajax Response:', response);
        if (response.success) {
            alert(response.message);
        } else {
            alert(response.message);
        }
    },
    error: function(xhr, status, error) {
        console.log('Ajax Error:', error);
        console.error('Response Text:', xhr.responseText);
        alert('An error occurred while placing the order');
    }
});
});

```

```

//za unos proizvoda
$('#btnInsert').on('click', function(e) {
    e.preventDefault();

```

```

var formData = {

```

```

        pname: $('#pname').val(),
        pdesc: $('#pdesc').val(),
        ppath: $('#ppath').val(),
        pprice: $('#pprice').val(),
        pcat: $('#pcat').val()
    };

    $.ajax({
        url: 'models/insert_product.php',
        type: 'POST',
        data: formData,
        dataType: 'json',
        success: function(response) {
            if (response.success) {

                alert(response.message);
                // da se obrise tekst iz inputa nakon unosa
                $('#pname, #pdesc, #ppath, #pprice,
#pcat').val('');
            } else {

                alert(response.message);
            }
        },
        error: function(xhr, status, error) {
            console.error(xhr.responseText);

            alert('An error occurred while processing your
request.');
```

```

        ppath: $('#ppath').val(),
        pprice: $('#pprice').val(),
        pcat: $('#pcat').val()
    });

$.ajax({
    url: 'models/update_product.php',
    type: 'POST',
    data: formData,
    dataType: 'json',
    success: function(response) {

        if (response.success) {
            alert(response.message);
            window.location.reload(); // za reload stranice
        } else {
            alert(response.message);
        }
    },
    error: function(xhr, status, error) {
        console.error(xhr.responseText);
        alert('Error: Failed to update product');
    }
});

});

// Za prikaz teksta u inputima i enable update
$(document).on('click', '.btn-edit', function() {

    var id = $(this).data('id');

    $('#id_prod').val(id);

    $.ajax({
        url: 'models/get_product_data.php',
        type: 'POST',
        data: { id: id },
        dataType: 'json',
        success: function(response) {

            $('#pname').val(response.name_prod);

```

```

        $('#pdesc').val(response.description);
        $('#ppath').val(response.path);
        $('#pprice').val(response.price);
        $('#pcat').val(response.name_cat);

        $('#btnUpdate').removeAttr('disabled').css({'opacity':
'1', 'cursor': 'pointer'});

    },
    error: function(xhr, status, error) {
        console.error(xhr.responseText);
    }
});

});

//za brisanje proizvoda
$(document).on('click', '.btn-delete', function() {
    var id = $(this).data('id');

    $.ajax({
        url: 'models/delete_product.php',
        type: 'POST',
        data: { id: id },
        dataType: 'json',
        success: function(response) {
            if (response.success) {
                alert(response.message);
                window.location.reload();
            } else {
                alert(response.message);
            }
        },
        error: function(xhr, status, error) {
            console.error(xhr.responseText);
            alert('Error: Failed to delete product');
        }
    });
});

// dodavanje features

```

```

$('#btnAddFeature').on('click', function(e) {
    e.preventDefault();

    var formData = {
        product_name: $('#product_name').val(),
        feature_name: $('#feature_name').val(),
        feature_value: $('#feature_value').val()
    };

    $.ajax({
        url: 'models/add_feature.php',
        type: 'POST',
        data: formData,
        dataType: 'json',
        success: function(response) {
            if (response.success) {
                alert(response.message);
                window.location.reload()
            } else {
                alert(response.message);
            }
        },
        error: function(xhr, status, error) {
            console.error(xhr.responseText);
            alert('An error occurred while processing your request.');
```



```

                <p class="text-dark fs-5
fw-bold mb-0">${product.price}</p>
            </div>
            <div class="row button">
                <button class="add-to-cart btn
border border-secondary rounded-pill px-3 text-primary"
data-product-id="${product.id_prod}">Add to Cart</button>
            </div>
        </div>
    </div>
</div>`;
    productsContainer.insertAdjacentHTML('beforeend',
productHTML);
    });

    // Update paginacije
    const paginationContainer =
document.querySelector('#pagination-container');
    if (paginationContainer) {
        let totalPages = Math.ceil(data.totalProducts /
data.productsPerPage);
        paginationContainer.innerHTML = '';

        if (data.paginationPage > 1) {
            paginationContainer.innerHTML += `<a
class="rounded" href="#" data-page="${data.paginationPage - 1}">&laquo;
Prev</a>`;
        }

        for (let i = 1; i <= totalPages; i++) {
            paginationContainer.innerHTML += `<a
class="rounded ${i === data.paginationPage ? 'active' : ''}" href="#"
data-page="${i}">${i}</a>`;
        }

        if (data.paginationPage < totalPages) {
            paginationContainer.innerHTML += `<a
class="rounded" href="#" data-page="${data.paginationPage + 1}">Next
&raquo;</a>`;
        }

        paginationContainer.querySelectorAll('a[data-page]').forEach(link => {

```

```

link.addEventListener('click', function(event)
{
    event.preventDefault();
    const page =
parseInt(this.getAttribute('data-page'));
    loadProducts(page, $('#sort').val());
});
});
} else {
    console.error('Pagination container not found');
}
})
.catch(error => console.error('Error fetching products:',
error));
}
});

```

home.php

```

<?php
    $products = getProductsAndCategories();
?>

```

```

<div class="container-fluid vesitable pt-5">
    <div class="container pt-5">
        <h1 class="mb-0">Fresh Organic Vegetables</h1>
        <div class="owl-carousel vegetable-carousel
justify-content-center">

            <?php
                $count = 0;
                foreach($products as $p):
                    if ($count>=4) break;
                ?>

                <div class="border border-primary rounded
position-relative vesitable-item">
                    <div class="vesitable-img">
                        name_prod?>"/>

```

```

        </div>
        <div class="text-white bg-primary px-3 py-1
rounded position-absolute" style="top: 10px; right:
10px;"><?=$p->name_cat?></div>
        <div class="p-4 rounded-bottom">
            <h4><?=$p->name_prod?></h4>
            <p>
                <?php
                    // za deskripciju proizvoda
                    $max_length = 50;
                    $description = $p->description;
                    if (strlen($description) >
$max_length) {
                        $description =
substr($description, 0, $max_length) . "...";
                        echo $description;
                    } else {
                        echo $description;
                    }
                ?>
            </p>
            <div class="d-flex justify-content-between
flex-lg-wrap">
                <p class="text-dark fs-5 fw-bold
mb-0">$<?=$p->price?></p>
                <div class="row button">
                    <button class="add-to-cart btn
border border-secondary rounded-pill px-3 text-primary"
data-product-id="<?=$p->id_prod?">Add to Cart</button>
                </div>
            </div>
        </div>
    </div>
</div>

    <?php
        $count++;
    endforeach;
?>

</div>
</div>
</div>

```

shop.php

```
<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';

// kategorije sa brojem proizvoda
$categoriesWithProductCount = getCategoriesWithProductCount();

$productsPerPage = 8;

$sortOption = 'default';

?>

<main>
    <!-- Fruits Shop Start -->
    <div class="container-fluid fruited py-5">
        <div class="container py-5">
            <h1 class="mb-4">Fresh fruits shop</h1>
            <div class="row g-4">
                <div class="col-lg-12">
                    <div class="row g-4">
                        <div class="col-xl-3">
                            <div class="input-group w-100 mx-auto
d-flex">
                                <input type="search"
class="form-control p-3" placeholder="keywords"
aria-describedby="search-icon-1">
                                <span id="search-icon-1"
class="input-group-text p-3"><i class="fa fa-search"></i></span>
                            </div>
                        </div>
                        <div class="col-6"></div>
                        <div class="col-xl-3">
                            <div class="bg-light ps-3 py-3 rounded d-flex
justify-content-between mb-4">
                                <label for="sort">Sort By:</label>
                                <select id="sort" name="sort"
class="border-0 form-select-sm bg-light me-3" form="sortform">
```

```

                                <option
value="default">Default</option>
                                <option
value="price_low_to_high">Price: Low to High</option>
                                <option
value="price_high_to_low">Price: High to Low</option>
                                </select>
                                </div>

                                </div>
                        </div>
<div class="row g-4">
    <div class="col-lg-3">
        <div class="row g-4">
            <div class="col-lg-12">
                <div class="mb-3">
                    <h4>Categories</h4>
                    <ul class="list-unstyled
fruite-categorie">

                                <?php
foreach($categoriesWithProductCount as $category): ?>
                                    <li>
                                        <div class="d-flex
justify-content-between fruite-name">
                                            <a href="#"><i
class="fas fa-apple-alt me-2"><?=$category->name_cat ?></a>
                                            <span>(<?=$category->product_count ?>)</span>
                                        </div>
                                    </li>
                                <?php endforeach; ?>
                            </ul>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-lg-9">
                <div id="products-container" class="row g-4
justify-content-center">

                    <!-- proizvodi -->
                </div>

                <!-- Pagination -->

```

```

                <div id="pagination-container"
class="pagination d-flex justify-content-center mt-5">
                    <!-- paginacija -->
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- Fruits Shop End -->
</main>

```

cart.php

```

<?php

function calculateSubtotal($price, $quantity) {
    return $price * $quantity;
}

if (isUserLoggedIn() && isset($_SESSION['user']->id_user)) {

    if (userHasCart() && is_array($_SESSION['user']->cart)) {

?>

<main>

    <!-- Cart Page Start -->
    <div class="container-fluid py-5">
        <div class="container py-5">
            <div class="table-responsive">
                <table class="table">
                    <thead>
                        <tr>

```



```

<button class="btn btn-sm
btn-plus rounded-circle bg-light border">
        <i class="fa
fa-plus"></i>
    </button>
</div>
</div>
</td>
<td>
        <p class="mb-0 mt-4"><?=
calculateSubtotal($item->price, isset($item->quantity) ?
$item->quantity : 1) ?></p>
    </td>
<td>
        <button class="btn btn-md
rounded-circle bg-light border mt-4 remove-product-btn"
data-product-id="<?=$item->id_prod?>">
            <i class="fa fa-times
text-danger"></i>
        </button>
    </td>
</tr>
<?php endforeach; ?>
</tbody>
</table>

        <button id="proceed-btn" class="btn btn-primary
mt-4">Proceed</button>

    </div>

</div>
</div>

<!-- Cart Page End -->

</main>

<?php
    } else {
        echo `Your cart is empty.`;

```

```

        //console.log("Your cart is empty.");
    }
} else {
    echo "Please log in as a member to access your cart.";
    //console.log("Log in");
}
?>

```

login.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);
include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';

$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $email = post('email');
    $pass = md5(post('pass'));

    $query = "SELECT *, r.name_role as Role FROM users u JOIN roles r
ON u.id_role = r.id_role WHERE email = :email";
    $result = $conn->prepare($query);
    $result->bindParam(":email", $email);
    $result->execute();

    $user = $result->fetch(PDO::FETCH_OBJ);

    if (!$user || $user->password != $pass) {
        setFlash('error', 'Wrong username or password. ');
        header("Location: ../../index.php?page=login");
        exit;
    } else {
        unset($user->Password);
        $_SESSION["user"] = $user;

        //CART
        // da li user ima cart u sesiji
    }
}

```

```

        if(isset($_SESSION['user']->cart) &&
is_array($_SESSION['user']->cart)) {
            $existing_cart = isset($_SESSION['user']->cart) ?
$_SESSION['user']->cart : [];
            // spajanje carta sa cartom sesije
            $_SESSION['user']->cart = array_merge($existing_cart,
$_SESSION['user']->cart);
        } else {
            //setuj cart
            $_SESSION['user']->cart = [];
        }

```

```

if ($user->Role == "member") {
    header("Location: ../../index.php?page=shop");
    exit;
}

```

```

if ($user->Role == "admin") {
    header("Location: ../../index.php?page=admin");
    exit;
}

```

```

}
}
?>

```

```

<main>
    <div class="container-fluid py-5 pos bg-light">
        <div class="container py-5">
            <div class="row g-4 d-flex justify-content-center">
                <div class="col-lg-7">
                    <h2 class="text-center mb-5">Login Form</h2>
                    <form action="./views/pages/login.php" method="POST">
                        <input type="email" class="w-100 form-control border-0
py-3 mb-4" placeholder="Email address" name="email" />
                        <input type="password" class="w-100 form-control border-0
py-3 mb-4" placeholder="Password" name="pass" />
                        <div class="text-center">
                            <button class="w-25 btn btn-log form-control
border-secondary py-3 bg-white text-primary
type="submit">Login</button>
                        </div>

```

```

        </form>
    </div>

    <?php
        $error = getFlash('error');
        if ($error):
    ?>
        <div class="alert alert-danger w-50" style="color: red;
text-align: center;"><?= $error ?></div>
    <?php
        endif;
    ?>

    </div>
</div>
</div>
</main>

```

registration.php

```

<main>
    <div class="container-fluid py-5 pos bg-light">
        <div class="container py-5">
            <div class="row g-4 d-flex justify-content-center">
                <div class="col-lg-7">
                    <h2 class="text-center mb-5">Registration Form</h2>
                    <form action="./models/registration_logic.php" method="POST">
                        <div class="input-group">
                            <input type="text" class="form-control border-0 py-3 mb-4
me-2" placeholder="First name" name="fname" value="<?=
isset($_POST['fname']) ? htmlspecialchars($_POST['fname']) : '' ?>" />
                            <input type="text" class="form-control border-0 py-3
mb-4" placeholder="Last name" name="lname" value="<?=
isset($_POST['lname']) ? htmlspecialchars($_POST['lname']) : '' ?>" />
                        </div>

                        <div class="input-group">
                            <input type="password" class="form-control border-0 py-3
mb-4 me-2" placeholder="Password" name="pass" />

```

```

        <input type="password" class="form-control border-0 py-3
mb-4" placeholder="Confirm password" name="passConf" />
    </div>

    <div class="input-group">
        <input type="text" class="form-control border-0 py-3 mb-4
me-2" placeholder="Email address: name@example.com" name="email"
value="<?= isset($_POST['email']) ? htmlspecialchars($_POST['email']) :
'' ?>" />

        <input type="text" class="form-control border-0 py-3
mb-4" placeholder="Phone Format: 060/1234567" name="phone" value="<?=
isset($_POST['phone']) ? htmlspecialchars($_POST['phone']) : '' ?>" />
    </div>

    <div class="input-group">
        <input type="text" class="form-control border-0 py-3 mb-4
me-2" placeholder="Country" name="country" value="<?=
isset($_POST['country']) ? htmlspecialchars($_POST['country']) : '' ?>"
/>

        <input type="text" class="form-control border-0 py-3
mb-4" placeholder="City" name="city" value="<?= isset($_POST['city']) ?
htmlspecialchars($_POST['city']) : '' ?>" />
    </div>

    <div class="input-group">
        <input type="text" class="form-control border-0 py-3 mb-4
me-2" placeholder="Enter street address" name="address" value="<?=
isset($_POST['address']) ? htmlspecialchars($_POST['address']) : '' ?>"
/>

        <input type="text" class="form-control border-0 py-3
mb-4" placeholder="Enter postal code" name="postal" value="<?=
isset($_POST['postal']) ? htmlspecialchars($_POST['postal']) : '' ?>"
/>
    </div>

    <div class="text-center">
        <button class="btn form-control border-secondary py-3
bg-white text-primary" type="submit" name="btnReg">Register</button>
    </div>
</form>

<?php
    $error = getFlash('error');

```

```

        if ($error):
        ?>
            <div class="alert alert-danger text-center w-75 mx-auto
mt-4"><?= $error ?></div>
        <?php
            endif;
        ?>

        <?php
            $success = getFlash('success');
            if ($success):
        ?>
            <div class="alert alert-success text-center w-75 mx-auto
mt-4"><?= $success ?></div>
        <?php
            endif;
        ?>

        </div>
    </div>
</div>
</main>

```

admin.php

```

<?php
    ob_start();
    error_reporting(E_ALL);
    ini_set('display_errors', 1);

    include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';

    if (!isset($_SESSION['user']) || $_SESSION['user']->Role !==
'admin') {
        header('Location: index.php?page=home');
        exit();
    }

    $products = getProductsAndCategories();

```

```

$features = getAllFeatures();

$distinctFeatureNames = getAllDistinctFeatureNames();

//$orders = getOrders();

//za statistiku
$logData = getLogData();
$stats = calculateStatistics($logData);

//orders
$query = "SELECT o.id_ord, o.date, u.first_name, u.last_name,
u.email, p.name_prod AS product_name, od.quantity
        FROM orders o
        LEFT JOIN users u ON o.id_user = u.id_user
        LEFT JOIN order_details od ON o.id_ord = od.id_ord
        LEFT JOIN products p ON od.id_prod = p.id_prod";
$stmt = $conn->prepare($query);
$stmt->execute();
$orders = $stmt->fetchAll(PDO::FETCH_OBJ);

ob_end_flush();
?>

<main>
<div class="container-scroller">
  <!-- partial:../..partials/_navbar.html -->

  <!-- partial -->
  <div class="container-fluid page-body-wrapper">
    <!-- partial:../..partials/_sidebar.html -->

    <!-- partial -->
    <div class="main-panel">
      <div class="content-wrapper">
        <div class="page-header">
          <h3 class="page-title"> Tables </h3>
        </div>

```

```

<div class="row">

    <!-- products -->
    <div class="col-lg-12 grid-margin stretch-card">
        <div class="card">
            <div class="card-body">
                <h4 class="card-title">Products</h4>

                <table class="table">
                    <thead>
                        <tr>
                            <th>Product name</th>
                            <th>Description</th>
                            <th>Path</th>
                            <th>Price</th>
                            <th>Category name</th>
                            <th>Modify</th>
                            <th>Remove</th>
                        </tr>
                    </thead>

                    <tbody>

                        <?php foreach($products as $prod): ?>

                            <tr>
                                <td><?=$prod->name_prod?></td>
                                <td
class="desc"><?=$prod->description?></td>
                                <td><?=$prod->path?></td>
                                <td><?=$prod->price?></td>
                                <td><?=$prod->name_cat?></td>
                                <td>

                                    <button class="btn-edit"
data-id="<?=$prod->id_prod?>">Edit</button>
                                    <input type="hidden" name="id_prod"
id="id_prod" value=""/>

                                </td>
                                <td>

                                    <button class="btn-delete"
data-id="<?=$prod->id_prod?>">Delete</button>

```

```

                </td>
            </tr>

            <?php endforeach; ?>

        </tbody>
    </table>

</div>
</div>
</div>

<h4 class="card-title">Unos/edit proizvoda</h4>
<form id="edit-form" action="<?=$_SERVER['PHP_SELF']?>"
method="POST" class="form">

    <div class="column">
        <div class="input-box">
            <label>Product Name</label>
            <input type="text" name="pname" id="pname" />
        </div>

        <div class="input-box">
            <label>Description</label>
            <input type="text" name="pdesc" id="pdesc" />
        </div>

        <div class="input-box">
            <label>Path</label>
            <input type="text" name="ppath" id="ppath" />
        </div>

        <div class="input-box">
            <label>Price</label>
            <input type="text" name="pprice" id="pprice" />
        </div>

        <div class="input-box">
            <label>Category Name</label>
            <input type="text" name="pcat" id="pcat" />
        </div>
    </div>

```

```

        <button type="submit" class="border-radius"
name="btnInsert" id="btnInsert">Insert</button>
        <button type="submit" class="border-radius"
name="btnUpdate" id="btnUpdate" disabled>Update</button>

    </div>
</form>

<!-- features -->
<div class="col-lg-12 grid-margin stretch-card mt-5">
    <div class="card">
        <div class="card-body">

            <h4 class="card-title mt-4">Features</h4>
            <table class="table">
                <thead>
                    <tr>
                        <th>Product Name</th>
                        <th>Feature Name</th>
                        <th>Feature Value</th>
                    </tr>
                </thead>
                <tbody>
                    <?php foreach($features as $feature):
?>
                        <tr>
                            <td><?= $feature->product_name
?></td>
                            <td><?= $feature->name_feat
?></td>
                            <td><?= $feature->value ?></td>
                        </tr>
                    <?php endforeach; ?>
                </tbody>
            </table>

        </div>
    </div>
</div>

```

```

        <form id="add-feature-form" action="#" method="POST"
class="form">
    <div class="row">
        <div class="col-md-4">
            <div class="input-box">
                <label for="product_name">Product Name</label>
                <input type="text" name="product_name"
id="product_name" class="form-control" />
            </div>
        </div>

        <div class="col-md-4">
            <div class="input-box">
                <label for="feature_name">Feature Name</label>
                <select name="feature_name" id="feature_name"
class="form-select">
                    <?php foreach ($distinctFeatureNames as
$featureName): ?>
                        <option value="<?= $featureName ?>"><?=
$featureName ?></option>
                    <?php endforeach; ?>
                </select>
            </div>
        </div>

        <div class="col-md-4">
            <div class="input-box">
                <label for="feature_value">Feature Value</label>
                <input type="text" name="feature_value"
id="feature_value" class="form-control" />
            </div>
        </div>
    </div>

    <div class="mt-3">
        <button type="submit" class="btn btn-primary"
name="btnAddFeature" id="btnAddFeature">Add Feature</button>
    </div>
</form>

```

```

        <!-- features_name -->
        <form id="add-feature-name-form"
action="models/add_feature_name.php" method="POST" class="form mb-5
pb-5">

            <div class="column w-50">
                <div class="input-box">
                    <label>Feature Name</label>
                    <input type="text" name="feature_name"
id="feature_name" class="form-control" />
                </div>
                <button type="submit" class="btn btn-primary"
name="btnAddFeatureName" id="btnAddFeatureName">Add Feature
Name</button>
            </div>
        </form>

        <!-- orders -->
        <div class="container mt-5 pt-5">
            <h2>Orders</h2>
            <div class="table-responsive">
                <table class="table table-bordered bg-white">
                    <thead>
                        <tr class="bg-warning">
                            <th>Order ID</th>
                            <th>User</th>
                            <th>Email</th>
                            <th>Order Date</th>
                            <th>Product Name</th>
                            <th>Quantity</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach ($orders as $order) : ?>
                            <tr>
                                <td><?= $order->id_ord ?></td>
                                <td><?= $order->first_name . ' '
. $order->last_name ?></td>
                                <td><?= $order->email ?></td>
                                <td><?= $order->date ?></td>

```

```

        <td><?= $order->product_name
?></td>

        <td><?= $order->quantity ?></td>
    </tr>
    <?php endforeach; ?>
</tbody>
</table>
</div>
</div>

<?php
    // prikaz po stranicama
    echo "<h3>Page Access Statistics</h3>";
    foreach ($stats['pageAccessPercentage'] as $page =>
$percentage) {
        echo "<p>{$page}: " . number_format($percentage, 2)
. "%</p>";
    }

    // prikaz ulogovanih korisnika u danu
    echo "<h3>Users Logged In Today</h3>";
    echo "<p>{$stats['numLoggedInUsersToday']} users have
logged in today.</p>";
    ?>

</div>
</div>
</main>

```

404.php

```
<main>

    <!-- Modal Search Start -->
    <div class="modal fade" id="searchModal" tabindex="-1"
aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog modal-fullscreen">
            <div class="modal-content rounded-0">
                <div class="modal-header">
                    <h5 class="modal-title"
id="exampleModalLabel">Search by keyword</h5>
                    <button type="button" class="btn-close"
data-bs-dismiss="modal" aria-label="Close"></button>
                </div>
                <div class="modal-body d-flex align-items-center">
                    <div class="input-group w-75 mx-auto d-flex">
                        <input type="search" class="form-control
p-3" placeholder="keywords" aria-describedby="search-icon-1">
                        <span id="search-icon-1"
class="input-group-text p-3"><i class="fa fa-search"></i></span>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Modal Search End -->


    <!-- Single Page Header start -->
    <div class="container-fluid page-header py-5">
        <h1 class="text-center text-white display-6">404 Error</h1>
        <ol class="breadcrumb justify-content-center mb-0">
            <li class="breadcrumb-item"><a href="#">Home</a></li>
            <li class="breadcrumb-item"><a href="#">Pages</a></li>
            <li class="breadcrumb-item active text-white">404</li>
        </ol>
    </div>
    <!-- Single Page Header End -->


    <!-- 404 Start -->
    <div class="container-fluid py-5">
        <div class="container py-5 text-center">
```

```

        <div class="row justify-content-center">
            <div class="col-lg-6">
                <i class="bi bi-exclamation-triangle display-1
text-secondary"></i>
                <h1 class="display-1">404</h1>
                <h1 class="mb-4">Page Not Found</h1>
                <p class="mb-4">We're sorry, the page you have
looked for does not exist in our website! Maybe go to our home page or
try to use a search?</p>
                <a class="btn border-secondary rounded-pill
py-3 px-5" href="index.html">Go Back To Home</a>
            </div>
        </div>
    </div>
</div>
<!-- 404 End -->
</main>

```

functions.php

```

<?php

function getProductsAndCategories(){

    global $conn;

    $sql = "SELECT * FROM products p JOIN categories c ON p.id_cat
= c.id_cat";

    $result = $conn->query($sql)->fetchAll(PDO::FETCH_OBJ);

    return $result;

}

function getCategoriesWithProductCount() {
    global $conn;

    try {
        $query = "SELECT c.name_cat, COUNT(p.id_prod) AS product_count

```

```

        FROM categories c
        LEFT JOIN products p ON c.id_cat = p.id_cat
        GROUP BY c.id_cat";

$result = $conn->query($query)->fetchAll();

return $result;
} catch (PDOException $e) {
    die("Database error: " . $e->getMessage());
}
}

function getProductById($id) {
    global $conn;

    // $query = "SELECT * FROM products WHERE id_prod = :id";
    $query = "SELECT * FROM products p JOIN categories c ON
p.id_cat = c.id_cat WHERE id_prod = :id";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':id', $id);
    $stmt->execute();

    $product = $stmt->fetch();

    return $product;
}

//add_to_cart.php

function isUserLoggedIn() {
    return isset($_SESSION['user']);
}

function getUserRole() {
    return $_SESSION['user']->Role ?? null;
}

function userHasCart() {
    return isset($_SESSION['user']->cart);
}

```

```

// inicijalizacija
function initUserCart() {
    $_SESSION['user']->cart = array();
}

// proverava da li je proizvod vec u korpi
function isProductInCart($productId) {
    foreach ($_SESSION['user']->cart as $item) {
        if ($item->id_prod == $productId) {
            return true;
        }
    }
    return false;
}

// povecavanje kvantiteta postojeceg proizvoda u korpi
function incrementProductQuantity($productId) {
    foreach ($_SESSION['user']->cart as $item) {
        if ($item->id_prod == $productId) {
            $item->quantity++;
            break;
        }
    }
}

// dodavanje novog proizvoda u korpu
function addProductToCart($product) {
    $product->quantity = 1;
    $_SESSION['user']->cart[] = $product;
}

//admin.php
// features za svaki proizvod
function getAllFeatures() {
    global $conn;
    $query = "SELECT p.name_prod AS product_name, f.name_feat, f.value
              FROM products p
              JOIN feature_item fi ON p.id_prod = fi.id_prod
              JOIN features f ON fi.id_feature = f.id_feature";
    $result = $conn->query($query)->fetchAll(PDO::FETCH_OBJ);
    return $result;
}

```

```

}

// features names za ddl
function getAllDistinctFeatureNames() {
    global $conn;
    $query = "SELECT DISTINCT name_feat FROM features";
    $result = $conn->query($query)->fetchAll(PDO::FETCH_COLUMN);
    return $result;
}

//orders
// function getOrders(){
//     $query = "SELECT o.id_ord, o.date, u.first_name, u.last_name,
// u.email, p.name_prod AS product_name, od.quantity
//         FROM orders o
//         LEFT JOIN users u ON o.id_user = u.id_user
//         LEFT JOIN order_details od ON o.id_ord = od.id_ord
//         LEFT JOIN products p ON od.id_prod = p.id_prod";
//     $stmt = $conn->prepare($query);
//     $stmt->execute();
//     $orders = $stmt->fetchAll(PDO::FETCH_OBJ);
//     return $orders;
// }

//za crud operacije
function postProduct($pname, $pdesc, $ppath, $pprice, $pcat){
    global $conn;

    if(empty($pname) || empty($pdesc) || empty($ppath) ||
empty($pprice) || empty($pcat)) {
        return false;
    }

    $selectCategory = $conn->prepare("SELECT id_cat FROM categories
WHERE name_cat = :pcat");
    $selectCategory->bindParam(":pcat", $pcat);
    $selectCategory->execute();

    $id_cat = $selectCategory->fetchColumn();

    if (!$id_cat) {
        return false;
    }
}

```

```

    }

    $sql = "INSERT INTO products(name_prod, description, path, price,
id_cat) VALUES(:name_prod, :desc, :path, :price, :id_cat)";

    $insert = $conn->prepare($sql);
    $insert->bindParam(":name_prod", $pname);
    $insert->bindParam(":desc", $pdesc);
    $insert->bindParam(":path", $ppath);
    $insert->bindParam(":price", $pprice);
    $insert->bindParam(":id_cat", $id_cat);

    $result = $insert->execute();
    return $result;
}

function updateProduct($id, $pname, $pdesc, $ppath, $pprice, $pcat) {
    global $conn;

    if(empty($pname) || empty($pdesc) || empty($ppath) ||
empty($pprice) || empty($pcat)) {
        return false;
    }

    //za pronalazenje id kategorije na osnovu njenog naziva
    $selectCategory = $conn->prepare("SELECT id_cat FROM categories
WHERE name_cat = :pcat");
    $selectCategory->bindParam(":pcat", $pcat);
    $selectCategory->execute();

    $id_cat = $selectCategory->fetchColumn();

    if (!$id_cat) {
        return false; // ako kategorija ne postoji
    }

    //update
    $sql = "UPDATE products SET name_prod = :name_prod, description =
:desc, path = :path, price = :price, id_cat = :id_cat WHERE id_prod =
:id";

    $update = $conn->prepare($sql);

```

```

$update->bindParam(":name_prod", $pname);
$update->bindParam(":desc", $pdesc);
$update->bindParam(":path", $ppath);
$update->bindParam(":price", $pprice);
$update->bindParam(":id_cat", $id_cat);
$update->bindParam(":id", $id);

$result = $update->execute();
return $result;
}

function deleteProduct($id) {
    global $conn;

    $sql = "DELETE FROM products WHERE id_prod = :id";
    $delete = $conn->prepare($sql);
    $delete->bindParam(":id", $id);
    $result = $delete->execute();

    return $result;
}

//dodavanje features u adminu
function addFeatureToProduct($productName, $featureName, $featureValue)
{
    global $conn;

    // validacija polja
    $productName = htmlspecialchars(strip_tags($productName));
    $featureName = htmlspecialchars(strip_tags($featureName));
    $featureValue = htmlspecialchars(strip_tags($featureValue));

    if (empty($productName) || empty($featureName)) {
        return false;
    }

    // select
    $productIdQuery = "SELECT id_prod FROM products WHERE name_prod = :product_name";
    $stmt = $conn->prepare($productIdQuery);
    $stmt->bindParam(':product_name', $productName);
    $stmt->execute();

```

```

$productId = $stmt->fetchColumn();

// ako proizvod nije pronadjen
if (!$productId) {
    return false;
}

// da li feature vec postoji za zadati proizvod
$existingFeatureQuery = "SELECT f.id_feature
                        FROM features f
                        JOIN feature_item fi ON f.id_feature =
fi.id_feature
                        JOIN products p ON fi.id_prod = p.id_prod
                        WHERE f.name_feat = :feature_name
                        AND f.value = :feature_value
                        AND p.id_prod = :product_id";

$stmt = $conn->prepare($existingFeatureQuery);
$stmt->bindParam(':feature_name', $featureName);
$stmt->bindParam(':feature_value', $featureValue);
$stmt->bindParam(':product_id', $productId);
$stmt->execute();
$existingFeatureId = $stmt->fetchColumn();

// ako da, uzmi id
// ako ne, insert nove vr.
if (!$existingFeatureId) {
    // insert
    $insertFeatureQuery = "INSERT INTO features (name_feat, value)
VALUES (:feature_name, :value)";
    $stmt = $conn->prepare($insertFeatureQuery);
    $stmt->bindParam(':feature_name', $featureName);
    $stmt->bindParam(':value', $featureValue);
    $stmt->execute();
    $existingFeatureId = $conn->lastInsertId();
}

// insert medjutabele
$insertQuery = "INSERT INTO feature_item (id_prod, id_feature)
VALUES (:id_prod, :id_feature)";
$stmt = $conn->prepare($insertQuery);
$stmt->bindParam(':id_prod', $productId);
$stmt->bindParam(':id_feature', $existingFeatureId);
$result = $stmt->execute();

```

```

        return $result;
    }

//features_name
function addFeatureName($featureName) {
    global $conn;

    if (empty($featureName)) {
        return "Feature name cannot be empty.";
    }

    if (!preg_match('/^[a-zA-Z\s]+$/ ', $featureName)) {
        return "Feature name can only contain letters and spaces.";
    }

    $query = "SELECT * FROM features WHERE name_feat = :featureName";
    $stmt = $conn->prepare($query);
    $stmt->bindParam(':featureName', $featureName);
    $stmt->execute();
    $existingFeature = $stmt->fetch(PDO::FETCH_ASSOC);

    if ($existingFeature) {
        return "Feature name already exists.";
    } else {
        $query = "INSERT INTO features (name_feat) VALUES
(:featureName)";
        $stmt = $conn->prepare($query);
        $stmt->bindParam(':featureName', $featureName);
        $stmt->execute();

        return "Feature name added successfully.";
    }
}

//za statistiku
function getLogData() {
    $logFile = $_SERVER['DOCUMENT_ROOT'] .
'/optics/config/data/log.txt';

```

```

    if (!file_exists($logFile)) {
        return [];
    }

    return file($logFile, FILE_IGNORE_NEW_LINES |
FILE_SKIP_EMPTY_LINES);
}

function calculateStatistics($logEntries) {
    $pageAccessCount = [];
    $loggedInUsersToday = [];
    $today = date('Y-m-d');

    //echo "datum: $today<br>";

    foreach ($logEntries as $entry) {
        // echo "$entry<br>";

        $explodedEntry = explode(';', $entry);

        if (count($explodedEntry) === 3) {
            list($user, $page, $logDate) = $explodedEntry;

            // echo "User: $user, Page: $page, Log Date: $logDate<br>";

            // brojac pristupa stranicama
            if (!isset($pageAccessCount[$page])) {
                $pageAccessCount[$page] = 0;
            }
            $pageAccessCount[$page]++;

            // da li je user logovan i na danasnji dan
            if ($user !== 'Guest' && $logDate === $today) {
                $loggedInUsersToday[$user] = true;
            }
        } else {
            // echo "dobar format<br>";
        }
    }

    // ukupan pristup

```

```

$totalAccesses = array_sum($pageAccessCount);
$pageAccessPercentage = [];

if ($totalAccesses > 0) {
    foreach ($pageAccessCount as $page => $count) {
        $pageAccessPercentage[$page] = ($count / $totalAccesses) *
100;
    }
}

// echo "count($loggedInUsersToday)";

return [
    'pageAccessPercentage' => $pageAccessPercentage,
    'numLoggedInUsersToday' => count($loggedInUsersToday)
];
}

```

```

// function uploadImage($fileInputName) {
//     $targetDir = $_SERVER['DOCUMENT_ROOT'] .
'/path/to/your/image/directory/'; // Adjust the path
//     $targetFile = $targetDir .
basename($_FILES[$fileInputName]['name']);
//     $uploadOk = 1;
//     $imageFileType = strtolower(pathinfo($targetFile,
PATHINFO_EXTENSION));

//     // Check if image file is a actual image
//     $check = getimagesize($_FILES[$fileInputName]['tmp_name']);
//     if ($check === false) {
//         return false; // Not an image
//     }

//     // Check file size (5MB maximum)
//     if ($_FILES[$fileInputName]['size'] > 5000000) {
//         return false; // File too large
//     }

```

```
//      // Allow certain file formats
//      if ($imageFileType != 'jpg' && $imageFileType != 'png' &&
$imageFileType != 'jpeg' && $imageFileType != 'gif') {
//          return false; // Only certain file formats allowed
//      }

//      // Check if $uploadOk is set to 0 by an error
//      if ($uploadOk == 0) {
//          return false;
//      } else {
//          if (move_uploaded_file($_FILES[$fileInputName]['tmp_name'],
$targetFile)) {
//              return '/path/to/your/image/directory/' .
basename($_FILES[$fileInputName]['name']);
//          } else {
//              return false; // Upload failed
//          }
//      }
//  }

?>
```

insert_product.php

```
<?php

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';

extract($_POST);

$insert = postProduct($pname, $pdesc, $ppath, $pprice, $pcat);

if ($insert) {
    echo json_encode(array('success' => true, 'message' => 'Product
inserted successfully'));
} else {
```

```
        echo json_encode(array('success' => false, 'message' => 'Failed to
insert product'));
    }
?>
```

get_product_data.php

```
<?php

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';

if(isset($_POST['id'])) {
    //id proizvoda
    $id = $_POST['id'];

    // podaci o tom proizvodu
    $product = getProductById($id);

    if($product) {
        echo json_encode($product);
    } else {
        echo json_encode(array('error' => 'Product not found'));
    }
} else {
    echo json_encode(array('error' => 'ID parameter not existing'));
}
?>
```

delete_product.php

```
<?php

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';

if(isset($_POST['id'])) {

    $id = $_POST['id'];
```

```

    $delete = deleteProduct($id);

    if($delete) {
        echo json_encode(array('success' => true, 'message' => 'Product
deleted successfully'));
    } else {
        echo json_encode(array('success' => false, 'message' => 'Failed
to delete product'));
    }
} else {
    echo json_encode(array('success' => false, 'message' => 'ID
parameter is missing'));
}
?>

```

update_product.php

```

<?php

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';

extract($_POST);

$error = 0;

if ($pname == "" || $pdesc == "" || $ppath == "" || $pprice == ""
|| $pcat == "") {
    $error++;
}

if ($error != 0) {
    echo json_encode(array('success' => false, 'message' => 'Error:
Invalid inputs'));
} else {

```

```

        $update = updateProduct($id_prod, $pname, $pdesc, $ppath,
        $pprice, $pcat);
        if ($update) {
            echo json_encode(array('success' => true, 'message' =>
        'Product updated successfully'));
        } else {
            echo json_encode(array('success' => false, 'message' =>
        'Failed to update product'));
        }
    }
}

?>

```

registration_logic.php

```

<?php
error_reporting(E_ALL);
ini_set('display_errors', 1);

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';

function insertUserData() {
    global $conn;
    extract($_POST);
    try {
        // Insert za location
        $sql = "INSERT INTO location(country, city, address,
postal_code)
                VALUES (:country, :city, :address, :postal_code)";
        $insert_location = $conn->prepare($sql);
        $insert_location->bindParam(":country", $country);
        $insert_location->bindParam(":city", $city);
        $insert_location->bindParam(":address", $address);
        $insert_location->bindParam(":postal_code", $postal);
        $insert_location->execute();

        $id_location = $conn->lastInsertId();
    }
}

```

```

        // Insert za user
        $sql = "INSERT INTO users(first_name, last_name, email, phone,
id_role, id_location, password)
                VALUES(:fname, :lname, :email, :phone, :id_role,
:id_location, :password)";
        $id_role = 2;
        $pass_hashed = md5($pass);

        $insert_user = $conn->prepare($sql);
        $insert_user->bindParam(":fname", $fname);
        $insert_user->bindParam(":lname", $lname);
        $insert_user->bindParam(":email", $email);
        $insert_user->bindParam(":phone", $phone);
        $insert_user->bindParam(":id_role", $id_role);
        $insert_user->bindParam(":id_location", $id_location);
        $insert_user->bindParam(":password", $pass_hashed);
        $insert_user->execute();

    } catch (PDOException $ex) {
        setFlash('error', "Error: " . $ex->getMessage());
        header('Location: ../index.php?page=registration');
        exit;
    }
}

if (isset($_POST['btnReg'])) {
    $errors = [];

    // Validacija
    if (empty($_POST['fname']) || !preg_match("/^[A-Z][a-z]*$/",
$_POST['fname'])) {
        $errors[] = "Invalid first name";
    }
    if (empty($_POST['lname']) || !preg_match("/^[A-Z][a-z]*$/",
$_POST['lname'])) {
        $errors[] = "Invalid last name";
    }
    if (empty($_POST['email']) || !filter_var($_POST['email'],
FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Invalid email, must contain @";
    }
    if (empty($_POST['phone']) || !preg_match("/^[0-9]{3}\/[0-9]{7}$/",
$_POST['phone'])) {

```

```

        $errors[] = "Invalid phone format";
    }
    if (empty($_POST['country']) || !preg_match("/^[A-Z][a-zA-Z\s]*$/",
$_POST['country'])) {
        $errors[] = "Invalid country format";
    }
    if (empty($_POST['city']) || !preg_match("/^[A-Z][a-zA-Z\s]*$/",
$_POST['city'])) {
        $errors[] = "Invalid city format";
    }
    if (empty($_POST['address']) ||
!preg_match("/^[A-Z][a-zA-Z\s0-9]*$/", $_POST['address'])) {
        $errors[] = "Invalid address format";
    }
    if (empty($_POST['postal']) || !preg_match("/^[0-9]{6}$/",
$_POST['postal'])) {
        $errors[] = "Postal code must contain exactly 6 numbers";
    }
    if (empty($_POST['pass']) ||
!preg_match("/^[a-zA-Z0-9!@#%&*()_+]*$/", $_POST['pass'])) {
        $errors[] = "Password can only contain letters, numbers, and
special characters (!@#%&*()_+)";
    }
    if ($_POST['pass'] !== $_POST['passConf']) {
        $errors[] = "Passwords do not match";
    }

    if (empty($errors)) {
        $query = "SELECT * FROM users WHERE email = :email";
        $result = $conn->prepare($query);
        $result->bindParam(":email", $_POST['email']);
        $result->execute();
        if ($result->rowCount() > 0) {
            $errors[] = "Email already exists";
        }
    }

    if (empty($errors)) {
        try {
            insertUserData();
            setFlash('success', "Registration successful! You can now
log in.");

```

```

        header('Location: ../index.php?page=registration');
        exit;
    } catch (PDOException $ex) {
        setFlash('error', "Error: " . $ex->getMessage());
        header('Location: ../index.php?page=registration');
        exit;
    }
} else {
    $errorMessages = implode("<br>", $errors);
    setFlash('error', "Validation failed. Please correct the
errors:<br>$errorMessages");
    header('Location: ../index.php?page=registration');
    exit;
}
}
?>

```

logout.php

```

<?php
    session_start();

    if(isset($_SESSION["user"])) {
        unset($_SESSION["user"]);

        header("Location: ../index.php?page=home");
        exit;
    }
?>

```

add_feature.php

```

<?php
include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';

$productName = $_POST['product_name'];
$featureName = $_POST['feature_name'];

```

```

$featureValue = $_POST['feature_value'];

$result = addFeatureToProduct($productName, $featureName,
$featureValue);

if ($result) {
    echo json_encode(array('success' => true, 'message' => 'Feature
added successfully'));
} else {
    echo json_encode(array('success' => false, 'message' => 'Failed to
add feature'));
}
?>

```

add_feature_name.php

```

<?php
ob_start();
// ini_set('display_errors', 1);
// ini_set('display_startup_errors', 1);
// error_reporting(E_ALL);
include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';

if ($_SERVER["REQUEST_METHOD"] == "POST" &&
isset($_POST['feature_name'])) {
    $featureName = $_POST['feature_name'];

    $result = addFeatureName($featureName);

    if ($result) {
        header("Location: " . $_SERVER['HTTP_REFERER'] . "");
        exit();
    } else {
        echo "Failed to add feature";
    }
} else {
    echo "Invalid request";
}

```

```
ob_end_flush();  
?>
```

add_to_cart.php

```
<?php  
  
include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';  
include $_SERVER['DOCUMENT_ROOT'] . '/optics/models/functions.php';  
  
if (isUserLoggedIn() && getUserRole() == 'member') {  
  
    if ($productId = post('product_id')) {  
  
        // inicijalizacija ako nije setovana  
        if (!userHasCart()) {  
            initUserCart();  
        }  
  
        // da li je vec u korpi  
        $isProductInCart = isProductInCart($productId);  
  
        if ($isProductInCart) {  
            incrementProductQuantity($productId);  
            echo json_encode(['success' => true, 'message' => 'Product  
quantity incremented']);  
            exit;  
        } else {  
            // ako nije, dodaj sa svim podacima  
            $product = getProductById($productId);  
            if ($product) {  
                addProductToCart($product);  
                echo json_encode(['success' => true, 'message' =>  
'Product added to cart successfully']);  
                exit;  
            } else {  
                echo json_encode(['success' => false, 'message' =>  
'Product not found']);  
                exit;  
            }  
        }  
    }  
}
```

```

    }
    } else {
        echo json_encode(['success' => false, 'message' => 'Product ID
not provided']);
        exit;
    }
} else {
    echo json_encode(['success' => false, 'message' => 'User not logged
in or does not have permission']);
    exit;
}

?>

```

place_order.php

```

<?php
ini_set('display_errors', 1);
ini_set('display_startup_errors', 1);
error_reporting(E_ALL);

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';

if(isset($_SESSION['user']->id_user)) {
    $userId = $_SESSION['user']->id_user;
} else {
    echo json_encode(['success' => false, 'message' => 'User ID not
found in session']);
    exit;
}

if (isset($_SESSION['user']) && $_SESSION['user']->Role == 'member') {

    if (isset($_SESSION['user']->cart) &&
is_array($_SESSION['user']->cart) && !empty($_SESSION['user']->cart)) {

```

```

        //insert
        $date = date('Y-m-d H:i:s');

        $orderStmt = $conn->prepare("INSERT INTO orders (id_user, date)
VALUES (:userId, :date)");
        $orderStmt->bindParam(':userId', $userId);
        $orderStmt->bindParam(':date', $date);
        $orderStmt->execute();

        $orderId = $conn->lastInsertId();

        if ($orderId) {
            // insert medjutabele
            foreach ($_SESSION['user']->cart as $item) {
                $productId = $item->id_prod;
                $unitPrice = $item->price;
                $quantity = isset($item->quantity) ? $item->quantity :
1;

                $orderDetailStmt = $conn->prepare("INSERT INTO
order_details (id_prod, id_ord, unit_price, quantity) VALUES
(:productId, :orderId, :unitPrice, :quantity)");
                $orderDetailStmt->bindParam(':productId', $productId);
                $orderDetailStmt->bindParam(':orderId', $orderId);
                $orderDetailStmt->bindParam(':unitPrice', $unitPrice);
                $orderDetailStmt->bindParam(':quantity', $quantity);
                $orderDetailStmt->execute();
            }

            unset($_SESSION['user']->cart);

            echo json_encode(['success' => true, 'message' => 'Order
placed successfully']);
        } else {
            echo json_encode(['success' => false, 'message' => 'Failed
to retrieve order ID']);
        }
    } else {
        echo json_encode(['success' => false, 'message' => 'Your cart
is empty']);
    }
} else {

```

```
        echo json_encode(['success' => false, 'message' => 'Please log in
as a member to place an order']);
    }
?>
```

pagination.php (ima i za sort logiku)

```
<?php
header('Content-Type: application/json');

include $_SERVER['DOCUMENT_ROOT'] . '/optics/config/conn.php';

$sortOption = isset($_GET['sort']) ? $_GET['sort'] : 'default';
switch ($sortOption) {
    case 'price_low_to_high':
        $orderBy = 'ORDER BY price ASC';
        break;
    case 'price_high_to_low':
        $orderBy = 'ORDER BY price DESC';
        break;
    default:
        $orderBy = 'ORDER BY id_prod DESC';
        break;
}

// broj proizvoda po stranici
$productsPerPage = 8;

// trenutna stranica
$page = isset($_GET['pagination']) &&
is_numeric($_GET['pagination']) && $_GET['pagination'] > 0 ?
(int)$_GET['pagination'] : 1;
$page = max($page, 1); // bar jedna

$startIndex = ($page - 1) * $productsPerPage;

$sql = "SELECT * FROM products p JOIN categories c ON p.id_cat =
c.id_cat $orderBy LIMIT :startIndex, :productsPerPage";
$stmt = $conn->prepare($sql);
$stmt->bindParam(':startIndex', $startIndex, PDO::PARAM_INT);
```

```

$stmt->bindParam(':productsPerPage', $productsPerPage, PDO::PARAM_INT);
$stmt->execute();
$products = $stmt->fetchAll(PDO::FETCH_ASSOC);

// ukupno proizvoda
$totalQuery = "SELECT COUNT(*) AS total FROM products";
$totalResult = $conn->query($totalQuery)->fetch(PDO::FETCH_OBJ);
$totalProducts = (int)$totalResult->total;

// json
$data = [
    'products' => $products,
    'totalProducts' => $totalProducts,
    'productsPerPage' => $productsPerPage,
    'paginationPage' => $paginationPage
];

echo json_encode($data);
?>

```

head.php

```

<head>
    <meta charset="utf-8">
    <title>Fruitables - Vegetable Website Template</title>
    <meta content="width=device-width, initial-scale=1.0"
name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">

    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com"
crossorigin>
    <link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&f
amily=Raleway:wght@600;800&display=swap" rel="stylesheet">

    <!-- Icon Font Stylesheet -->

```

```

        <link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.15.4/css/all.css"/>
        <link
href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap
-icons.css" rel="stylesheet">

        <!-- Libraries Stylesheet -->
        <link href="./assets/lib/lightbox/css/lightbox.min.css"
rel="stylesheet">
        <link href="./assets/lib/owlcarousel/assets/owl.carousel.min.css"
rel="stylesheet">

        <!-- Customized Bootstrap Stylesheet -->
        <link href="./assets/css/bootstrap.min.css" rel="stylesheet">

        <!-- Template Stylesheet -->
        <link href="./assets/css/style.css" rel="stylesheet">
</head>

```

nav.php

```

<?php

function getAllNavItems() {
    global $conn;
    try {

        $query = "SELECT * FROM nav WHERE path IN ('index.php',
'shop.php', 'contact.php', 'author.php') OR id_role IS NULL";
        $stmt = $conn->query($query);
        $navItems = $stmt->fetchAll(PDO::FETCH_OBJ);

        return $navItems;
    } catch (PDOException $ex) {
        echo $ex->getMessage();
        return array();
    }
}

```

```

$navItems = getAllNavItems();

?>

<nav class="navbar navbar-light bg-white navbar-expand-xl">
    <a href="index.php" class="navbar-brand"><h1 class="text-primary
display-6">Fruitables</h1></a>
    <button class="navbar-toggler py-2 px-3" type="button"
data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
        <span class="fa fa-bars text-primary"></span>
    </button>
    <div class="collapse navbar-collapse bg-white" id="navbarCollapse">
        <div class="navbar-nav mx-auto">

            <?php foreach($navItems as $n):?>

                <a href="index.php?page=<?=strtolower($n->name)?>"
class="nav-item nav-link active"><?=$n->name?></a>

            <?php endforeach; ?>

            <?php if(hasFlash("user")):?>
                <?php if($_SESSION['user']->Role == 'admin'):?>
                    <a href="index.php?page=admin" class="nav-item
nav-link">Admin</a>
                    <a href="./models/logout.php" class="nav-item
nav-link">Logout</a>
                <?php elseif($_SESSION['user']->Role == 'member'):?>
                    <a href="./models/logout.php" class="nav-item
nav-link">Logout</a>
                <?php endif; ?>
            <?php endif; ?>

        </div>
        <div class="d-flex m-3 me-0">
            <button class="btn-search btn border border-secondary
btn-md-square rounded-circle bg-white me-4" data-bs-toggle="modal"
data-bs-target="#searchModal"><i class="fas fa-search
text-primary"></i></button>
            <a href="index.php?page=cart" class="position-relative me-4
my-auto">

```

```

        <i class="fa fa-shopping-bag fa-2x"></i>
        <span class="position-absolute bg-secondary
rounded-circle d-flex align-items-center justify-content-center
text-dark px-1" style="top: -5px; left: 15px; height: 20px; min-width:
20px;">3</span>
    </a>
    <!-- <a href="index.php?page=login" class="my-auto">
        <i class="fas fa-user fa-2x"></i>
    </a> -->

    <?php if(hasFlash("user")): ?>
        <a href="#" class="nav-item nav-link active">Logged
in</a>

    <?php else: ?>
        <a href="index.php?page=login" class="nav-item
nav-link"><i class="fas fa-user-circle fa-2x me-2"></i>Login</a>
        <a href="index.php?page=registration" class="nav-item
nav-link"><i class="far fa-user-circle fa-2x me-2"></i>Register</a>
    <?php endif; ?>

</div>
</div>
</nav>

```

header.php

```

<!DOCTYPE html>
<html lang="en">
<body>

<?php require_once "views/fixed/head.php" ?>

<!-- Navbar start -->
    <div class="container-fluid fixed-top">
        <div class="container topbar bg-primary d-none d-lg-block">
            <div class="d-flex justify-content-between">
                <div class="top-info ps-2">
                    <small class="me-3"><i class="fas fa-map-marker-alt
me-2 text-secondary"></i> <a href="#" class="text-white">123 Street,
New York</a></small>

```

```

        <small class="me-3"><i class="fas fa-envelope me-2
text-secondary"></i><a href="#"
class="text-white">Email@example.com</a></small>
    </div>
    <div class="top-link pe-2">
        <a href="#" class="text-white"><small class="text-white
mx-2">Privacy Policy</small></a>
        <a href="#" class="text-white"><small class="text-white
mx-2">Terms of Use</small></a>
        <a href="#" class="text-white"><small class="text-white
ms-2">Sales and Refunds</small></a>
    </div>
</div>
<div class="container px-0">
    <?php include_once "nav.php"; ?>
</div>
</div>
<!-- Navbar End -->

```

footer.php

```

<div class="container-fluid bg-dark text-white-50 footer pt-5">
<!-- sklonila mt-5 -->
    <div class="container py-5">
        <div class="pb-4 mb-4" style="border-bottom: 1px solid
rgba(226, 175, 24, 0.5) ;">
            <div class="row g-4">
                <div class="col-lg-3">
                    <a href="#">
                        <h1 class="text-primary mb-0">Fruitables</h1>
                        <p class="text-secondary mb-0">Fresh products</p>
                    </a>
                </div>
                <div class="col-lg-6">
                    <div class="position-relative mx-auto">
                        <input class="form-control border-0 w-100 py-3 px-4
rounded-pill" type="number" placeholder="Your Email">

```

```

        <button type="submit" class="btn btn-primary border-0
border-secondary py-3 px-4 position-absolute rounded-pill text-white"
style="top: 0; right: 0;">Subscribe Now</button>
    </div>
</div>
<div class="col-lg-3">
    <div class="d-flex justify-content-end pt-3">
        <a class="btn btn-outline-secondary me-2 btn-md-square
rounded-circle" href=""><i class="fab fa-twitter"></i></a>
        <a class="btn btn-outline-secondary me-2 btn-md-square
rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>
        <a class="btn btn-outline-secondary me-2 btn-md-square
rounded-circle" href=""><i class="fab fa-youtube"></i></a>
        <a class="btn btn-outline-secondary btn-md-square
rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>
    </div>
</div>
</div>
</div>
<div class="row g-5">
    <div class="col-lg-3 col-md-6">
        <div class="footer-item">
            <h4 class="text-light mb-3">Why People Like us!</h4>
            <p class="mb-4">typesetting, remaining essentially
unchanged. It was
        popularised in the 1960s with the like Aldus PageMaker
including of Lorem Ipsum.</p>
            <a href="" class="btn border-secondary py-2 px-4
rounded-pill text-primary">Read More</a>
        </div>
    </div>
    <div class="col-lg-3 col-md-6">
        <div class="d-flex flex-column text-start footer-item">
            <h4 class="text-light mb-3">Shop Info</h4>
            <a class="btn-link" href="">About Us</a>
            <a class="btn-link" href="">Contact Us</a>
            <a class="btn-link" href="">Privacy Policy</a>
            <a class="btn-link" href="">Terms & Condition</a>
            <a class="btn-link" href="">Return Policy</a>
            <a class="btn-link" href="">FAQs & Help</a>
        </div>
    </div>
    <div class="col-lg-3 col-md-6">

```

```

        <div class="d-flex flex-column text-start footer-item">
            <h4 class="text-light mb-3">Account</h4>
            <a class="btn-link" href="">My Account</a>
            <a class="btn-link" href="">Shop details</a>
            <a class="btn-link" href="">Shopping Cart</a>
            <a class="btn-link" href="">Wishlist</a>
            <a class="btn-link" href="">Order History</a>
            <a class="btn-link" href="">International Orders</a>
        </div>
    </div>
    <div class="col-lg-3 col-md-6">
        <div class="footer-item">
            <h4 class="text-light mb-3">Contact</h4>
            <p>Address: 1429 Netus Rd, NY 48247</p>
            <p>Email: Example@gmail.com</p>
            <p>Phone: +0123 4567 8910</p>
            <p>Payment Accepted</p>
            
        </div>
    </div>
</div>
</div>
</div>
</div>

<!-- Copyright Start -->
<div class="container-fluid copyright bg-dark py-4">
    <div class="container">
        <div class="row">
            <div class="col-md-6 text-center text-md-start mb-3
mb-md-0">
                <span class="text-light"><a href="#"><i class="fas
fa-copyright text-light me-2"></i>Your Site Name</a>, All right
reserved.</span>
            </div>
            <div class="col-md-6 my-auto text-center text-md-end
text-white">
                <!--/** This template is free as long as you keep the
below author's credit link/attribution link/backlink. ***/-->
                <!--/** If you'd like to use the template without the
below author's credit link/attribution link/backlink, ***/-->
                <!--/** you can purchase the Credit Removal
License from "https://htmlcodex.com/credit-removal". ***/-->

```

```

        Designed By <a class="border-bottom"
href="https://htmlcodex.com">HTML Codex</a> Distributed By <a
class="border-bottom" href="https://themewagon.com">ThemeWagon</a>
        </div>
    </div>
</div>
<!-- Copyright End -->

<!-- Back to Top -->
<a href="#" class="btn btn-primary border-3 border-primary
rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

<!-- JavaScript Libraries -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js">
</script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bun
dle.min.js"></script>
<script src="./assets/lib/easing/easing.min.js"></script>
<script src="./assets/lib/waypoints/waypoints.min.js"></script>
<script src="./assets/lib/lightbox/js/lightbox.min.js"></script>
<script
src="./assets/lib/owlcarousel/owl.carousel.min.js"></script>

<!-- Template Javascript -->
<script src="./assets/js/main.js"></script>
</body>

</html>

```