Grade 6 Accelerated
Unit 1
Lesson 6 Practice

Name Answer Key__________
Date______________________
Period______________________

Find each product using the area model.

1. $1\frac{3}{5} \times 2\frac{1}{4} = 2\frac{32}{20} = 3\frac{3}{5}$

	2	$\frac{1}{4}$
1	2	$\frac{1}{4} = \frac{5}{20}$
$\frac{3}{5}$	$\frac{6}{5} = \frac{24}{20}$	$\frac{3}{20}$

2. $4\frac{2}{3} \times 3\frac{1}{2} = 16\frac{1}{3}$

	3	$\frac{1}{2}$
4	12	2
$\frac{2}{3}$	$\frac{6}{3} = 2$	$\frac{2}{6} = \frac{1}{3}$

3. $5\frac{3}{4} \times 8\frac{1}{5} = 47\frac{3}{20}$

	8	$\frac{1}{5}$
5	40	1
$\frac{3}{4}$	6	$\frac{3}{20}$

Find each product. Rewrite each product in simplest form. Show your work.

4. $\frac{3}{16} \times \frac{4}{5} = \frac{3}{20}$

$= \frac{12}{80} = \frac{3 \times \cancel{4}}{20 \times \cancel{4}} = \frac{3}{20}$

5. $\frac{7}{11} \times 3\frac{2}{3} = 2\frac{1}{3}$

$= \frac{7}{11} \times \frac{11}{3} = \frac{77}{33} = \frac{7 \times \cancel{11}}{3 \times \cancel{11}} = \frac{7}{3} = 2\frac{1}{3}$

6. $4\frac{2}{5} \times 4\frac{4}{9} = 19\frac{5}{9}$

$= \frac{22}{5} \times \frac{40}{9} = \frac{880}{45} = \frac{176 \times \cancel{5}}{9 \times \cancel{5}} = \frac{176}{9} = 19\frac{5}{9}$

7. $\frac{37}{100} \times 3\frac{1}{2} = 2\frac{59}{200}$

$= \frac{37}{100} \times \frac{7}{2} = \frac{259}{200} = 2\frac{59}{200}$

8. $6\frac{5}{12} \times \frac{4}{5} = 5\frac{2}{15}$

$= \frac{77}{12} \times \frac{4}{5} = \frac{308}{60} = \frac{77 \times 4}{15 \times 4} = \frac{77}{15} = 5\frac{2}{15}$

9. $8\frac{7}{20} \times 4\frac{9}{10} = 40\frac{183}{200}$

$= \frac{167}{20} \times \frac{49}{10} = \frac{8183}{200} = 40\frac{183}{200}$

10. Andre was working on the multiplication expression $3\frac{1}{2} \times 4\frac{3}{5}$. His work is shown. Is Andre correct or incorrect? If he is correct, explain the steps that he took. If he is incorrect, explain his mistake(s).

$3\frac{1}{2} \times 4\frac{3}{5}$

$\frac{7}{2} \times \frac{23}{5}$

$\frac{7 \times 23}{2 \times 5}$

$\frac{161}{10}$ or $16\frac{1}{10}$

He is correct.

1. He changed the mixed numbers to fractions.
2. He multiplied the numerators to get the numerator of the product and then did the same with the denominators.
3. The answer was then put into a mixed number in simplest form.