










Grade 6 Unit 10 Assessment Guide

General Information	Students begin to collect data and organize the data using representations in kindergarten. In grade 5, students begin to find statistical values. The benchmarks in Unit 10 focus on creating and interpreting displays. Students first saw line plots (dot plots) and bar graphs in grade 3. It is helpful for a 6th grade teacher to know what types of statistical displays students have experienced in kindergarten through fifth grade. Having this information may help teachers bridge gaps that students may have in creating a box plot or histogram. The benchmarks in this unit also have students using line plots (dot plots). Students will use line plots (dot plots) and box plots in 7th grade and Algebra 1 as well. The wording of the five benchmarks in this unit is important to note. For example, MA.6.DP.1.3 and MA.6.DP.1.4 begin with "given a...", so for these benchmarks the student will not be creating a statistical display, but the statistical display should be given. Because creating displays can take time, this is an important distinction.
Calculator Information	The questions on the unit assessment are calculator.
Total Recommended Points	The total recommended points in this guide are 100 points.

Question		1	Benchmark(s)	MA.6.DP.1.5															
<table><tr><th>Title</th><td>2021 Miami Dolphins Football Player Heights</td></tr><tr><th>Axis Label</th><td rowspan="2">Number of Players</td></tr><tr><td></td></tr><tr><th>Axis Label (units)</th><td>Height (in.)</td></tr></table>		Title	2021 Miami Dolphins Football Player Heights	Axis Label	Number of Players		Axis Label (units)	Height (in.)	Recommended Scoring (9 Total Points)	Consider giving students 3 points for each correct label.									
Title	2021 Miami Dolphins Football Player Heights																		
Axis Label	Number of Players																		
																			
Axis Label (units)	Height (in.)																		
Question		2a	Benchmark(s)	MA.6.DP.1.3															
<table><tr><th>Label</th><th>Value</th><th>Label</th><th>Value</th></tr><tr><td>B</td><td>4.74</td><td>T</td><td>3.5</td></tr><tr><td>H</td><td>3.33</td><td>R</td><td>3.17</td></tr><tr><td>N</td><td>3.725</td><td></td><td></td></tr></table>		Label	Value	Label	Value	B	4.74	T	3.5	H	3.33	R	3.17	N	3.725			Recommended Scoring (20 Total Points)	Consider giving students 4 points for each correct value.
Label	Value	Label	Value																
B	4.74	T	3.5																
H	3.33	R	3.17																
N	3.725																		

Question	2b	Benchmark(s)	MA.6.DP.1.3
	☐ 10% of the data are between H and T. ☒ 25% of the data are between T and N. ☒ 25% of the data are between R and H. ☒ 50% of the data are between H and N. ☐ 50% of the data are between R and N. ☐ 75% of the data are between N and B.	Recommended Scoring (12 Total Points)	Consider giving students 4 points for each correct value. Consider a deduction of 4 points for each incorrect selection.
Question	3	Benchmark(s)	MA.6.DP.1.5
	☐  ☒  ☒  ☐  ☒  ☐ 	Recommended Scoring (15 Total Points)	Consider giving students 5 points for each correct value. Consider a deduction of 5 points for each incorrect selection.

Question		4a	Benchmark(s)	MA.6.DP.1.5						
<table><tr><td>Statistical Measure</td><td>Value</td></tr><tr><td>Median</td><td>76</td></tr><tr><td>Interquartile Range</td><td>6</td></tr></table>		Statistical Measure	Value	Median	76	Interquartile Range	6	Recommended Scoring (10 Total Points)	Consider giving students 5 points for each correct value.	
Statistical Measure	Value									
Median	76									
Interquartile Range	6									
Question		4b	Benchmark(s)	MA.6.DP.1.5						
		Recommended Scoring (15 Total Points)	Consider giving students 3 points for each correctly plotted value in the five-number summary.							
Question		4c	Benchmark(s)	MA.6.DP.1.6						
The measure of center that should be used for data set <i>B</i> is the ☐ mean ☒ median because the two additional pulse rates that were added ☐ range. ☐ interquartile range. to data set <i>A</i> to create data set <i>B</i> influenced the		Recommended Scoring (4 Total Points)	Partial credit is not recommended.							

Question	5a	Benchmark(s)	MA.6.DP.1.1
A. What is the cost, in dollars, of a healthy meal? B. How many countries have a healthy meal that costs \$3.50? C. Which countries have healthy meals that cost less than \$5.50? D. How much, per person, does it cost to make a meal in the United States?		Recommended Scoring (3 Total Points)	Partial credit is not recommended.
Question	5b	Benchmark(s)	MA.6.DP.1.4
The shape of the graph is skewed. Data points are clustered around the values 2.75 to 3.5. There is a gap between 3.5 and 4 and another gap between 4 and 5.25. The data point 5.75 is an outlier.		Recommended Scoring (12 Total Points)	Consider giving students 4 points for mentioning each of the following: the gap(s), the outlier, and the cluster.