

Arturo tracked the number of miles he drove each day for 15 days.

29, 34, 28, 27, 33, 36, 27, 28, 27, 25, 32, 25, 6, 31, 30

1. One value in Arturo's data set is an outlier. Which value appears to be an outlier? Explain your reasoning.

2. Complete the statements.

The median of Arturo's full data set is _____.

The median of Arturo's data set with the outlier removed is _____.

- 3. Is there a significant difference between the mean of the full data set and that of the modified data set?

4. Complete the statements.


The range of Arturo's full data set is _____.

The range of Arturo's data set with the outlier removed is _____.

- 5. Is there a significant difference between the range of the full data set and that of the modified data set?

Crystelle documented the amount of precipitation, in inches, in Bradenton, FL over the past 14 days. Her data are listed and represented in the histogram shown.

0	0	0.2	0	0.7	3.1	0.6	0	0.4	0.5	0	0.8	1.1	0.9
---	---	-----	---	-----	-----	-----	---	-----	-----	---	-----	-----	-----



6. How can you tell from the histogram that there is an outlier in the data set?
7. What is the mean of the data set? Round to the nearest tenth of an inch.
8. What is the median of the data set?
9. What impact would removing the outlier have on the mean and the median?
Explain your reasoning.
10. What impact would removing the outlier have on the IQR? Explain your reasoning.

