

1. A candle weighs 300 grams (g). Each hour the candle is lit, it burns 4 g of its wax.
- a. Let h be the number of hours the candle burns. Write an equation that can be used to determine the number of hours it takes for the candle to weigh 206.4 g.

Equation	
-----------------	--

- b. Solve the equation to determine the number of hours it takes for the candle to weigh 206.4 g. Show your work.

Number of hours	
----------------------------	--

2. Jayden has two jobs. One week his paycheck was the same for both jobs. As a server he earned \$9.64 per hour plus \$82.35 in tips. Working at a jewelry store he earned \$14.86 per hour plus \$17.10 in sales bonuses. Write an equation that can be used to determine the number of hours, h , that Jayden worked the week his paycheck was the same for both jobs.

Equation	
-----------------	--

3. Tim and Jessica plan to rent a camper van for a vacation. The van costs \$183 per day. The rental includes 120 miles for free and then charges \$0.39 per mile.
- a. The total price Tim and Jessica paid to rent the camper van is \$598.74. Write an equation that models the cost of the van rental in terms of miles traveled, m .

Equation	
-----------------	--

- b. Use your equation to determine how many miles Tim and Jessica traveled if they paid \$598.74. Show your work.

Number of miles	
------------------------	--

4. An orange grove manager uses two different sized buckets to load oranges into a truck. The first bucket can transport x pounds of oranges, and the second bucket can transport y pounds of oranges. The first bucket is filled up G times and the second is filled up H times. The total amount of oranges, T , that have been loaded can be found using the equation $T = Gx + Hy$.

Solve the equation $T = Gx + Hy$ for H .

5. In the construction of bridges, engineers use a formula to help determine the allowable stress on a bridge rocker, a component of the bridge that handles the stress and weight placed on the pavement of the bridge. The engineers use the formula $F = \frac{11}{300}d(F - 13)$, where F is the strength of the steel in kilopound per square inch and d is the diameter of the rocker in millimeters.

Solve the formula $F = \frac{11}{300}d(F - 13)$ for d .

6. Complete the statements.

a. The system
$$\begin{cases} y - 3 = 12(4 - x) \\ y = 3(-4x + 3) \end{cases}$$

- ☐ has no solution.
- ☐ has one solution.
- ☐ has an infinite number of solutions.

b. The system
$$\begin{cases} y = 10 - 2x \\ 6x + 3y = 30 \end{cases}$$

- ☐ has no solution.
- ☐ has one solution.
- ☐ has an infinite number of solutions.

c. The system
$$\begin{cases} 4x + y = -16 \\ 2x = -5y - 26 \end{cases}$$

- ☐ has no solution.
- ☐ has one solution.
- ☐ has an infinite number of solutions.

7. Serena just started working at the local salon. She is paid \$9.85 per hour and earns, on average, \$58.50 in tips each day. Roseline just started working at a bank. Since she does not receive tips, she earns \$16.35 an hour. The system of equations $\begin{cases} y = 9.85x + 58.50 \\ y = 16.35x \end{cases}$ can be used to represent the amount of money earned, y , each day for working x hours.

Determine the number of hours Serena and Roseline have to work to earn the same amount of money. Show your work.

Number of hours	
------------------------	--

8. In many countries, cigarette smoking has decreased in the 21st century. The percentage of smokers in Russia can be represented by the equation $36x + 100y = 346$, where y is the percentage of adults who smoke and x is the number of years since 2000. The percentage of smokers in Poland can be represented by the equation $18x + 50y = 176$, where y is the percentage of adults who smoke and x is the number of years since 2000.

Determine the solution to the system $\begin{cases} 36x + 100y = 346 \\ 18x + 50y = 176 \end{cases}$. Show your work.

Solution	
-----------------	--

Solve each system of equations. Show your work.

9. $y = -5x + 17$
 $2x + 3y = 12$

Solution

10. $-2x + y = -18$
 $3x + 4y = 5$

Solution

11. $4x + 9y = -15$
 $-5x + 7y = 37$

Solution

12. Solve the system $\begin{cases} y = \frac{3}{2}x - 3 \\ y = 4x + 2 \end{cases}$ by graphing.

Solution

