
Speech-onset latency

18 contributing participants / 18 loaded recordings; n = 1,880; SD = 430 ms




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.

All observed latencies retained. The distribution is not assumed to be Gaussian.

Speech-onset latency by participant

Boxes: middle 50%; black line: median; red diamond: mean; points: individual trials
Labels: participant ID / age in years (eligible trials)




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.
All participants included. No SOL cutoff or EEG artifact rejection applied.

21 October 2026

Transitive responses by participant

Tr ERG: 469 trials; Tr ∅: 509 trials; 18 loaded recordings




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.
Tr ∅ means not marked Ergative in the viewer; absence of a saved decision is not a confirmed no-ERG judgment.

21 October 2026


Annotation progress and review flags

1880 eligible / 2160 main trials; 280 Unsuitable; 195 Need help flags

Annotation and suitability status




Need help



Eligible requires saved transcription and one valid onset, and excludes Unsuitable. Pending excludes Unsuitable.
Need help can overlap either category and is not an exclusion; the eligible subset is part of the all-trial total.

Speech-onset latency by response category

Pooled trials; boxes: middle 50%; black line: median; red diamond: mean




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.


Descriptive only: category comparisons are not adjusted for participant, picture, trial order or condition imbalance.

1,880 eligible responses

All 18 participants; category counts and review status



Need help among eligible responses




176 of 1,880 eligible responses

1,704 without a Need help flag

Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included. Need help is a flag within these responses, not a separate category. Tr ∅ means not marked Ergative.

ERG marking by subject noun


978 eligible transitive responses; 872 shown in noun groups with at least 10 trials



Eligible transitive responses; Unsuitable excluded; Need help included. ERG = manual flag; ∅ = not marked ERG.
Pooled descriptive rates, not adjusted for participant or picture. Noun/indefinite coding is provisional.
Case endings and indefinite endings grouped with the noun. Remaining 106 trials are listed in the full table.

ERG marking by picture-elicited action


All 30 transitive actions; 978 eligible responses; same participant cohort as the other seminar figures




Eligible transitive responses; Unsuitable excluded; Need help included. ERG = manual flag; ∅ = not marked ERG.
Pooled descriptive rates, not adjusted for participant or picture. Noun/indefinite coding is provisional.
Action labels come from the condition tables, not from the final word of the transcription.

ERG and subject indefinite marking

Subject kri or noun-final -ri versus no indefinite marker; 948 classified / 978 eligible responses







Eligible transitive responses; Unsuitable excluded; Need help included. ERG = manual flag; ∅ = not marked ERG.
Pooled descriptive rates, not adjusted for participant or picture. Noun/indefinite coding is provisional.
No indefinite marker does not establish definiteness. 30 unresolved subject(s) excluded. Participant labels: n with / n without marker.

Speech onset by transitive action

978 eligible responses; 18 contributing participants; 30 picture-elicited actions






Unsuitable excluded; saved transcription and one valid onset required; Need help included. No SOL cutoff.
Descriptive pooled trials, not adjusted for participant, ERG, picture or trial order. Grey ranges are not confidence intervals.

Speech onset by intransitive action


902 eligible responses; 18 contributing participants; 12 picture-elicited actions



Unsuitable excluded; saved transcription and one valid onset required; Need help included. No SOL cutoff.
Descriptive pooled trials, not adjusted for participant, ERG, picture or trial order. Grey ranges are not confidence intervals.

Speech-onset latency and ERG use


18 participants; one point per participant; same eligible transitive trials used for both measures



Left: 0% = all non-ERG, 50% = evenly split, 100% = all ERG. Right: 0 = balanced, 50 = exclusively one form.
Unsuitable excluded; Need help included; no SOL cutoff or EEG artifact rejection. Non-ERG = not marked ERG.
Descriptive between-participant associations, not a within-participant ERG effect or a causal test.

ERG and non-ERG latency within each participant

Right: longer with ERG; left: shorter with ERG. Labels give difference and ERG/non-ERG trial counts.




Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.
Descriptive paired means; pictures and order are not matched. Small condition cells can be unstable.

21 October 2026

Speed change from the first to last 20 trials


Labels: early minus late mean (positive = faster later), and eligible early/late counts.



Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.
Uses scheduled positions, not first/last 20 eligible responses. Pictures and category mix are not matched.

Speech onset across the task


Coloured lines: equal-weight participant means in each category/block. Grey: each participant, all eligible trials.



Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.
Nonempty participant cells contribute equally; cell sizes and pictures differ. Lines are descriptive, not confidence bands.

ERG use across the task


Grey lines: individual participants. ERG = manual flag; non-ERG = not marked ERG.




Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.
Eligible transitive trials only. Different pictures and unequal trial counts can influence block rates.

Transitive trial retention at speech-onset cutoffs

All participants; thresholds include trials exactly at the cutoff.





Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.
Timing eligibility only. A nominal pre-speech gap does not establish artifact-free EEG or safe time-frequency support.

Transitive counts before and after a 1200 ms cutoff

Each cell gives the retained trial count. Shared colour scale: 0 to 60 trials.

All eligible transitive trials

	Tr ERG	Tr ∅
072i	44	16
073i	35	22
081i	29	30
082i	15	42
091i	19	20
092i	51	5
101i	25	22
111i	3	42
112i	18	36
121i	29	28
122i	4	46
131i	49	9
132i	32	27
133i	20	40
134i	30	29
141i	15	43
142i	22	34
171i	29	18

SOL at least 1200 ms


	Tr ERG	Tr ∅
072i	37	13
073i	20	8
081i	15	21
082i	11	30
091i	17	16
092i	7	1
101i	25	19
111i	3	40
112i	6	10
121i	28	24
122i	3	27
131i	28	4
132i	29	21
133i	8	11
134i	20	18
141i	3	4
142i	21	31
171i	24	14


Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.
Participant condition imbalance remains after a timing cutoff. No additional cleaning or cell-size exclusion is applied.

21 October 2026

Descriptive sensitivity summaries

Fastest two by mean SOL over all eligible categories: 141i, 092i






The main analysis includes everybody and Need help. These are alternative descriptive selections, not recommended exclusions.
The 1200 ms selection mechanically removes fast responses; its higher mean is not a treatment effect.

Latency and Need help flags

Boxes: middle 50%; black line: median; red diamond: mean. Outlying trials remain in all calculations.





Eligible main trials; Unsuitable excluded; Need help included. No EEG artifact rejection.

Need help is a transcription/review flag, not a diagnosed cause of slow speech. Pooled groups differ in participants and pictures.

EEG trigger timing across the task

All scheduled main trials, including Unsuitable. Last trial of each recording has no following-trial gap.





Times come from the EEG clock. These intervals describe recorded markers, not independently measured physical screen latencies.
Log-spaced bins preserve the long intervals rather than removing them. No original markers were changed.

21 October 2026