
Speech-onset latency

13 contributing participants / 13 loaded recordings; n = 1,338; SD = 435 ms




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.

All observed latencies retained. The distribution is not assumed to be Gaussian.

Speech-onset latency by participant

Boxes: middle 50%; black line: median; red diamond: mean; points: individual trials




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.
All participants included. No SOL cutoff or EEG artifact rejection applied.

15 October 2026

Transitive responses by participant

Tr ERG: 353 trials; Tr ∅: 345 trials; 13 loaded recordings




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.


Tr ∅ means not marked Ergative in the viewer; absence of a saved decision is not a confirmed no-ERG judgment.

15 October 2026

Annotation progress and review flags

1338 eligible / 1560 main trials; 222 Unsuitable; 115 Need help flags






Eligible requires saved transcription and one valid onset, and excludes Unsuitable. Pending excludes Unsuitable.
Need help can overlap either category and is not an exclusion; the eligible subset is part of the all-trial total.

Speech-onset latency by response category

Pooled trials; boxes: middle 50%; black line: median; red diamond: mean




Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included.

Descriptive only: category comparisons are not adjusted for participant, picture, trial order or condition imbalance.

1,338 eligible responses

All 13 participants; category counts and review status



Need help among eligible responses




100 of 1,338 eligible responses

1,238 without a Need help flag

Main trials; Unsuitable excluded; saved transcription and one valid onset required. Need help included. Need help is a flag within these responses, not a separate category. Tr ∅ means not marked Ergative.

ERG marking by subject noun


698 eligible transitive responses; 637 shown in noun groups with at least 10 trials




Eligible transitive responses; Unsuitable excluded; Need help included. ERG = manual flag; ∅ = not marked ERG.
Pooled descriptive rates, not adjusted for participant or picture. Noun/indefinite coding is provisional.
Case endings and indefinite endings grouped with the noun. Remaining 61 trials are listed in the full table.

ERG marking by picture-elicited action

All 30 transitive actions; 698 eligible responses; same participant cohort as the other seminar figures







Eligible transitive responses; Unsuitable excluded; Need help included. ERG = manual flag; ∅ = not marked ERG.
Pooled descriptive rates, not adjusted for participant or picture. Noun/indefinite coding is provisional.
Action labels come from the condition tables, not from the final word of the transcription.

ERG and subject indefinite marking

Subject kri or noun-final -ri versus no indefinite marker; 693 classified / 698 eligible responses






Eligible transitive responses; Unsuitable excluded; Need help included. ERG = manual flag; ∅ = not marked ERG.
Pooled descriptive rates, not adjusted for participant or picture. Noun/indefinite coding is provisional.
No indefinite marker does not establish definiteness. 5 unresolved subject(s) excluded. Participant labels: n with / n without marker.

Speech onset by transitive action


698 eligible responses; 13 contributing participants; 30 picture-elicited actions



Unsuitable excluded; saved transcription and one valid onset required; Need help included. No SOL cutoff.
Descriptive pooled trials, not adjusted for participant, ERG, picture or trial order. Grey ranges are not confidence intervals.

Speech onset by intransitive action


640 eligible responses; 13 contributing participants; 12 picture-elicited actions



Unsuitable excluded; saved transcription and one valid onset required; Need help included. No SOL cutoff.
Descriptive pooled trials, not adjusted for participant, ERG, picture or trial order. Grey ranges are not confidence intervals.

Speech-onset latency and ERG use

13 participants; one point per participant; same eligible transitive trials used for both measures



Left: 0% = all non-ERG, 50% = evenly split, 100% = all ERG. Right: 0 = balanced, 50 = exclusively one form.
Unsuitable excluded; Need help included; no SOL cutoff or EEG artifact rejection. Non-ERG = not marked ERG.
Descriptive between-participant associations, not a within-participant ERG effect or a causal test.