Project Status Report 1

Project Name: Autonomous Reconnaissance and Evaluation System (ARES)

Team Name: JMAC Innovations

Project Manager: Pradhumna Shrestha

Team Members: Cynai Hayes, Marcus Lara Sanchez, Alexavier Mendez, Jackson Schroader

Report Date: 9/28/2026

Reporting Period: 8/15/2026 to 9/28/2026

Management Summary

Defined milestones completed:	4 of 4 (100%)
Defined tasks completed:	0 of 0
Total estimated project hours used:	N/A
Ahead of (or Behind) schedule by:	On time
Known defects:	0 open of 0 found

Schedule

Initial estimated completion date:	*April 15, 2027*
Previous estimated completion date:	N/A
Current estimated completion date:	April 15, 2027

Key Milestones Table

ID	Title	Planned Completion Date	Previous Forecast Completion Date	Current Forecast Completion Date	Actual Completion Date
1	*Project Groups*	*8/20*	*N/A*	*N/A*	*8/20*
2	*Selected Projects*	*9/4*	*N/A*	*N/A*	9/4
3	*Wrote Requirements*	*9/24*	*N/A*	*N/A*	9/24
4	*Specifications Draft*	*9/28*	*N/A*	*N/A*	9/28
5	*Specifications Final*	*10/2*	*N/A*	*N/A*	

Product Size

N/A

Copyright © 2026 by < JMAC Innovations >. All Rights Reserved.

Effort

Life Cycle Activity	This Reporting Period (labor-hours)		Project to Date (labor-hours)	
	Planned Effort	Actual Effort	Planned Effort	Actual Effort
GPS Testing for object detection to user	1	1		1

Cost

Life Cycle Activity	This Reporting Period		Project to Date	
	Planned Cost	Actual Cost	Planned Cost	Actual Cost
GPS Testing for object detection to user	0	0	0	0

Requirements Status

ID	Functional Requirements	Team Member Responsible	Effort (%)	Completed (%)
FR 1	The Robot Autonomous Operation in a field without user actively controlling it.	Marcus Lara Sanchez	30	0
FR2	The system shall use the pre-designated field boundaries to determine a starting location and general scouting route on the field.	Alexavier Mnedez	30	0
FR3	The system shall identify and follow crop rows while maintaining the intended scouting path during operation.	Jackson Schroader	25	0
FR4	The system shall perform edge detection on captured image data to identify significant boundaries and features for further processing.	Jackson Schroader	25	5
FR5	The system shall classify relevant field objects and hazards within its sensing area.	Cynai Hayes	30	0
FR6	The system shall distinguish between desired crops and weeds for precise pesticide spraying	Jackson Schroader	25	0
FR7	Object Localization to track robots location and location of detected objects	Marcus Lara Sanchez	20	10
FR8	The system shall support a pre-scan mode for surveying a designated field area and recording detected objects	Alexavier Mendez	30	0

Copyright © 2026 by < JMAC Innovations >. All Rights Reserved.

FR9	Real Time Scout Mode where it scans for objects and pings the location of the objects/hazards.	Marcus Lara Sanchez	15	0
FR10	The system shall record in real time the location and relevant information of detected objects to support the generation of a map for post-operation viewing and analysis.	Alexavier Mendez	30	5
FR11	The system shall notify an operator of relevant hazards detected during real-time scouting	Cynai Hayes	30	0
FR12	The system shall provide an interface through which an operator can configure scouting operations and review scouting results.	Cynai Hayes	30	5
FR13	The system shall make stored results and identified objects available for later review, locally	Jackson Schroader	10	0
FR14	System shall maintain lead distance ahead of agricultural equipment by regulating its speed along active path.	Marcus Lara Sanchez	15	0

ID	Non-Functional Requirements	Team Member Responsible		Effort (%)	Completed (%)
NFR1	The system shall operate for a minimum of on a single battery charge under nominal scouting conditions.	Cynai Hayes		5	0
NFR2	The system shall support an effective scouting width during normal field operation	Jackson Schroader	5	0	
NFR3	Real Time Response where the system should detect a hazard and transmit an alert with an end to end latency of under 300ms.	Marcus Lara Sanchez		20	0
NFR4	The FPGA-based classifier shall demonstrate improved computational performance relative to a CPU-based reference implementation, evaluated using metrics such as inference latency, throughput, power consumption, and energy per inference.	Jackson Schroader	10	0	
NFR5	The system shall support a repeatable live demonstration in a controlled environment that represents typical field conditions and allows the	Alexavier Mendez	5	0	

Copyright © 2026 by < JMAC Innovations >. All Rights Reserved.

	major scouting functions to be observed and evaluated.			
NFR6	The system shall maintain reliable operation and communication throughout a normal scouting mission without requiring manual restart or intervention.	Alexavier Mendez	5	0
NFR7	The system shall have a robot to operate with	Cynai Hayes	5	0

Top Five Risks

1. *Cost – FPGAs are expensive so to tackle this finding a decently priced FPGA and researching how much resources we will utilize on it for our CNN model should help us with our budget.*
2. *Dust, mud, or sun blocking our sensor data. All of these factors can impact our sensors and even our camera. To fix this we can attach custom hoods to block from glare and debris that could interfere.*
3. *High latency could lead to hazards not being spotted in time. To mitigate the latency we will have to optimize our code as much as possible and experiment in different ways constantly to ensure we have a real time end to end communication.*
4. *The robot could stop in front of the machine. To prevent this and the risk of damage being done to both machines we will have to implement watchdog timers within our design so that our robot does not get stuck.*
5. *Communication between the user and robot. Once an object is detected the user is notified of where it is immediately. However, in most agricultural environments there is no cellular infrastructure to rely on so we will need to use our own wireless modules to send the hazard data.*

Open Issues

1. *N/A*

Action Items

Pending Action Items:

1. *N/A*

New Action Items:

1. *Research parts and making parts list.*

Defects

1. *N/A*

Copyright © 2026 by < JMAC Innovations >. All Rights Reserved.