

# Combinatorial 3D Shape Generation via Sequential Assembly

Jungtaek Kim<sup>1</sup>Hyunsoo Chung<sup>1</sup>Jinwhi Lee<sup>1,2</sup>Minsu Cho<sup>1</sup> Jaesik Park<sup>1</sup><sup>1</sup>POSTECH<sup>2</sup>POSCO

posco

POSTECH  
POHANG UNIVERSITY OF SCIENCE AND TECHNOLOGY

## Introduction

- 3D shape generation via *sequential assembly* mimics a human assembling process.
- We solve a sequential problem with Bayesian optimization-based framework of *combinatorial 3D shape generation*.
- It creates a 3D shape with a set of *geometric primitives*.
- We also introduce a new *combinatorial 3D shape dataset* that consists of 14 classes and 406 instances.

## Sequential Assembly with Unit Primitives

- Usually, one of popular 3D representations such as point clouds, meshes, and voxels is used to generate a 3D shape.
- In this work, we create a 3D shape, composed of a sequence of unit primitives such as  $2 \times 4$  LEGO bricks.
- $2 \times 4$  LEGO bricks make our problem more combinatorial and more complex, compared to other primitives.






Figure 1: Motivating examples

Figure 2:  $2 \times 4$  LEGO brick.

## Combinatorial 3D Shape Generation

- To determine the position of the next primitive, we define two evaluation functions regarding *occupiability* and *stability*.
- Occupiability encourages us to follow a target shape:

$$y_o = f_o(\mathbf{p}_{n+1}; \{\mathbf{p}_l\}_{l=1}^n) + \epsilon_o. \quad (1)$$

- Stability helps to create a physically stable combination:

$$y_s = f_s(\mathbf{p}_{n+1}; \{\mathbf{p}_l\}_{l=1}^n) + \epsilon_s. \quad (2)$$

- We determine the position of the next primitive via *Bayesian optimization*.
- To avoid a suboptimal sequence, our framework includes a *rollback step*.

## Experimental Results

- We assemble a new sequence of geometric primitives by following a target 3D shape.
- We apply our framework in optimizing specific explicit functions.
- Please check the paper for the experimental settings and other results.





Figure 3: Selected examples from our dataset.


## Combinatorial 3D Shape Dataset

- The characteristics of our combinatorial 3D shape dataset are *combinatorial*, *sequential*, *decomposable*, *manipulable*.

## Conclusion

- We propose a sequential assembly method for combinatorial 3D generation.
- We also create a new dataset for combinatorial 3D models.

## Available on arXiv/GitHub



arXiv



GitHub

## Contact Information

- **Homepage:** <http://jungtaek.github.io>
- **GitHub:** <https://github.com/jungtaekkim>
- **Email:** jtkim@postech.ac.kr