







1	2	3	4	5	6
A					
B	<div>Power_management</div> <div>File: Power_management.kicad_sch</div>	<div>Microcontroller</div> <div>File: Microcontroller.kicad_sch</div>	<div>Peripherals</div> <div>File: Peripherals.kicad_sch</div>	<div>Connectors</div> <div>File: Connectors.kicad_sch</div>	
C					
D	<div><div>Title: DATALOGGER01A</div><div><div>Universal battery powered SDcard datalogger.</div><div>Author: Mlab www.mlab.cz</div><div>Size: A4Page: 1/6Date: 2022-08-14</div></div><div></div></div>				
1	2	3	4	5	6



POWER OUTPUT MECHANICAL FIXING



Title:



Author:

Size: A4



Page: 2/6

Date:







VOLTAGE REFERENCE



I2C PULL UPS



ICSP



- PB0 - CS_CONN_1
- PB1 - CS_CONN_1
- PB2 - CS_FRAM
- PB3 - CS_CONN_2
- PB4 - CS_CONN_2
- PB5 - MOSI_SPI
- PB6 - MISO_SPI
- PB7 - SCK_SPI

Title:





Author:

Size: A4





Page: 3/6

Date:





INERTIAL MEASUREMENT UNIT



Title:

Author:

Size: A4


Page: 4/6

Date:




PIXHAWK STANDARD HEADERS


UART CONN.



I2C CONN.




SPI CONN.




PIN HEADERS


ANALOG CONN



AUX_I2C CONN



I2C CONN



Title:

Author:


Size: A4

Page: 5/6

Date:



Supercap charge current = 0 A
if load current = 1 A
 $R_s = 25 \text{ mV} / I_{\text{load}}$



Title:

Size: A4

Date:

