Paleostats: Statistical Models in Paleobiology (Spring 2012)

References

- [1] Folmer Bokma. Detection of "Punctuated Equilibrium" by Bayesian Estimation of Speciation and Extinction Rates, Ancestral Character States, and Rates of Anagenetic and Cladogenetic Evolution on a Molecular Phylogeny. *Evolution*, 62(11):2718–2726, 2008.
- M Foote. On the probability of ancestors in the fossil record. Paleobiology, 22(2):141–151, 1996.
- [3] M Foote and DM Raup. Fossil Preservation and the Stratigraphic Ranges of Taxa. Paleobiology, 22(2):121-140, 1996.
- [4] Mike Foote. Discordance and Concordance Between Morphological and Taxonomic Diversity. Paleobiology, 19(2):185–204, 1993.
- [5] Gene Hunt, Michael a Bell, and Matthew P Travis. Evolution toward a new adaptive optimum: phenotypic evolution in a fossil stickleback lineage. *Evolution; international journal of organic evolution*, 62(3):700–710, March 2008.
- [6] LH Liow, HJ Skaug, Torbjø rn Ergon, and Tore Schweder. Global occurrence trajectories of microfossils: environmental volatility and the rise and fall of individual species. *Paleobiology*, 36(2):224–252, 2010.
- [7] Vincent Plagnol and S Tavaré. Approximate Bayesian computation and MCMC. Monte Carlo and quasi-Monte Carlo . . . , (11), 2002.
- [8] Donald R. Prothero, Valerie J. Syverson, Kristina R. Raymond, Meena Madan, Sarah Molina, Ashley Fragomeni, Sylvana DeSantis, Anastasiya Sutyagina, and Gina L. Gage. Size and shape stasis in late Pleistocene mammals and birds from Rancho La Brea during the Last GlacialInterglacial cycle. Quaternary Science Reviews, 56:1–10, November 2012.
- [9] Fredrik Ronquist, Seraina Klopfstein, Lars Vilhelmsen, Susanne Schulmeister, Debra L Murray, and Alexandr P Rasnitsyn. A Total-Evidence Approach to Dating with Fossils, Applied to the Early Radiation of the Hymenoptera. Systematic biology, 61(6):973–99, June 2012.
- [10] GJ Slater, LJ Harmon, and ME Alfaro. Integrating Fossils with Molecular Phylogenies Improves Inference of Trait Evolution. Evolution, 66(12):3931–3944, 2012.
- [11] Adam Tomasoyvich and SM Kidwell. Fidelity of variation in species composition and diversity partitioning by death assemblages: time-averaging transfers diversity from beta to alpha levels. *Paleobiology*, 35(1):94–118, 2009.
- [12] PJ Wagner, MA Kosnik, and S Lidgard. Abundance Distributions Imply Elevated Complexity of Post-Paleozoic Marine Ecosystems. Science, 314(11):1289–1292, 2006.
- [13] Steve C. Wang and Andrew M. Bush. Adjusting global extinction rates to account for taxonomic susceptibility. *Paleobiology*, 34(4):434–455, December 2008.