INTEGRAL ESTIMATION IN QUANTUM PHYSICS

by Jane Doe

A dissertation submitted to the faculty of The University of Utah in partial fulfillment of the requirements for the degree of

> Doctor of Philosophy in Mathematical Physics

Department of Mathematics

The University of Utah

May 2016

Copyright © Jane Doe 2016 All Rights Reserved

The University of Utah Graduate School


STATEMENT OF DISSERTATION APPROVAL

has been approved by the following supervisory committee members:

Cornelius Lánczos,	Chair(s)	17 Feb 2016
		Date Approved
Hans Bethe ,	Member	17 Feb 2016 Date Approved
Niels Bohr,	Member	17 Feb 2016 Date Approved
Max Born_,	Member	17 Feb 2016 Date Approved
Paul A. M. Dirac	Member	17 Feb 2016 Date Approved

by <u>Petrus Marcus Aurelius Featherstone-Hough</u>, Chair/Dean of the Department/College/School of <u>Mathematics</u> and by <u>Alice B. Toklas</u>, Dean of The Graduate School.

ABSTRACT



CONTENTS

AB	STRACT	iii
LIS	ST OF FIGURES	vii
LIS	ST OF TABLESv	' ii i
NO	OTATION AND SYMBOLS	ix
TY	PESETTING EXPERIMENTS	X
СН	APTERS	
1.	THE FIRST	1
	1.1 The first subsection 1.1.1 The first subsection 1.1.2 The second subsection 1.1.3 The third subsection 1.1.3.1 The first subsubsection 1.1.3.2 The second subsubsection 1.1.3.2.1 The first numbered paragraph 1.1.3.2.2 The second numbered paragraph 1.2 The second section 1.3 The third section 1.4 Free software packages 1.5 Resizing figures 1.6 Summary and conclusions	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
2.	THE SECOND	15
3.	THE THIRD	16
4.	THE FOURTH	17
	4.1 More on the topic4.2 Even more on the topic4.3 Summary and conclusions	17
5.	EXTENDING TEX AND METAFONT WITH FLOATING POINT ARITHMETIC	19
6.	SAMPLE THEOREM-LIKE ENVIRONMENTS	22
	 6.1 Default-numbered samples 6.2 Chapter-numbered samples 6.3 Section-numbered samples 6.3.1 Subsection-numbered samples 	23 23

	6.3.2	More subsection-numbered samples	24
APl	PENDICE	SS .	
A.	THE FIR	ST	25
B.	THE SEC	COND	26
C.	THE TH	IRD	27
BIN	IOMIAL I	NOMENCLATURE INDEX	30
FRE	EE SOFTV	VARE INDEX	31
TO	PIC INDE	EX	35

LIST OF FIGURES

1.1	The first figure	2
1.2	The second figure	3
1.3	The third figure	8
1.4	The fourth figure (at 50% scale)	10
1.5	The fifth figure (at 75% scale).	10
1.6	The sixth figure (at native size).	10
1.7	The seventh figure (at 125% scale).	10
1.8	The eighth figure (at 175% scale)	10
1.9	The ninth figure (at 50% scale)	11
1.10	The tenth figure (at 75% scale)	11
1.11	Using IATEX picture mode	13

LIST OF TABLES

1.1	Lowercase Greek letters.	4
1.2	Uppercase Greek letters	6

NOTATION AND SYMBOLS

α	fine-structure (dimensionless) constant, approximately 1/137
α	radiation of doubly-ionized helium ions, He++
β	radiation of electrons
γ	radiation of very high frequency, beyond that of X rays
γ	Euler's constant, approximately 0.577 215
δ	stepsize in numerical integration
$\delta(x)$	Dirac's famous function
ϵ	a tiny number, usually in the context of a limit to zero
$\zeta(x)$	the famous Riemann zeta function
	•••
$\psi(x)$	logarithmic derivative of the gamma function
ω	frequency

TYPESETTING EXPERIMENTS

In this section, we use color in several places. The \colorbox command takes two arguments — a named color and text to be in black on a background of that color — and sets the text in a box with a small margin of width \fboxsep (set to 3.0pt in this document).

Here, we want a tighter colored box that has a fixed height, and is independent of letter shape. We set the margin to zero inside a group so that the change is purely local, and so that height and depth of the line are not increased over what they would be if the colored box were not used. We prefix a TEX \strut to the user-supplied text, because that command expands to a zero-width box of the height and depth of parentheses, which, in most fonts, delimit the extent of letter shapes.

```
\newcommand {\hilitebox} [1] {{\fboxsep = Opt\colorbox{pink}{\strut #1}}}
```

Here is a fragment from the first chapter in another thesis, set in *emphasized text* to distinguish it from the rest of this section:

In light of the known results, the consistency of empirical semivariogram and related estimators is widely considered a settled matter. For example, Lahiri, Lee, and Cressie? state:

The simpler and more commonly used nonparametric estimators of the variogram, such as the method of moments estimator of Matheron (1962) and its robustified versions due to Cressie and Hawkins (1980) have many desirable properties like, unbiasedness, consistency, etc. . . .

Regarding a kernel estimator of the covariance function, Hall and Patil? remarked:

It is not difficult to see that if, as n increases, the points t_i become increasingly dense in each bounded subset of \mathbb{R}^d , then the bandwidth h may be chosen so that $\check{\rho}(t) \to \rho(t)$ as $n \to \infty$, for each $t \in \mathbb{R}^d$.

However, in order to be true, such statements would need to be qualified by many assumptions on the random field as well as on the observation locations. We will see in §2.3 that even for well-behaved random fields (e.g., ρ^* -mixing Gaussian random fields), it is not enough to assume that the observation locations become increasingly dense in each bounded subset; a stronger assumption

must be made to ensure that the observation locations do not become denser in one region too much faster than in others.

The text before the previous paragraph contained two quote environments separated by a line of prose. Here are some more tests of both kinds of LATEX environments for showing text written by someone else.

This is a quote environment with one short line, following a fairly short paragraph of prose (in this, and following examples, the text is explicitly colored with a command like \color{purple} inside the environment before the text):

```
\begin{quote} \color{purple} \ 14 March 2016 is $\pi \approx 3.1416$ day in funny notation. \hfill \emph{Web news reports} \end{quote} \ 14 March 2016 is \pi \approx 3.1416 day in funny notation. \text{Web news reports}
```

This is a quote environment with three short lines, each a separate paragraph, following a fairly short paragraph of prose.

Here is another example, this time with separate colors for each paragraph:

```
\begin{quote}
```

```
\color{darkkhaki}
    14 March 2016 is $\pi \approx 3.1416$ day in funny notation.
    \hfill \emph{Web news reports}
    \color{darkmagenta}
    14 March 2016 is $\pi \approx 3.1416$ day in funny notation.
    \hfill \emph{Web news reports}
    \color{darkcyan}
    14 March 2016 is $\pi \approx 3.1416$ day in funny notation.
    \hfill \emph{Web news reports}
    \color{darkorange}
    14 March 2016 is $\pi \approx 3.1416$ day in funny notation.
    14 March 2016 is $\pi \approx 3.1416$ day in funny notation.
    14 March 2016 is $\pi \approx 3.1416$ day in funny notation.
    \linebreak
    \strut
    \hfill \emph{Web news reports}
\end{quote}
     14 March 2016 is \pi \approx 3.1416 day in funny notation.
                                                               Web news reports
     14 March 2016 is \pi \approx 3.1416 day in funny notation.
                                                                Web news reports
     14 March 2016 is \pi \approx 3.1416 day in funny notation.
                                                                Web news reports
     14 March 2016 is \pi \approx 3.1416 day in funny notation. 14 March 2016 is \pi \approx 3.1416
     day in funny notation. 14 March 2016 is \pi \approx 3.1416 day in funny notation.
                                                                Web news reports
```

Notice that **quote** paragraphs are *not* indented, but the environment itself *is* indented on the left and right by the value of **\leftmargin** (set to 27.37506pt in this document, which should be identical to 2.5em, where 1em = 11.31674pt).

For debugging purposes, we also have \leftmargini set to 27.2197pt, and we have \leftmarginii set to 23.9533pt.

This is a **quotation** environment with one paragraph, following a fairly short paragraph of prose (notice that the quotation paragraphs *are* indented):

```
\begin{quotation}
    \color{blue}
    Algebra is concerned with manipulation in
    \emph{time}, and geometry is concerned with
    \emph{space}. These are two orthogonal aspects
    of the world, and they represent two different
```

```
points of view in mathematics. Thus the
argument or dialogue between mathematicians in
the past about the relative importance of
geometry and algebra represents something very
fundamental.
\hfill
\emph{Sir Michael Atiyah}
% Mathematics in the 20$^{th}$ century
% NTM {\bf 10}(1--3) 25--39 (September 2002)
% http://dx.doi.org/10.1007/BF03033096
\end{quotation}
```

Algebra is concerned with manipulation in *time*, and geometry is concerned with *space*. These are two orthogonal aspects of the world, and they represent two different points of view in mathematics. Thus the argument or dialogue between mathematicians in the past about the relative importance of geometry and algebra represents something very fundamental. *Sir Michael Atiyah*

This is a quotation environment with three paragraphs, following a fairly short paragraph of prose:

Algebra is concerned with manipulation in *time*, and geometry is concerned with *space*. These are two orthogonal aspects of the world, and they represent two different points of view in mathematics. Thus the argument or dialogue between mathematicians in the past about the relative importance of geometry and algebra represents something very fundamental. *Sir Michael Atiyah*

Algebra is concerned with manipulation in *time*, and geometry is concerned with *space*. These are two orthogonal aspects of the world, and they represent two different points of view in mathematics. Thus the argument or dialogue between mathematicians in the past about the relative importance of geometry and algebra represents something very fundamental. *Sir Michael Atiyah*

Algebra is concerned with manipulation in *time*, and geometry is concerned with *space*. These are two orthogonal aspects of the world, and they represent two different points of view in mathematics. Thus the argument or dialogue between mathematicians in the past about the relative importance of geometry and algebra represents something very fundamental. *Sir Michael Atiyah*

Now all following text should be back in double-spaced mode, and just go on and on and

and on and on

Now all following text should be back in double-spaced mode, and just go on and on and

THE FIRST

This is a chapter. Remember that there should *always* be at least of few lines of prose after each sectional heading: failure to do so is a disservice to your readers, and also produces incorrect vertical spacing.

1.1 The first section

In **Figure 1.1** on the following page, we have a picture, and the LATEX markup to include it looks like this:

```
\begin{figure}[t]
    \centerline{\includegraphics{fig1}}
    \caption{The first figure.}%
    \figlabel{fig1}
\end{figure}
```

We intentionally omitted an extension on the filename, so that this document can be processed with latex to get an output .dvi file, or with pdflatex to get an output .pdf file. The first case uses the file fig1.eps, and the second uses fig1.pdf. The distill or ps2pdf commands can be used to convert from *Encapulated PostScript* files to *Portable Document Format* files.

This is Figure 1

Figure 1.1: The first figure.

1.1.1 The first subsection

1.1.2 The second subsection

1.1.3 The third subsection

1.1.3.1 The first subsubsection

1.1.3.2 The second subsubsection

blah blah blah blah blah.

1.2 The second section

In Figure 1.2, we have another picture.



Figure 1.2: The second figure.

In **Table 1.1**, we show the 24-character lowercase Greek alphabet.

Table 1.1: Lowercase Greek letters.

α	alpha
$eta \ \gamma \ \delta$	beta
γ	gamma
	delta
ϵ , ϵ	epsilon
ζ	zeta
η	eta
θ , ϑ	theta
l	iota
κ	kappa
λ	lambda
μ	mu
ν	nu
$ u$ $ \xi$	xi
0	omicron
π	pi
ρ	rho
σ , ς	sigma
τ	tau
v	upsilon
ϕ , φ	phi
χ	chi
ψ	psi
ω	omega

1.3 The third section

In **Table 1.2** on the next page, we show the 24-character uppercase Greek alphabet, 13 of which are identical with Latin letters, because the Romans borrowed several letters from the earlier Greek alphabet. However, the letter sounds do not always carry over: notice in particular the different names of the letter shapes **H** and **P**. In Modern Greek, β is pronounced *veeta*; the letter pair $\mu\tau$ is used to get a *bee* sound;

Table 1.2: Uppercase Greek letters. Notice that several have the same letter shapes as Latin letters, and for those, TeX does not define macro names. For convenience, we supply our own definitions of these macros: \Alpha, \Beta, \Epsilon, \Zeta, \Lata, \Iota, \Kappa, \Mu, \Nu, \Omicron, \Rho, \Tau, and \Chi.

AAlphaBBetaΓGamma Δ DeltaEEpsilonZZetaHEtaΘThetaIIotaKKappaΛLambdaMMuNNuΞXiOOmicronΠPiPRhoΣSigmaTTauYUpsilonΦPhiXChiΨPsiΩOmega		
Γ Gamma Δ Delta E Epsilon Z Zeta H Eta Θ Theta I Iota K Kappa Λ Lambda M Mu N Nu Ξ Xi O Omicron Π Pi P Rho Σ Sigma T Tau Y Upsilon Φ Phi X Chi Y	A	Alpha
	В	Beta
E Epsilon Z Z eta H E ta Θ T heta I I lota K K appa Λ L ambda M M u N N u Ξ X i O O micron Π P i P R ho Σ S igma T T au Y U psilon Φ P hi X C hi Ψ P si	Γ	Gamma
ZZeta H Eta Θ Theta I Iota K Kappa Λ Lambda M Mu N Nu Ξ Xi O Omicron Π Pi P Rho Σ Sigma T Tau Y Upsilon Φ Phi X Chi Ψ Psi	Δ	Delta
H Eta Θ Theta I Iota K Kappa Λ Lambda M Mu N Nu Ξ Xi O Omicron Π Pi P Rho Σ Sigma T Tau Y Upsilon Φ Phi X Chi Ψ Psi	E	Epsilon
$egin{array}{lll} \Theta & & & & & & & & & & & & & & & & & & $	Z	Zeta
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Н	Eta
K Kappa Λ Lambda M Mu N Nu Ξ Xi O Omicron Π Pi P Rho Σ Sigma T Tau Y Upsilon Φ Phi X Chi Ψ Psi	Θ	Theta
Λ Lambda $ Μ $ $ Μ $ $ Ν $ Mu $ Ν $ E $ Σ $ C Omicron $ Π $ Pi P Rho $ Σ $ Sigma T Tau Y Upsilon $ Φ $ Phi $ χ $ Chi Ψ Psi	I	Iota
	K	Kappa
$\begin{array}{ccc} N & & & \text{Nu} \\ \Xi & & & \text{Xi} \\ O & & & \text{Omicron} \\ \Pi & & \text{Pi} \\ P & & \text{Rho} \\ \Sigma & & \text{Sigma} \\ T & & \text{Tau} \\ Y & & \text{Upsilon} \\ \Phi & & \text{Phi} \\ X & & \text{Chi} \\ \Psi & & \text{Psi} \end{array}$	Λ	
$\begin{array}{cccc} \Xi & & Xi \\ O & & Omicron \\ \Pi & & Pi \\ P & & Rho \\ \Sigma & & Sigma \\ T & & Tau \\ Y & & Upsilon \\ \Phi & & Phi \\ X & & Chi \\ \Psi & & Psi \end{array}$	M	Mu
$\begin{array}{ccc} O & & & & & \\ \Pi & & & Pi \\ P & & & Rho \\ \Sigma & & Sigma \\ T & & Tau \\ Y & & Upsilon \\ \Phi & & Phi \\ X & & Chi \\ \Psi & & Psi \end{array}$	N	Nu
$\begin{array}{ccc} O & & & & & \\ \Pi & & & Pi \\ P & & & Rho \\ \Sigma & & Sigma \\ T & & Tau \\ Y & & Upsilon \\ \Phi & & Phi \\ X & & Chi \\ \Psi & & Psi \end{array}$	Ξ	Xi
$egin{array}{lll} P & & & & & & & & & & & & & & & & & & $	O	Omicron
Σ Sigma T Tau Y Upsilon Φ Phi X Chi Ψ Psi	П	Pi
$egin{array}{cccc} T & & & & & & & & & & & & & & & & & & $	P	Rho
$egin{array}{cccc} T & & & & & & & & & & & & & & & & & & $	Σ	Sigma
Φ Phi X Chi Ψ Psi	T	
Φ Phi X Chi Ψ Psi	Y	Upsilon
Ψ Psi	Φ	
	X	Chi
Ω Omega	Ψ	Psi
	Ω	Omega

1.4 Free software packages

The Free Software Foundation offers almost 300 software packages, most easily portable to many different operating systems and CPU platforms. They include at least these:

a2ps, acct, acm, adns, alive, anubis, apl, archimedes, aris, aspell, auctex, autoconf-archive, autoconf, autogen, automake, avl, ballandpaddle, barcode, bash, bayonne, bc, binutils, bison, bool, bpel2owfn, c-graph, ccaudio, ccd2cue, ccrtp, ccscript, cfengine, cflow, cgicc, chess, cim, classpath, classpathx, clisp, combine, commoncpp, complexity, config, coreutils, cpio, cppi, cssc, cursynth, dap, datamash,

ddd, ddrescue, dejagnu, denemo, dico, diction, diffutils, dionysus, direvent, dismal, dominion, easejs, ed, edma, electric, emacs, emms, enscript, fdisk, ferret, findutils, fisicalab, flex, fontutils, freedink, freefont, freeipmi, gama, garpd, gawk, gcal, gcc, gcide, gcl, gcompris, gdb, gdbm, gengen, gengetopt, gettext, gforth, ggradebook, ghostscript, gift, gleem, glibc, global, glpk, gmp, gnash, gnats, gnatsweb, gnu-c-manual, gnu-crypto, gnu-pw-mgr, gnubatch, gnubik, gnucap, gnucobol, gnudos, gnue, gnugo, gnuit, gnujump, gnukart, gnumach, gnun, gnunet, gnupod, gnuprologjava, gnuradio, gnurobots, gnuschool, gnushogi, gnusound, gnuspeech, gnuspool, gnustep, gnutls, gnutrition, gnuzilla, goptical, gperf, gprolog, greg, grep, groff, grub, gsasl, gsegrafix, gsl, gslip, gsrc, gss, gtypist, guile-gnome, guile-gtk, guile-ncurses, guile-opengl, guile-rpc, guile-sdl, guile, gv, gvpe, gxmessage, gzip, halifax, health, hello, help2man, hp2xx, httptunnel, hurd, hyperbole, idutils, ignuit, indent, inetutils, intlfonts, jacal, jel, jwhois, kawa, less, libcdio, libextractor, libffcall, libiconv, libidn, libmatheval, libmicrohttpd, librejs, libsigsegv, libtasn1, libtool, libunistring, libxmi, lightning, lilypond, liquidwar6, lsh, m4, macchanger, mailman, mailutils, make, marst, maverik, mc, mcron, mcsim, mdk, metahtml, mifluz, mig, miscfiles, mit-scheme, moe, motti, mpc, mpfr, mpria, mtools, myserver, nano, ncurses, nettle, non-gnu, ocrad, octave, oleo, orgadoc, osip, paperclips, parallel, parted, patch, pem, pexec, phantom, pies, plotutils, proxyknife, pspp, psychosynth, pth, pyconfigure, radius, rcs, readline, recutils, reftex, remotecontrol, rottlog, rpge, rush, sather, sauce, savannah, scm, screen, sed, serveez, sharutils, shishi, shmm, shtool, sipwitch, slib, smalltalk, solfege, spacechart, spell, sqltutor, src-highlite, stow, superopt, swbis, tar, termcap, termutils, teseq, teximpatient, texinfo, thales, time, tramp, trueprint, unifont, units, unrtf, userv, uucp, vc-dwim, vcdimager, vera, wb, wdiff, websocket4j, wget, which, windows, xaos, xboard, xhippo, xlogmaster, xnee, xorriso, and zile.

In **Figure 1.3**, we have yet another picture.

This is Figure 3

1.5 Resizing figures

In **Figure 1.4** through **Figure 1.8** on the following page, we show how graphics files can be rescaled to convenient sizes, with input like this:

```
\begin{figure}[p]
    \centerline{\includegraphics[scale = 0.5]{fig1}}
    \caption{The fourth figure (at 50\% scale).}%
    \figlabel{fig4}
\end{figure}

\begin{figure}[p]
    \centerline{\includegraphics[scale = 0.75]{fig1}}
    \caption{The fifth figure (at 75\% scale).}%
    \figlabel{fig5}
\end{figure}

\begin{figure}[p]
    \centerline{\includegraphics{fig1}}
    \caption{The sixth figure (at native size).}%
    \figlabel{fig6}
\end{figure}
\end{figure}
```

This is Figure 1

Figure 1.4: The fourth figure (at 50% scale).

This is Figure 1

Figure 1.5: The fifth figure (at 75% scale).

This is Figure 1

Figure 1.6: The sixth figure (at native size).

This is Figure 1

Figure 1.7: The seventh figure (at 125% scale).

This is Figure 1

Figure 1.8: The eighth figure (at 175% scale).

This is Figure 1

Figure 1.9: The ninth figure (at 50% scale), boxed with the tenth figure.

This is Figure 1

Figure 1.10: The tenth figure (at 75% scale), boxed with the ninth figure.

```
\begin{figure}[p]
   \centerline{\includegraphics[scale = 1.25]{fig1}}
   \caption{The seventh figure (at 125\% scale).}%
   \figlabel{fig7}
\end{figure}

\begin{figure}[p]
   \centerline{\includegraphics[scale = 1.75]{fig1}}
   \caption{The eighth figure (at 175\% scale).}%
   \figlabel{fig8}
\end{figure}
```

You can include multiple images, each with its own caption inside a single *unbreakable* figure environment, like this example shown in **Figure 1.9** and **Figure 1.10** on the current page, although you might want to adjust interfigure vertical space with a \vspace{} command:

```
\begin{figure}[t]
    \centerline{\includegraphics[scale = 0.5]{fig1}}
    \caption{The fourth figure (at 50\% scale).}%
    \figlabel{fig9}

    \vspace{3ex}

    \centerline{\includegraphics[scale = 0.75]{fig1}}
    \caption{The fifth figure (at 75\% scale).}%
    \figlabel{fig10}
\end{figure}
```

As a final example in this chapter, **Figure 1.11** on the following page shows how you can use LATEX picture mode for annotating and positioning graphics images prepared outside LATEX. The input that produced that figure looks like this:

```
\begin{figure}[t]
   %% The original image is 216bp wide by 72bp high, but we
   %% rescale it to 150 picture units divided by \unitlength:
   \% 150 / 0.75 = 112.5 mm
   \newcommand {\myfig} {\includegraphics[width = 112.5mm]{fig1}}
   \begin{center}
       %% The \unitlength is chosen to make the complete picture fit
       %% within the page margins
       \setlength{\unitlength}{0.75mm}
       %%%
                insert (width,height)(lower-left-x,lower-left-y)
       \begin{picture}(170,70)(10,10)
            %% Place the included image FIRST!
            \put(10,10) {\myfig}
            %% Everything that follows OVERLAYS the original image!
            \graphpaper[10](0,0)(170,70)
            %% Mark the image center and corners by centered bullets
            \newcommand {\thedot} {\makebox (0,0) {$\bullet$}}
            \put( 85, 35) {\thedot}
            \put( 10, 10) {\thedot}
            \put( 10, 60) {\thedot}
            \put(160, 10) {\thedot}
            \put(160, 60) {\thedot}
            \put( 10, 10) {\makebox (0,0) [r] {lower-left}}
            \put(160, 10) {\makebox (0,0) [1] {lower-right}}
```




Figure 1.11: Using LATEX picture mode for figure labeling and positioning.

```
\put( 10, 60) {\makebox (0,0) [r] {upper-left}}
   \put(160, 60) {\makebox (0,0) [l] {upper-right}}
   \end{picture}
   \end{center}

\vspace{2\baselineskip}

\caption[Using \LaTeX{} \texttt{picture} mode]
        {Using \LaTeX{} \texttt{picture} mode for figure labeling and positioning.}
   \figlabel{picture-mode}
\end{figure}
```

1.6 Summary and conclusions

THE SECOND

This is a chapter.

Here are two article references: ??.

THE THIRD

This is a chapter.

We mention here three doctoral theses ??? and one corporate manual ?.

THE FOURTH

This is a chapter.

4.1 More on the topic

4.2 Even more on the topic

4.3 Summary and conclusions

EXTENDING T_EX AND METAFONT WITH FLOATING POINT ARITHMETIC

In this chapter, we demonstrate how to incorporate another document, such as a previously-published paper, into a dissertation or thesis.

The University of Utah Thesis Office encourages this practice for publications related to the thesis, with these requirements:

- You must have received permission to reproduce the document from its copyright holder, which, for journals is normally the journal publisher. Such permissions would normally be granted on written request, but might take a few weeks to process, so plan ahead accordingly.
- A PDF file of the publication is included as *single* chapter, with optional leading commentary, and suitably scaled for a maximal fit within the normal page boundaries (in Spring 2016, 6.00 inches wide by 8.65 inches high). The standard LaTeX package pdfpages provides the necessary support for inclusion of all, or part, of a multipage PDF file.
- The included document has its original (usually single) line spacing, even though most of a thesis uses double spacing.
- Sectional headings corresponding to the included PDF file must be generated for the table of contents.
- Even if the rest of thesis includes page headers with short chapter and section titles,
 the included document should have only page numbers at the top of each page,
 because the inclusion may already have running headers.

• Because the included document usually has its own bibliography, any remaining chapters that cite other publications must have separate bibliographies as well. There is then no end-of-volume reference list.

Because the inclusion is a *verbatim* copy of a previously-published document, the Thesis Office accepts it as-is, and does not proofread it, nor does it require that it conform to the normal thesis formating rules.

Two additional packages are required in the top-level LATEX document preamble:

The chapter might begin with some commentary on the publication, and an acknowledgment of copyright permission.

It is followed by a setup command, then commands to generate table-of-contents entries, using the page numbers of the *original* publication. Those numbers are adjusted automatically for use in the table of contents. Finally, a single command includes a scaled version of the document as the contents of the rest of the chapter. That inclusion automatically starts on a new page.

For this sample thesis, here is what the input might look like:

```
\chapter{Extending \TeX{} and METAFONT with floating point arithmetic}%
\label {tug-paper}
\setupuuchapterbib
The article in this chapter was originally published in
\emph{TUGboat}, {\bf 28(3)} (2007) 501--510. It is reproduced
here with permission of the publisher.
\uudummysection {Dedication}
                                                           {1}
\uudummysection {Introduction}
                                                           {1}
\uudummysection {Arithmetic in \TeX{} and METAFONT}
                                                          {1}
\uudummysection {Historical remarks}
                                                          {1}
\uudummysection {Why no floating-point arithmetic?}
                                                          {3}
\uudummysection {IEEE 754 binary floating-point standard} {4}
```

```
{4}
\uudummysection {IEEE 754R precision and range}
\uudummysection {Remarks on floating-point arithmetic}
                                                           {5}
\uudummysection {Binary versus decimal}
                                                           {5}
\uudummysection {Problems with IEEE 754 arithmetic}
                                                          {6}
\uudummysection {How decimal arithmetic is different}
                                                          {6}
\uudummysection {Software floating-point arithmetic}
                                                           {6}
\uudummysection {How much work is needed}
                                                           {8}
\uudummysection {Summary}
                                                           {8}
\uudummysection {References}
                                                           {8}
%%% NB: - means all pages. Adjust scale to fit in thesis page box:
\includepdf [
                                    % want all document pages
                pages = -,
                                    % adjust to fit thesis page box
                scale = 0.91,
                pagecommand = {\pagestyle{plain}} % bare page numbers
            {tug2007.pdf}
```

If the included document has subsections and subsubsections, and/or figures and table, you could generate table-of-contents values for them with additional commands like these:

```
\uudummysubsection {Blah blah blah} {3}
\uudummysubsubsection {Blah blah blah} {3}
\uudummysubsubsection {Blah blah blah blah} {4}
\uudummyfigure {Blah blah blah blah bla} {7}
\uudummytable {Blah blah blah blah bla} {10}
```

CHAPTER 6

SAMPLE THEOREM-LIKE ENVIRONMENTS

The standard LATEX \newtheorem declaration produces numbered theorems. However, the amsthm package offers a \newtheorem* declaration to suppress numbering.

By default, the theorem-like declarations number their output blocks consecutively throughout the document. However, with an optional bracketed third argument, you can number blocks within specified sectional units. We give several examples in this chapter.

6.1 Default-numbered samples

The LATEX input for this section begins:

```
\newtheorem {guess} {Conjecture}
\newtheorem* {prediction} {Unnumbered prediction}
\begin{guess}
    The Boston Red Sox will win next year's championship.
\end{guess}
\begin{guess}
    The Pittsburgh Pirates will \emph{not} win next year's championship.
\end{guess}
\begin{prediction}
    The New York Yankees will be sold to a Denver mining conglomerate.
\end{prediction}
\begin{prediction}
    Baseball will overtake football in television broadcast revenues.
\end{prediction}
```

Conjecture 1. *The Boston Red Sox will win next year's championship.*

Conjecture 2. *The Pittsburgh Pirates will not win next year's championship.*

Unnumbered prediction. The New York Yankees will be sold to a Denver mining conglomerate.

Unnumbered prediction. Baseball will overtake football in television broadcast revenues.

6.2 Chapter-numbered samples

The LATEX input for this section begins:

```
\newtheorem {guess-2} {Conjecture} [chapter]
\begin{guess-2}
    The Boston Red Sox will win next year's championship.
\end{guess-2}
\begin{guess-2}
    The Pittsburgh Pirates will \emph{not} win next year's championship.
\end{guess-2}
```

Conjecture 6.1. *The Boston Red Sox will win next year's championship.*

Conjecture 6.2. *The Pittsburgh Pirates will* not *win next year's championship.*

6.3 Section-numbered samples

The LATEX input for this section begins:

```
\newtheorem {guess-3} {Conjecture} [section]
\begin{guess-3}
    The Boston Red Sox will win next year's championship.
\end{guess-3}
\begin{guess-3}
    The Pittsburgh Pirates will \emph{not} win next year's championship.
\end{guess-3}
```

Conjecture 6.3.1. *The Boston Red Sox will win next year's championship.*

Conjecture 6.3.2. *The Pittsburgh Pirates will* not *win next year's championship.*

6.3.1 Subsection-numbered samples

The LATEX input for this section begins:

```
\newtheorem {guess-4} {Conjecture} [subsection]
\newtheorem {hunch-4} {Hunch} [subsection]
\begin{guess-4}
    The Boston Red Sox will win next year's championship.
\end{guess-4}
\begin{guess-4}
```

```
The Pittsburgh Pirates will \emph{not} win next year's championship. \end{guess-4} \begin{hunch-4} 
    The Salt Lake Bees will not make the major leagues. \end{hunch-4}
```

Conjecture 6.3.1.1. *The Boston Red Sox will win next year's championship.*

Conjecture 6.3.1.2. *The Pittsburgh Pirates will* not *win next year's championship.*

Hunch 6.3.1.1. *The Salt Lake Bees will not make the major leagues.*

6.3.2 More subsection-numbered samples

The LATEX input for this section begins:

Conjecture 6.3.2.1. *The Boston Red Sox will win next year's championship.*

Conjecture 6.3.2.2. *The Pittsburgh Pirates will not win next year's championship.*

Hunch 6.3.2.2.1. *The Salt Lake Bees will not make the major leagues.*

APPENDIX A

THE FIRST

This is an appendix. Notice that the LATEX markup for an appendix is, surprisingly, \chapter. The \appendix command does not produce a heading; instead, it just changes the numbering style from numeric to alphabetic, and it changes the heading prefix from CHAPTER to APPENDIX.

APPENDIX B

THE SECOND

This is an appendix.

APPENDIX C

THE THIRD

This is an appendix.

There are several books ????????? listed in our bibliography.

We also reference several journal articles ???????????? and three famous doctoral theses of later winners ??? of the Nobel Prize in Physics (1922, 1933, and 1921):

Mention should also be made of a famous Dutch computer scientist's first publication ?.

Font metrics are an important, albeit low-level, aspect of typesetting. See the *Adobe Systems* manual about that company's procedures ?.

The bibliography at the end of this thesis contains several examples of documents with non-English titles, and their BibTeX entries provide title translations following the practice recommended by the American Mathematical Society and SIAM. Here is a sample entry that shows how to do so:

```
@PhdThesis{Einstein:1905:NBM,
 author = "Albert Einstein",
 title =
             "{Eine Neue Bestimmung der Molek{\"u}ldimensionen}.
               ({German}) [{A} new determination of molecular
               dimensions]",
 "Inaugural dissertation",
 bibdate = "Fri Dec 17 10:46:57 2004",
 bibsource = "http://www.math.utah.edu/pub/tex/bib/einstein.bib",
 note =
              "Published in \cite{Einstein:1906:NBM}.",
 acknowledgement = ack-nhfb,
 language = "German",
 advisor = "Alfred Kleiner (24 April 1849--3 July 1916)",
 URL =
              "http://en.wikipedia.org/wiki/Alfred_Kleiner",
 remark =
               "Received August 19, 1905 and published February 8,
               1906.",
```

```
Schilpp-number = "6",
}
```

The note field in that entry refers to another bibliography entry that need not have been directly cited in the document text. Such cross-references are common in BibTeX files, especially for journal articles where there may be later comments and corrigenda that should be mentioned. Embedded \cite{} commands ensure that those possibly-important other entries are always included in the reference list when the entry is cited. The last bibliography entry? in this thesis has a long note field that tells more about what some may view as the most important paper in mathematics in the last century.

When entries cite other entries that cite other entries that cite other entries that ..., multiple passes of LATEX and BIBTEX are needed to ensure consistency. That is another reason why document compilation should be guided by a Makefile or a batch script, rather than expecting the user to remember just how many passes are needed.

BIBTEX entries are *extensible*, in that arbitrary key/value pairs may be present that are not necessarily recognized by any bibliography style files. The advisor, acknowledgement, bibdate, bibsource, language, remark, and Schilpp-number fields are examples, and may be used by other software that processes BIBTEX entries, or by humans who read the entries. DOI and URL fields are currently recognized by only a few styles, but that situation will likely change as publishers demand that such important information be included in reference lists.

In BIBTEX title fields, braces protect words, such as proper nouns and acronyms, that cannot be downcased if the selected bibliography style would otherwise do so. In German, all nouns are capitalized, and the simple way to ensure their protection is to brace the entire German text in the title, as we did in the entry above.

The world's first significant computer program may have been that written in 1842 by Lady Augusta Ada Lovelace (1815–1852) for the computation of Bernoulli numbers ??. She was the assistant to Charles Babbage (1791–1871), and they are the world's first computer programmers. The programming language *Ada* is named after her, and is defined in the ANSI/MIL-STD-1815A Standard; its number commemorates the year of her birth.

We do not discuss mathematical *transforms* much in this dissertation, but you can find that phrase in the index.

BINOMIAL NOMENCLATURE INDEX

Alces alces 14, 15, 17, 20	Panthera tigris 14, 20 pronghorn (Antilocapra americana) 15, 1 Puma concolor 20
Antilocapra americana 14, 15, 17, 20 ———————————————————————————————————	T
bobcat (<i>Lynx rufus</i>) 17, 20 bongo (<i>Tragelaphus eurycerus</i>) 17, 20 <i>Bos taurus indicus</i> 14, 20	tiger (Panthera tigris) 14, 20 Tragelaphus eurycerus 17, 20
Cervus canadensis 14, 17, 20 Connochaetes gnou 14, 37, 38, 41	Vicugna vicugna 14, 20 vicuña (Vicugna vicugna) 14, 20 ————————————————————————————————————
cougar (<i>Puma concolor</i>) 17, 20 E. coli bacterium 14, 37, 38, 41 elk (<i>Cervus canadensis</i>) 17, 20	wapiti (<i>Cervus canadensis</i>) 14 white-tailed deer (<i>Odocoileus virginianus</i>) 14, 20 woodchuck (<i>Marmota monax</i>) 14, 20
jaguar (Panthera onca) 17, 20	zebu (cattle) (Bos taurus indicus) 14, 20
Lama glama 14, 17, 20 llama (Lama glama) 17, 20 lynx (Lynx canadensis) 17, 20 Lynx canadensis 17, 20 Lynx rufus 20	
manatee (<i>Trichechus inunguis</i>) 15, 17, 20 margay (<i>Leopardus wiedii</i>) 15, 17, 20 marmot (<i>Marmota marmota</i>) 15, 17, 20 <i>Marmota marmota</i> 15, 17, 20 <i>Marmota monax</i> 14, 20 moose (<i>Alces alces</i>) 15, 17, 20	
o	
ocelot (Leopardus pardalis) 15, 17, 20 Odocoileus virginianus 14, 20	
P	

Panthera onca 17, 20

Panthera tigris 14, 20 pronghorn (Antilocapra americana) 15, 17, 20 Puma concolor 20 _____T___ iger (Panthera tigris) 14, 20 Tragelaphus eurycerus 17, 20 _____v___ icugna vicugna 14, 20 ricuña (Vicugna vicugna) 14, 20 ______W___ vapiti (Cervus canadensis) 14 white-tailed deer (Odocoileus virginianus) 14, 20 voodchuck (Marmota monax) 14, 20 _____Z___

FREE SOFTWARE INDEX

	Α	clisp 7	
a2ps 6		combine 7	
acct 6		commoncpp 7	
acm 6		complexity 7	
adns 6		config 7	
alive 6		coreutils 7	
anubis 6		cpio 7	
apl 6		cppi 7	
archimedes 6		cssc 7	
aris 6		cursynth 7	
aspell 6			
auctex 6			D —
autoconf 6		dap 7	
autoconf-archive 6	i	datamash 7	
autogen 6		ddd 7	
automake 6		ddrescue 7	
avl 6		dejagnu 7	
		denemo 7	
]	B ———	dico 7	
ballandpaddle 6		diction 7	
barcode 6		diffutils 7	
bash 6		dionysus 7	
bayonne 6		direvent 7	
bc 6		dismal 7	
binutils 6		dominion 7	
bison 6			
bool 6			- E
bpel2owfn 6		easejs 7	
		ed 7	
	C ———	edma 7	
c-graph 6		electric 7	
ccaudio 6		emacs 7	
ccd2cue 6		emms 7	
ccrtp 6		enscript 7	
ccscript 7			
cfengine 7			- F
cflow 7		fdisk 7	
cgicc 7		ferret 7	
chess 7		findutils 7	
cim 7		fisicalab 7	
classpath 7_		flex 7	
classpathx 7		fontutils 7	

freedink 7	gnuradio 7
freefont 7	gnurobots 7
freeipmi 7	gnuschool 7
	gnushogi 7
G	gnusound 7
gama 7	gnuspeech 7
garpd 7	gnuspool 7
gawk 7	gnustep 7
gcal 7	gnutls 7
gcc 7	gnutrition 7
gcide 7	gnuzilla 7
gcl 7	goptical 7
gcompris 7	gperf 7
gdb 7	gprolog 7
gdbm 7	greg 7
gengen 7	grep 7
gengetopt 7	groff 7
gettext 7	grub 7
gforth 7	gsasl 7
ggradebook 7	gsegrafix 7
ghostscript 7	gsl 7
gift 7	gslip 7
gleem 7	gsrc 7
glibc 7	
global 7	gss 7
glpk _7	gtypist 7
gmp 7	guile 7
gnash 7	guile-gnome 7
gnats 7	guile-gtk 7
gnatsweb 7	guile-ncurses 7
gnu-c-manual 7	guile-opengl 7
gnu-crypto 7	guile-rpc 7
gnu-pw-mgr 7	guile-sdl 7
gnubatch 7	gv 7
gnubik 7	gvpe 7
gnucap 7	gxmessage 7
gnucobol 7	gzip 7
gnudos 7	
gnue 7 gnugo 7	———Н———
gnuit 7	halifax 7
gnujump 7	health 7
gnukart 7	hello 7
gnumach 7	help2man 7
gnun 7	hp2xx 7
gnunet 7	httptunnel 7
gnupod 7	hurd 7
gnuprologjava 7	hyperbole 7
O . L OJ ,	<i>J</i>

	- I	mifluz 7	
idutils 7	_	mig 7	
ignuit 7		miscfiles 7	
indent 7		mit-scheme 7	
inetutils 7		moe 7	
intlfonts 7		motti 7	
Incliones /		mpc 7	
	т	=	
		mpfr 7	
jacal_7		mpria 7	
jel 7		mtools 7	
jwhois 7		myserver 7	
	- K		- N
kawa 7		nano 7	
		ncurses 7	
	- L	nettle 7	
less 7		non-gnu 7	
libcdio 7			
libextractor 7			- O ———
libffcall 7		ocrad 7	
libiconv 7		octave 7	
libidn 7		oleo 7	
libmatheval 7		orgadoc 7	
		osip 7	
libmicrohttpd 7		obip 7	
librejs 7			– P ———
libsigsegv 7		nonomaling 7	1
libtasn1 7		paperclips 7	
libtool 7		parallel 7	
libunistring 7		parted 7	
libxmi 7		patch 7	
lightning 7		pem 7	
lilypond 7		pexec 7	
liquidwar6 7		phantom 7	
lsh 7		pies 7	
		plotutils 7	
	- M	proxyknife 7	
m4 7		pspp 7	
macchanger 7		psychosynth 7	
mailman 7		pth 7	
mailutils 7		pyconfigure 7	
make 7			
marst 7		-	- R
maverik 7		radius 7	
mc 7		rcs 7	
mcron 7		readline 7	
mcsim 7		recutils 7	
mdk 7		reftex 7	
metahtml 7		remotecontrol 7	
moountill /	l l	Temoreconorny \	

rottlog 7	vcdimager 7	
rpge 7	vera 7	
rush 7		
C		— w ——
S	wb 7	
sather 7	wdiff 7	
sauce 7	websocket4j 7	
savannah 7	wget 7	
scm 7	which 7	
screen 7	windows 7	
sed 7		
serveez 7		— x ——
sharutils 7	xaos 7	
shishi 7	xboard 7	
shmm 7		
shtool 7	xhippo 7	
sipwitch 7	xlogmaster 7	
slib 7	xnee 7	
smalltalk 7	xorriso 7	
solfege 7		_
_		— z ——
spacechart 7	zile 7	
spell 7		
sqltutor 7		
src-highlite 7		
stow 7		
superopt 7		
swbis 7		
_		
T		
tar 7		
termcap 7		
termutils 7		
teseq 7		
teximpatient 7		
texinfo 7		
thales 7		
time 7		
tramp 7		
trueprint 7		
•		
U		
unifont 7		
units 7		
unrtf 7		
userv 7		
uucp 7		
r ,		
v		
vc-dwim 7		
· · · · · · · · · · · · · · · · · · ·		

TOPIC INDEX

gnu hair, 14, 25, 26, 29	Borel measure (μ) , 30
gnu hair , 14, 25, 26, 29	Bos taurus indicus, 14, 18
	bpel2owfn,6
a2ps, 6	•
aardvark, 16, 18	c-graph, 6
aardwolf, 16, 18	caribou, 16, 18
acct, 6	ccaudio,6
acm, 6	ccd2cue, 6
addax, 16, 18	ccrtp,6
adns, 6	ccscript,6
African ungulate, see gnu	Cervus canadensis, see elk, see wapiti, 14, 16,
Alces alces, see moose, 14–16, 18	18
alive, 6	cfengine, 6
antelope, 16, 18	cflow, 6
Antilocapra americana, see pronghorn, 14–16,	cgicc, 6
18	cheetah, 16, 18
anubis, 6	chess, 6
aoudad, 16, 18	cim, 6
apl, 6	classpath, 6
- '	
archimedes, 6	classpathx, 6
aris,6	clisp, 6
aspell, 6	combine, 6
auctex, 6	commoncpp, 6
autoconf, 6	complexity, 6
autoconf-archive, 6	config, 6
autogen, 6	Connochaetes gnou, see gnu, 14, 25, 26, 29
automake, 6	coreutils,6
av1,6	cougar (Puma concolor), 16, 18
azymous (unleavened), 16, 18	coyote, 16, 18
D-1-1 Cl1 (1701 1071) 20	cpio,6
Babbage, Charles (1791–1871), 28	cppi,6
ballandpaddle,6	crocodile, 16, 18
barcode, 6	cssc, 6
bash, 6	cursynth, 6
bayonne, 6	•
bc, 6	dap, 6
beaver, 16, 18	$\mathtt{datamash}, 6$
binutils, 6	DCT, see discrete cosine transform
bison, 16, 18	ddd, 7
bison, 6	ddrescue, 7
bobcat (<i>Lynx rufus</i>), 16, 18	deer, 16, 18
bongo (<i>Tragelaphus eurycerus</i>), 16, 18	dejagnu, 7
bool, 6	denemo, 7

dico,7	gettext,7
diction, 7	gforth, 7
diffutils,7	ggradebook, 7
dionysus,7	ghostscript,7
direvent, 7	gift,7
dismal,7	gila monster, 16, 18
dominion, 7	giraffe, 16, 18
DWT, see discrete wavelet transform	gleem, 7
	glibc,7
E. coli bacterium, 14, 25, 26, 29	global,7
easejs,7	glpk,7
ed, 7	gmp, 7
edma, 7	gnash, 7
electric,7	gnats, 7
elephant, 16, 18	gnatsweb, 7
elk (Cervus canadensis), 16, 18	gnu, 14–16, 18, 25, 26, 29
emacs, 7	diet, 14–16, 26, 29
emms, 7	dry season, 14–16, 26, 29
Encapulated PostScript (EPS), 1	wet season, 14–16, 26, 29
enscript,7	hair, 14, 25, 29
Escherichia coli, see E. coli	color, 14, 25, 29
£1:_1_7	DNA analysis, 14, 25, 29
fdisk, 7	texture, 14, 25, 29
ferret, 16, 18	thickness, 14, 25, 29
ferret,7	nonpredators
findutils,7	aardvarks, 18
fisicalab, 7	blesbok, 18
flex,7	elephants, 18
fontutils, 7	gazelles, 18
fox, 16, 18	giraffes, 18
free software, see also GNU Project	zebras, 18
freedink, 7	predators, 14, 16, 18, 26, 29
freefont, 7	crocodiles, 14, 16, 18, 26, 29
freeipmi,7	hyenas, 14, 16, 18, 26, 29
gama, 7	lions, 14, 16, 18, 26, 29
garpd, 7	gnu hair, 14, 25, 26, 29
gawk, 7	gnu hair, 14, 25, 26, 29
gazelle, 16, 18	GNU Project, 14, 25, 26, 29
gcal, 7	gnu-c-manual, 7
gcc, 7	gnu-crypto,7
gcide, 7	gnu-pw-mgr, 7
gcl, 7	gnubatch, 7
gcompris,7	gnubik,7
gdb, 7	gnucap, 7
gdbm, 7	gnucobol, 7
gecko, 16, 18	gnudos, 7
gengen, 7	gnue, 7
gengetopt, 7	gnugo, 7

gnuit,7	hello,7
gnujump, 7	help2man, 7
gnukart, 7	hippopotamus, 16, 18
gnumach, 7	hp2xx, 7
gnun, 7	httptunnel,7
gnunet, 7	hurd, 7
gnupod, 7	hyena, 16, 18
gnuprologjava, 7	hyperbole, 7
gnuradio, 7	, p =
gnurobots, 7	ibex, 16, 18
gnuschool, 7	idutils,7
gnushogi, 7	ignuit,7
gnusound, 7	impala, 16, 18
gnuspeech, 7	indent,7
gnuspool, 7	inetutils,7
gnustep,7	intlfonts,7
gnutls,7	
gnutrition, 7	jacal,7
gnuzilla,7	jackal, 16, 18
goptical, 7	jackass, 16, 18
gperf,7	jackrabbit, 16, 18
gprolog, 7	jaguar (Panthera onca), 16, 18
greg, 7	jel <i>,</i> 7
grep,7	jerboa, 16, 18
groff,7	jwhois,7
grub, 7	1 16 10
gsasl,7	kangaroo, 16, 18
gsegrafix,7	kawa, 7
gsl,7	koala, 16, 18
gslip,7	kudu, 16, 18
gsrc,7	Lama glama, see llama, 14, 16, 18
gss, 7	lemming, 16, 18
gtypist,7	lemur, 16, 18
guile, 7	leopard, 16, 18
guile-gnome, 7	Leopardus pardalis, see ocelot
guile-ghome, 7	Leopardus wiedii, see margay
guile-ncurses, 7	less, 7
guile-opengl, 7	libcdio,7
guile-rpc,7	libextractor, 7
guile-sdl,7	libffcall,7
gv,7	libiconv, 7
gvpe,7	libidn,7
gxmessage,7	libmatheval, 7
gzip,7	libmicrohttpd, 7
25+h, ,	librejs,7
halifax,7	libsigsegv,7
hartebeest, 16, 18	libtasn1,7
health, 7	libtool, 7
1002011,7	1100001,7

libunistring,7	nano, 7
libxmi,7	narwhal, 15, 16, 18
lightning,7	nautilus, 15, 16, 18
lilypond,7	ncurses, 7
lion, 16, 18	Neanderthal, 15, 16, 18
liquidwar6,7	nettle,7
llama (Lama glama), 16, 18	nilgai, 15, 16, 18
Lovelace, Lady Augusta Ada (1815–1852), 28	non-gnu, 7
lsh,7	G ,
lynx (Lynx canadensis), 16, 18	ocelot (Leopardus pardalis), 15, 16, 18
Lynx canadensis, see lynx, 16, 18	ocrad,7
Lynx rufus, see bobcat, 18	octave, 7
_g,	octopus, 15, 16, 18
m4,7	Odocoileus virginianus, 14, 18
macchanger, 7	okapi, 15, 16, 18
mailman,7	oleo,7
mailutils,7	opossum, 15, 16, 18
make, 7	orgadoc,7
mammoth, 15, 16, 18	osip,7
manatee (<i>Trichechus inunguis</i>), 15, 16, 18	
margay (Leopardus wiedii), 15, 16, 18	pachyderm, see elephant, see hippopotamus,
marmot (Marmota marmota), 15, 16, 18	see rhinoceros
<i>Marmota marmota</i> , 15, 16, 18	panda, 15, 16, 18
Marmota monax, see woodchuck, 14, 18	panther, 15, 16, 18
marst, 7	Panthera onca, see jaguar, 16, 18
mastiff, 15, 16, 18	Panthera tigris, see tiger, 14, 18
mastodon, 15, 16, 18	paperclips,7
maverik, 7	parallel,7
mc,7	parted, 7
mcron, 7	patch, 7
mcsim, 7	peccary, 15, 16, 18
mdk, 7	pem, 7
metahtml, 7	pexec, 7
mifluz, 7	phantom,7
mig, 7	pies,7
miscfiles, 7	plotutils,7
mit-scheme, 7	Portable Document Format (PDF), 1
moe, 7	pronghorn (Antilocapra americana), 15, 16, 18
moose (<i>Alces alces</i>), 15, 16, 18	proxyknife,7
motti, 7	pspp,7
•	psychosynth, 7
mpc, 7	pterodactyl, 15, 16, 18
mpfr,7	pth, 7
mpria,7 mtools,7	puffin, 15, 16, 18
	puma, see cougar
μ (mu), see Borel measure	Puma concolor, see cougar, 18
musk ox, 15, 16, 18	pyconfigure,7
muskrat, 15, 16, 18	guagga 15 16 19
myserver,7	quagga, 15, 16, 18

quail, 15, 16, 18	sqltutor,7
Queensland viper, 15, 16, 18	src-highlite,7
-	stow,7
raccoon, 15, 16, 18	sunfish, 14, 18
radius,7	superopt, 7
rat, 15, 16, 18	suslik, 14, 18
rcs,7	swbis,7
readline, 7	swordfish, 14, 18
recutils,7	44.40
reftex,7	tangun, 14, 18
remotecontrol,7	tapir, 14, 18
rhea, 15, 16, 18	tar,7
Rhine berry, 15, 16, 18	termcap, 7
Rhinegrave, 15, 16, 18	termutils,7
Rhineland, 15, 16, 18	teseq, 7
rhinestone, 15, 16, 18	teximpatient,7
rhino, see rhinoceros	texinfo,7
rhinocerite, 15, 16, 18	thales, 7
rhinoceros, 15, 16, 18	tiger (Panthera tigris), 14, 18
rhinoceros horn, 15, 16, 18	time,7
rhinodon, 15, 16, 18	toucan, 14, 18
rhinodont, 15, 16, 18	Tragelaphus eurycerus, see bongo, 16, 18
rottlog,7	tramp, 7
rpge, 7	transform, 28, see also Discrete DCT
rush, 7	Transform, see also Fast Fourier
	Transform
saber-toothed cat, 14, 18	Trichechus inunguis, see manatee
salamander, 14, 18	trueprint,7
sapajou, 14, 18	tuna, 14, 18
sather, 7	turbot, 14, 18
sauce, 7	unquisto caa onu caa impole caa kudu caa
savannah, 7	ungulate, see gnu, see impala, see kudu, see springbok
scm, 7	unicorn, 14, 18
screen, 7	unifont, 7
sed, 7	units, 7
serveez,7	unrtf,7
sharutils,7	userv, 7
shishi,7	uucp, 7
shmm, 7	ducp, /
shtool, 7	vampire bat, 14, 18
sipwitch,7	vc-dwim, 7
skink, 14, 18	vcdimager, 7
skunk, 14, 18	vera, 7
slib,7	Vicugna vicugna, see vicuña, 14, 18
smalltalk,7	vicuña (Vicugna vicugna), 14, 18
solfege, 7	vulture, 14, 18
spacechart, 7	
spell,7	wallaby, 14, 18

```
walrus, 14, 18
wanderoo, 14, 18
wapiti, 18
wapiti (Cervus canadensis), 14
wart hog, 14, 18
water buffalo, 14, 18
wb, 7
wdiff,7
weasel, 14, 18
websocket4j,7
wget, 7
whale, 14, 18
which, 7
whippet, 14, 18
white-tailed deer (Odocoileus virginianus), 14,
wildebeest, see gnu
windows, 7
wolf, 14, 18
wolverine, 14, 18
woodchuck (Marmota monax), 14, 18
X radiation, 14, 18
X ray, 14, 18
xaos, 7
xboard, 7
xenon (noble gas), 14, 18
xhippo, 7
xlogmaster,7
xnee, 7
xorriso,7
xylem (woody tissue of a plant), 14, 18
xylophone, 14, 18
yak, 14, 18
yucca, 14, 18
zebra, 14, 18
zebu (cattle) (Bos taurus indicus), 14, 18
zile,7
zoetrope, 14, 18
zythum (ancient Egyptian malt beverage),
        14, 18
```