JuiceFS-cloud-distributed-cache-10hosts


System Description

Benchmark version:	V2.0
Solution type:	Cloud-Native Distributed FS
Submission division:	CLOSED

Hardware

All infrastructures and benchmark hosts are allocated in Google Cloud Platform (GCP).
The machine type is c3-standard-176 (176 vCPUs, 704 GB Memory, 100gbps network bw)

Software



JuiceFS version is 5.2.1.

Settings

Deploy distributed cache cluster(10 node):

```
Bash
juicefs mount mlperfvol /jfs --cache-dir=/disk1:/disk2 --
cache-size=3800000 --cache-group=CACHEGROUP --free-space-
ratio=0.01 --max-downloads=1000
```

Add client to the distributed cache group:

```
Bash
juicefs mount mlperfvol /jfs --cache-dir=/dev/shm/cache-
cluster/ --cache-size=204800 --cache-group=CACHEGROUP --free-
space-ratio=0.01 --buffer-size=2048 --max-downloads=1000 --
no-sharing
```

Misc

Cgroup: limit the host memory to 256GB

> Limit to 32GB for cosmoflow

```Bash
mkdir /sys/fs/cgroup/memory_mlperf
echo "256G" > /sys/fs/cgroup/memory_mlperf/memory.max
echo "256G" > /sys/fs/cgroup/memory_mlperf/memory.high
```