

Chapter 3: Working Area

The **Working Area** contains options for customizing the work environment according to user preferences. It provides users with a **WYSIWYG** (What You See Is What You Get) interface. This interface contains all the graphic capabilities necessary to create high-quality electronic forms. It is easy to use since it is very intuitive, and anyone with Windows experience will have no problem using the **Working Area**.


This chapter provides a general introduction to the main window and menus. The following chapters cover each **Working Area** menu in detail.

Main Window

The **Main Window** provides a standard window layout that contains the following items:

- [Title Bar](#).
- [Menu Bar](#).
- [Toolbars](#).
- [Active Pages and Subforms Bar](#).
- [Event Editor](#).
- [Simulator](#).

Figure: Document Design Window




Title and Menu Bars

The **Title Bar** is at the top of [redacted] window. It displays the name of the active form being designed. The first form is named by default "Document 1".

The Menu Bar displays the names of the standard menus that appear by default: [File](#), [Edit](#), [View](#), [Tools](#), [Format](#), [Form](#), [XF Repository](#), [Options](#), [Window](#) and [Help](#). Each of these menus are discussed in the following chapters of this manual and each menu contains a set of menu commands that give access to different features of the module.

Figure: Menu Bar



To have access to these menus:

- Click the left mouse button over the selected word from the menu.
- Use the keyboard shortcut by pressing the keys: ALT + underlined letter. For example, to have access to the **F**ile menu, press ALT + f .

Toolbars

The [redacted] contains the following toolbars:

- **File Toolbar.**
- **Field Toolbar.**
- **Form Toolbar.**
- **Tools Toolbar.**
- **Font and Size Toolbar.**
- **Position and Size Bar.**

All the toolbars except the position bar can be moved and repositioned in multiple rows or adjacent each other in one row. To move a toolbar, place the cursor over the toolbar's left-side handle (arrows will appear), then click and drag the toolbar and reposition it as desired.


Clicking on a toolbar's handle without dragging it will cause that toolbar to be displayed exclusively and the other adjacent toolbars to be closed and pushed left or right, depending on their relative position to the toolbar handle that is clicked on.

Figure: Moving a Toolbar (1)



In the figure above, two toolbars are closed and aligned to the left of the Form toolbar. Clicking on its handle (highlighted in the top figure) will cause it to close and shift right. The next adjacent toolbar (the Font tool bar in the figure below) will be exclusively displayed.

Figure: Moving a Toolbar (2)



File Toolbar

The **File Toolbar** contains the following icons listed from left to right: **New**, **Open**, **Save**, **Save As**, **Print**, **Compile**, **Properties**, **Zoom To**, **Zoom Out**, **Zoom in**, **Foreground color**, **Background color** and **Text color**.

Figure: File Tool Bar




Field Toolbar

When a field is created, the [redacted] assigns a name to it (FIELD0, FIELD1, FIELD2, etc.). The Field toolbar can be used to change a field name. This toolbar also supports modifying the field name and the number of columns and/or number of rows.

The information displayed in this tool bar is presented immediately after a field has been created (and is still selected) or when a field is selected by using the **Select** command or **Select Tool** icon (refer to the Tools Toolbar below). This toolbar allows users to insert exact specifications for a field after it has been created.


Figure: Field Toolbar



Form Editor Toolbar

The **Form Editor** toolbar provides the **Undo**, **Cut**, **Copy** and **Paste** functions.

Figure: Form Editor Tool Bar



Font and Size Toolbar

Text in text boxes and text fields can be easily modified by using the **Font and Size Toolbar**.

This toolbar shows font and size properties of a newly created or selected object. From this toolbar, it is possible to select the **font type**, **size** and style (**bold**, **italic** and/or **underline**) as well as the **language group** (Western, Cyrillic, Central European). **Text alignment** can be changed as well as text position (**Up**, **Down**, or **Centered**).

Figure: Font and Size Toolbar



Tools Toolbar

The Tools toolbar contains the icon shortcuts for the most frequently used tools needed to design a document. These icons are, from left to right: **Select**, **Zoom by area**, **Line**, **Text**, **Edit Text**, **Vertical Text**, **Rectangle/Box**, **Field**, **Image** and **Barcode**. The commands performed by these icons can also be accessed via the **Tools** dropdown menu.


Figure: Tools Toolbar



Position and Size Bar

The **Position and Size** bar is located at the bottom of the document design window. This bar indicates the position and size of a selected object. It allows users to control both the dimensions and position of the selected object. Just enter the desired values in the corresponding boxes (**X** and **Y** position, object width and height) and press the Enter key. The object will be repositioned and resized with the new values.


Figure: Position and Size Bar



Active Pages and Subforms Bar

The **Active Pages and Subforms Bar** shows tabs that correspond to all the active pages and subforms that are being designed or modified.

Figure: Active Pages and Subforms Bar



Event Editor

The  provides a useful event editor that allows users to program events at the same time they are designing the form. It also includes an integrated **Simulation** function that displays a preview of the result of merging a data file and the form being designed. The event editor is located at the right of the document design window and can be easily resized. It can also be shown/hidden by clicking on the double arrow icon at the left and bottom of the Event editor panel.

By programming "events" users can properly format the page based on conditions defined in the form design. This provides users with complete control over placement of headers, footers, detail sections and graphics for every generated page. For dynamic document generation, the  provides a simple but powerful **Event Language** that allows users to program events in a very easy and flexible manner.


For a detail description of Event Language, refer to the [Reference Manual](#).

The **Event Editor** contains tree tabs and several buttons:

- **Event Code** tab.
 - **Check Syntax** button.
- **Sample Data** tab.
 - **Browse** button.
 - **Save As** button.
- **Output Preview** tab.

Code is entered in the **Event Code** tab. This editor includes a **syntax highlight** function that makes it easier to understand and identify the inserted code. The colors of the different items (variables, comments...) and background of this tab can be customized in the [Syntax Highlighting](#) tab of the Preferences dialog box. Clicking the **Check Syntax** button performs a checking of the code syntax. This way users can easily make sure the code syntax is correct.

Figure: Event Editor - Event Code Tab



The **Sample Data** tab allows users to type the desired data in the screen. A data file can also be inserted in this screen via the **Browse** button. Then, the data file can be modified and saved with the desired name by using the **Save As** button.

Figure: Event Editor -Sample Data Tab

The screenshot shows the 'Data Entry' application window. The title bar reads 'Data Entry'. Below it are three tabs: 'Event Code', 'Sample Data', and 'Output Preview'. The 'Sample Data' tab is active, displaying a form titled 'Form A4'.

The form contains several fields with labels and values:

- Job**: CHECK
- dst**: check
- *date**: 22 1
- *address1**: 24 20
- address2**: 25 40
- address3**: 1 70
- address4**: 1 80
- *fra**: 1 90
- pavorder**: 10 100
- *chnbr**: 10 100
- *bank**: 11 100
- *amount**: 14 160
- duedate**: 9 180
- address5**: 20 190
- city**: 15 210
- *date2**: 40 225

At the bottom of the window, there are two buttons: 'Browse...' and 'Save As...'. The 'Browse...' button is highlighted with a dashed border.

The  can save up to five data files associated with the form being designed. They will be shown in the **File** dropdown list of the Sample Data screen. To associate a data file with a form, select the data file via the Browse button and then, click on the **Save** command from the **File** menu.

Data displayed in the screen and the form being designed will be used to show a simulation preview in the **Output Preview** tab.

Figure: Event Editor - Output Preview Tab

BOLDO	
Company name :	Nel-Plex
Name :	Harold Wayne
Address :	870 Head Road
City, state :	Philadelphia, PA 19108

Invoice number : 7020 F-AFD

Date : AUG-13-00

CODE	DESCRIPTION	VENUE CODE	DATE	QUANTITY	PRICE	TOTAL
873-A	Phone FAX-F80	36 FFF	AUG-01-00	18 EA	18.12	326.16
902-C	Bus, Card Holder	36 FFF	AUG-04-00	20 EA	18.70	374.00
123-A	Work Table	23500	AUG-04-00	15 EA	178.00	2670.00
233-A	Writing Pad	36 FFF	AUG-04-00	12 PKG	19.38	232.56
902-C	Bus, Card Holder	36 FFF	AUG-04-00	20 EA	18.70	374.00
123-A	Work Table	23500	AUG-04-00	15 EA	178.00	2670.00
708-H	Thermal Fax Paper	12425	AUG-05-00	45 ROLL	9.85	443.25
902-C	Bus, Card Holder	36 FFF	AUG-04-00	20 EA	18.70	374.00
123-A	Work Table	23500	AUG-04-00	15 EA	178.00	2670.00
708-H	Thermal Fax Paper	12425	AUG-05-00	45 ROLL	9.85	443.25
902-C	Bus, Card Holder	36 FFF	AUG-04-00	20 EA	18.70	374.00
123-A	Work Table	23500	AUG-04-00	15 EA	178.00	2670.00
708-H	Thermal Fax Paper	12425	AUG-05-00	45 ROLL	9.85	443.25
902-C	Bus, Card Holder	36 FFF	AUG-04-00	20 EA	18.70	374.00
123-A	Work Table	23500	AUG-04-00	15 EA	178.00	2670.00
708-H	Thermal Fax Paper	12425	AUG-05-00	45 ROLL	9.85	443.25