Design Considerations for the Characterization of Capacitors

Michael L. DeLibero

Case Western Reserve University

August, 2015

Acknowledgements

- Thesis Committe
- Dr. Merat
- Dr. Welsch
- Steven Ehret
- CWRU
- ARPA-E contract DE-AR000016

Outline

Background

Aim of Work

Instrumentation

Regression

Modeling

Future Work

Future Work



Background

- In 2011, ARPA-E granted Dr. Welsch an award to develope Titanimum-based capacitors.
- They promise to replace tantalum.
- Greater energy and power density.

Aim of Work

- Design instrumentation capable of testing a large number of titanium capacitors.
- Provide a numerical result to be able to characterize physical parameters in the capacitors.









Figure: Circuit Flow Chart















MAGNITUDE



PHASE




Figure: Basic LSE

Basic Regression

$$y = a_0 + a_1 x \tag{1}$$

$$E^{2} = \sum_{i=1}^{n} (y_{i} - y)^{2}$$
 (2)

$$E^{2} = \sum_{i=1}^{n} (y_{i} - (a_{0} + a_{1}x_{i}))^{2}$$
 (3)

$$\frac{\partial E^2}{\partial a_0} = 0 = \sum_{i=1}^n (-2y_i + 2a_0 + 2a_1x_i) \tag{4}$$

$$\frac{\partial E^2}{\partial a_1} = 0 = \sum_{i=1}^n (-2y_i x_i + 2a_0 x_i + 2a_1 x_i^2)$$
 (5)




Figure: GRM31MR71H105KA88 Capacitor Data [3]



$$G(s) = \frac{A_0 + A_1 s + A_2 s^2 + \dots + A_n s^n}{B_0 + B_1 s + B_2 s^2 + \dots + B_m s^m} [1][Eq. 3]$$
 (6)

$$\lambda_h = \sum_{k=0} \omega_k^h [1] [Eq. 15]$$
 (7)

$$S_h = \sum_{k=0}^{m} \omega_k^h R_k \ [1][Eq. \ 16] \tag{8}$$

$$T_h = \sum_{k=0}^{m} \omega_k^h I_k \ [1][Eq. \ 17] \tag{9}$$

$$U_h = \sum_{k=0}^{m} \omega_k^h (R_k^2 + I_k^2) [1] [Eq. 18]$$
 (10)

$$M = \begin{bmatrix} \lambda_0 & 0 & -\lambda_2 & 0 & T_1 & S_2 \\ 0 & \lambda_2 & 0 & -\lambda_4 & -S_2 & T_3 \\ \lambda_2 & 0 & -\lambda_4 & 0 & T_3 & S_4 \\ 0 & \lambda_4 & 0 & -\lambda_6 & -S_4 & T_5 \\ T_1 & -S_2 & -T_3 & S_4 & U_2 & 0 \\ S_2 & T_3 & -S_4 & -T_5 & 0 & U_4 \end{bmatrix}$$
(11)

MN = C [1][Eq. 20]

$$N = \begin{bmatrix} A_0 \\ A_1 \\ A_2 \\ A_3 \\ \vdots \\ B_1 \\ B_2 \\ B_3 \\ \vdots \end{bmatrix}$$

[1][Eq. 21b] (12)
$$C = \begin{bmatrix} 1 \\ S_2 \\ T_3 \\ \vdots \\ 0 \\ U_2 \\ 0 \\ \vdots \end{bmatrix}$$
 [1][Eq. 21c] (13)

(14)




Figure: Levy's Technique



$$W_{kL} = \frac{1}{|Q(jw_k)_{L-1}|^2} [2]$$
 (15)

$$E = \sum_{k=1}^{n} |\epsilon'_{k}|^{2} W_{kL} [2] [Eq. 7]$$
 (16)




Figure: LSE + Iteration




Figure: 6 Term Model

$$\bar{Z}(s) = \frac{(R_E + R_L) + (L_E + C_D R_D R_E + C_D R_D R_L + C R_E R_L + C_D R_E R_L)s}{1 + (C_D R_D + C R_L + C_D R_L)s + C C_D R_D R_L s^2} + \frac{(C_D L_E R_D + C L_E R_L + C_D L_E R_L + C C_D R_D R_E R_L)s^2 + C C_D L_E R_D R_L s^3}{1 + (C_D R_D + C R_L + C_D R_L)s + C C_D R_D R_L s^2}$$
(17)

$$\bar{Z}(s) = \frac{a_0 + a_1 s + a_2 s^2 + a_3 s^3}{b_0 + b_1 s + b_2 s^2}$$
(18)




Figure: 6 Term Model: Bad Initilization



$$a_{0} = 5.9991E^{+03}$$

$$a_{1} = 1.7934E^{-04}$$

$$a_{2} = 3.3158E^{-12}$$

$$a_{3} = 6.8295E^{-22}$$

$$b_{0} = 1.0000$$

$$b_{1} = 5.9057E^{-03}$$

$$b_{2} = 1.4067E^{-12}$$

$$C = -8.2563E^{-10}$$

$$R_{E} = 3.1886E^{-01}$$

$$L_{E} = 4.8551E^{-10}$$

$$R_{L} = 4.8551E^{-10}$$

$$C_{D} = 9.8536E^{-07}$$

$$R_{D} = -2.8824E^{-01}$$
(20)

$$a_{0} = 1$$
 $a_{1} = 1$
 $a_{2} = 1$
 $a_{3} = 1$
 $b_{0} = 1$
 $b_{1} = 0$
 $c = INF$
 $c = INF$
 $c = INF$
 $c = INF$
 $c = IND$
 $c = IND$

$$a_{0} = 2$$
 $a_{1} = 5$
 $a_{2} = 4$
 $a_{3} = 1$
 $b_{0} = 1$
 $b_{1} = 3$
 $c = 1$
 $c = 1$




Figure: 6 Term Model: Good Initilization






Figure: 6 Term Model: Relative Error



Future Work

- Build the circuit and validate against the stated capabilities and accuracy.
- Increase the available frequency range for the measurement circuitry.
- Add additional fail-safe protection to the circuit.
- Update the regression technique for better accuracy.
- Evaluate the accuracy of the six term model.



E. C. Levy.

Complex-curve fitting.

Automatic Control, IRE Transactions on, AC-4(1):37–44, 1959.



C. K. Sanathanan and J. Koerner.

Transfer function synthesis as a ratio of two complex polynomials.

Automatic Control, IEEE Transactions on, 8(1):56–58, Jan 1963.



Sim surfing.

http://ds.murata.co.jp/software/simsurfing/en-us/ index.html?intcid5=com_xxx_xxx_cmn_nv_xxx.