



Security Screening Systems

ScreenGuard™ uses 316 stainless steel, built to withstand Australia's toughest conditions while maintaining a sleek, unobtrusive look that complements any home or business.



HINGED DOOR | SLIDING DOOR | WINDOWS | MULTI-FOLD DOOR | FIXED SCREENING |
FIRE ESCAPE WINDOW SYSTEM | PATIO ENCLOSURE

DARLEY
ALUMINIUM

Contents

About ScreenGuard	3
Features & Benefits	5
Windows	7
Doors	9
Patio Enclosure	11
ScreenGuard ACCESS Fire Escape System	13
ScreenGuard Extreme	15
ScreenGuard Extreme Specifications	17
Fire Attenuation Testing	18
ScreenGuard Product Testing	19
Care and Maintenance	22
10 Year Warranty	23



About ScreenGuard

The ScreenGuard stainless steel security mesh system protects your home without compromising your view, replacing bulky grilles and bars with sleek 316 stainless steel mesh.

ScreenGuard security screens and doors are made with high-tensile 316 marine-grade stainless steel mesh that provides strength and quality. Combined with unique T6-tempered 6063 aluminium frames, they deliver outstanding durability and long-term performance.

The anti-corrosion stainless steel wire mesh is coated with a specialised UV protective coating that provides a clear, long lasting finish. ScreenGuard's patented security system meets and exceeds Australian standard AS 5039.1:2023.

The ScreenGuard range consists of:

- Hinged Door
- Sliding Door
- Windows
- Multi-fold Door
- Fixed Screening
- Fire Escape Window System
- Patio Enclosure






Features and Benefits

ScreenGuard uses the unique *WedgeMAX™* rib design to provide additional strength and resistance against intruders.

The proprietary WedgeMAX system combines an L-Seat and precision wedge to deliver one of Australia's strongest premium security screens.

- Made from high-tensile 316 marine-grade and corrosion resistant stainless steel mesh
- ScreenGuard meets the higher 200 joules (SL200) requirement for dynamic impact testing, double the previous 100 joules requirement
- Tested to Australian Standard AS3959, with a Bushfire rating of BAL40
- Tested to Australian Standards AS5039.1:2023 and AS5039.3:2023 – security testing
- Tested to AS1530.4:2014 for fire attenuation at a heat flux of 40kW/m², with a test duration of 3 hours and 10 minutes
- Tested and compliant with AS 5203:2016 – protection of openable windows/fall prevention
- Security screen systems are available with internal quick-release mechanisms, allowing occupants to exit without the use of a key
- Australian designed and engineered



Windows

ScreenGuard is available to suit a number of window screen options including a fixed window screen, double hung window screen, awning and casement window, sliding window and louvre windows.

Fixed window screens are specifically designed to remain securely fixed in place and cannot be moved once installed, providing a stable and durable barrier. These screens are typically installed within the flyscreen track of the window frame to ensure a snug and effective fit.

Another popular option for homeowners is ScreenGuard sliding windows, which offer the convenience of sliding functionality combined with protective screening, making them a versatile choice for many window types and styles.

Available as single or multiple panel sliding windows, they can also be custom-fitted to a variety of window shapes and sizes, including casement windows.

Seamlessly connect your indoor space with the outdoors by adding a ScreenGuard servery window to create an alfresco entertainment area. The addition of the servery window will turn a blank wall into functional bench space, allowing in more light and ventilation into the space.



Doors

ScreenGuard sets the benchmark in hinged, sliding and multi-fold security doors. Meeting and exceeding Australian standards AS5039.1:2023, ScreenGuard offers the ultimate in security, without compromising on visibility.

The ScreenGuard multi-fold door is an exceptionally popular choice for outdoor entertaining areas and has the ability to significantly extend your living space, creating a seamless transition between indoor and outdoor environments.

Constructed from durable 316 marine-grade stainless steel, this high-quality system can be expertly fabricated into multiple panels that are custom-fitted to accommodate wide indoor or outdoor spaces, offering a clear, uninterrupted view of the beautiful outdoors.



Patio Enclosure

Create a secure outdoor retreat with ScreenGuard patio enclosures, combining airflow, insect protection, and uninterrupted views.

A popular option for lovers of the great outdoors. ScreenGuard can be fabricated as a patio enclosure or an enclosed outdoor area that not only provides security but also keeps out insects and other pests.

Using advanced 316 marine-grade stainless steel mesh technology, this innovative patented system expertly provides superior ventilation and a refreshing natural breeze, while also ensuring uninterrupted panoramic views for enhanced outdoor enjoyment.


ScreenGuard ACCESS® Fire Escape System

The ScreenGuard ACCESS® fire escape system allows for a quick and easy exit in the event of a house fire or any other emergency.

A simple and quick latching system enables you to only open the window from the inside.

ACCESS® features include:

- A unique built-in locking action
- Stays open while you escape
- No need for additional locks
- Stainless Steel 4-bar hinge system
- Anti-Jemmy internal frame system
- Awning or casement configuration



ScreenGuard Extreme

Keep your family and home safe with the ScreenGuard Extreme stainless steel mesh system. Specially designed to provide protection against intruder attacks and extreme weather.

ScreenGuard Extreme is tested to Australian Standard AS5039:1:2023. Made from high-tensile 1.2mm 304 stainless steel mesh and high quality aluminium frame, the proprietary WedgeMAX system combines an L-Seat and precision wedge to deliver one of Australia's strongest premium security screens.

The ScreenGuard Extreme system is custom-made and can integrate seamlessly into the style and aesthetic of your home while enhancing your home's security.

- Tested to AS1170.2:2021 & AS5039:2023
- Protection against windborne debris and cyclone conditions
- Withstands projectile impacts up to 44m/sec during cyclone testing
- Corrosion resistant
- Compatible with a range of hardware
- Backed by a 10-year warranty

ScreenGuard Extreme Specifications

Applications

ScreenGuard Extreme is available in a variety of applications including as a hinged door, sliding door, window screen and patio enclosure.

Mesh Type

Made with high quality 304 stainless steel mesh with a mesh strand size of 1.2mm.

Warranty

The ScreenGuard Extreme security system is backed by a 10 year warranty.

Australian Standards

ScreenGuard Extreme has been tested to and exceeds Australian Standards AS5039:2023, AS1170.2:2021 and AS3959, with a Bushfire rating of BAL40.

Colour

The aluminium frame used in the ScreenGuard Extreme system can be powdercoated in a variety of colours to match the style and aesthetic of your home.





Fire Attenuation Testing

ScreenGuard has undergone comprehensive independent fire testing to help protect your home and family in the event of a bushfire.

Fire Resistance Testing

ScreenGuard has also been independently tested to AS1530.4:2024 for fire spread and radiant heat transfer between buildings.

The National Construction Code (NCC) requires fire attenuation screening to be installed over openings located within 3 metres of a fire source or within 6 metres of another building on the same property.

Independent testing by Jensen Hughes and CSIRO demonstrated that ScreenGuard achieved a fire attenuation rating of up to 46% at 40 kW/m² incident energy, maintaining its performance for 3 hours and 10 minutes.

Bushfire Attack Testing

ScreenGuard has been independently tested to AS1530.8.1:2018 for ember attack and radiant heat exposure under simulated bushfire conditions.

Testing conducted by Jensen Hughes (Warrington Fire) achieved a BAL-40 rating, demonstrating the ability to withstand a heat flux of 40.2 kW/m² while remaining resistant to floating embers.




ScreenGuard Product Testing

ScreenGuard's patented security screen products have been tested and meet Australian Standard AS5039:2023. These tests are designed to simulate an attack using force to gain entry into a home.

Under AS5039.1:2023, the energy level for dynamic impact testing increased from 100 joules (SL100) to 200 joules (SL200).

ScreenGuard and ScreenGuard Extreme meets and exceeds the higher 200 joules (SL200) requirement for dynamic impact testing, double the previous 100 joules requirement.



ScreenGuard Product Testing



ScreenGuard and ScreenGuard Extreme security systems have successfully met and exceeded AS5039.3:2023 which is the requirement of 200 joules (SL200) during dynamic impact testing.



ScreenGuard achieves a market leading fire attenuation time of 3 hours and 10 minutes. This assists in protecting fire and radiant heat spread between buildings in the event of a fire.



ScreenGuard with appropriate installation, has proven to be a suitable option to help prevent children from falling from open windows.



ScreenGuard is resistant to knife attack by passing the Australian standard requirements simulating an intruder trying to gain entry using a utility knife.



ScreenGuard successfully passed jemmy attack testing, simulating an intruder attacking with items such as screwdrivers and a large amount of force. Testing has been repeated for a range of major hardware products.



ScreenGuard is bushfire-rated and protects your property from floating embers and reduces heat intensity of radiant heat flux. Achieving the maximum Bushfire rating of BAL40.



ScreenGuard has been tested and exposed to over 2,000 hours in a salt spray chamber and showed no signs of corrosion.

ScreenGuard Product Testing Results

Test		Result
Dynamic Impact	Hinged security screen door	Pass
	Sliding security screen door	Pass
	Access fire escape	Pass
	Security window grille	Pass
Anti-Jemmy	Hinged security screen door	Pass
	Sliding security screen door	Pass
Fire Attenuation		Pass - 46% at 40kW/m ² incident energy
Bushfire		Pass - BAL40
Child Fall Prevention		Pass - Resist 250N Outward Force
Salt Bath	304 And 316 stainless steel mesh	Pass
Knife Shear	304 And 316 stainless steel mesh	Pass

Care and Maintenance

Your ScreenGuard security screen system will require regular maintenance to remove contaminants caused by pollution, industry, salt and climatic conditions.

The preferred method for cleaning your ScreenGuard security system is to use PowaWash biodegradable detergent, as regular maintenance with ScreenGuard PowaWash is required to comply with your ScreenGuard 10-year warranty. To clean, mix 3 caps (25ml) per litre of water and apply using a soft-bristled brush or non-abrasive cloth, then rinse thoroughly with water. ScreenGuard PowaWash is non-toxic, biodegradable, and environmentally friendly, and available in 100ml bottles.

Alternatively, if no PowaWash is available, it is recommended to use a soft-bristled brush with warm water and a neutral pH detergent. Avoid abrasive cleaners and harsh detergents, as these can scratch or damage the surface.

Please see the table below for the recommended frequency of maintenance.

Environment	Definition	Frequency
Mild	15km from coastal rural / suburban areas	Every 6 months
Moderate	10km from coastal / high traffic areas	Every 3 months
Severe / Coastal	5km from coastal / marine / heavy industrial areas	Every 2 weeks



10 Year Warranty

ScreenGuard product warranty is for 10 years from the date of product installation.

This warranty applies to the original purchaser, provided the product care and maintenance recommendations have been followed during the warranty period. ScreenGuard warrants its product to be free from defects in materials and manufacturing when fabricated in accordance with the ScreenGuard fabricator instructions.



Darley Aluminium delivers complete, high-performance aluminium window, door and framing solutions for residential, commercial or architectural projects – combining Australian design, reliable supply, and expert support to make every project easier.

Window, Door and Framing



High-performance commercial window, door and framing systems designed for flexibility, durability, and seamless integration into modern architectural projects.



Modern, versatile window and door systems that bring style, flexibility, and reliable performance to any home.



Premium multi-fold door systems that deliver expansive openings, smooth operation, and architectural sophistication for high-end spaces.



Energy-efficient window and door systems designed to keep interiors comfortable while reducing heat transfer.

What sets Darley Aluminium apart?

- **Complete Solutions** – Everything you need from system to support that simplifies specification, fabrication, and installation.
- **Australian Designed** – Built for local conditions and standards, delivering lasting quality and compliance.
- **Proven Reliability** – Trusted for over 30 years with a national distribution network delivering consistent supply and dependable service.

Security



Advanced heavy-duty security screens that provide maximum protection without compromising visibility, airflow, or style.



Durable, corrosion-resistant aluminium screening that combines security, strength, and design versatility for any application.

Outdoor Screening and Enclosure



Durable, all-weather enclosures that let you enjoy open-air living with protection from insects and the elements.



A sleek, easy-to-install screening solution that enhances privacy and style across any space.

Darley Aluminium understands how important it is to receive trusted solutions, quality products, and reliable supply. That's why we are committed to delivering high standards and friendly, dependable service you can rely on.

Contact your local Darley Aluminium distributor or fabricator today.

New South Wales Head Office

8 Tyrone Place, Erskine Park NSW 2759
Tel (02) 8887 2888 | Fax (02) 9834 3244
salesnsw@darleyaluminium.com.au

Victoria and South Australia

10 Bridge Road, Keysborough VIC 3173
Tel (03) 9238 3888 | Fax (03) 9768 7288
salesvic@darleyaluminium.com.au


Queensland

29 Access Avenue, Yatala QLD 4207
Tel (07) 3287 1888 | Fax (07) 3287 2088
salesqld@darleyaluminium.com.au

Western Australia

36 Armstrong Road, Hope Valley WA 6165
Tel (08) 9437 2999 | Fax (08) 9437 1024
saleswa@darleyaluminium.com.au

Your local fabricator



Proud members of

