


Constant function: $f(x) = c$



Key reference points

x	y

Domain:

Range:

x-intercept:


y-intercept:

Other:

increasing rate of change:

decreasing rate of change:

Identity function: $f(x) = x$



Key reference points

x	y

Domain:

Range:

x-intercept:


y-intercept:

Other:

increasing rate of change:

decreasing rate of change:

Absolute Value function: $f(x) = |x|$



Key reference points

x	y

Domain:

Range:

x-intercept:


y-intercept:

Other:

increasing rate of change:

decreasing rate of change:

Quadratic function: $f(x) = x^2$



Key reference points

x	y

Domain:

Range:

x-intercept:


y-intercept:

Other:

increasing rate of change:

decreasing rate of change:

Cubic function: $f(x) = x^3$



Key reference points

x	y

Domain:

Range:

x-intercept:


y-intercept:

Other:

increasing rate of change:

decreasing rate of change:

Reciprocal function: $f(x) = \frac{1}{x}$



Key reference points

x	y

Domain:

Range:

x-intercept:

y-intercept:


Other:

increasing rate of change:

decreasing rate of change:

Reciprocal, Squared function:

$$f(x) = \frac{1}{x^2}$$



Key reference points

x	y

Domain:

Range:

x-intercept:

y-intercept:


Other:

increasing rate of change:

decreasing rate of change:

Square root function:

$$f(x) = \sqrt{x}$$



Key reference points

x	y

Domain:

Range:

x-intercept:

y-intercept:


Other:

increasing rate of change:

decreasing rate of change:

Cube Root function:

$$f(x) = \sqrt[3]{x}$$



Key reference points

x	y

Domain:

Range:

x-intercept:

y-intercept:

Other:

increasing rate of change:

decreasing rate of change: