JIRA INTEGRATION USING JIRA WITHOUT USING JIRA

by Mike Leonard

www.mikeleonard.co.uk @mleonard87 github.com/mleonard87

WHO AM 1?

- Software Developer Oracle, Java, XML, Python
- Work for Fivium
- User (and lover) of Atlassian Products


INTRODUCTION

- Overview of externally available tools
 - Issue Collector
 - APIs
 - Webhooks
- Examples of how they can be used
- Automate where possible
- Q&A

JIRA ISSUE COLLECTOR

- Introduced in JIRA 5.1
- The easiest way to use JIRA without using JIRA
- Why is it good?
 - Allows user feedback directly into JIRA from your system
 - Save you creating your own feedback form functionality
 - Avoids loosing information in emails
- User accounts not required but can be used seamlessly

JIRA ISSUE COLLECTOR



CONFIGURATION

Add Issue Collector		
Name*	AUG Demo Issue Collector	
Description	Simple issue collector the AUG Canberra presentation.	
Issue Type [*]	☐ Improvement	
Reporter		
	Start typing to get a list of possible matches.	
Matab Bassada 0	Reporter for the issue. Used unless a reporter is matched to a JIRA user with create issue permissions.	
Match Reporter?	 Always use Issue Reporter Attempt to match user session of submitter or submitter email address 	
Collect Browser Info	✓ Collect browser type, screen resolution, and the URL where the feedback was created	
Trigger		
Trigger Text*	Provide Feedback	
Trigger Style	Prominent	
	Subtle	
	○ Vertical	
	○ Custom	
Trigger Preview	What do you do when you have bugs in your code? Send in the Angry Nerds. Consider these issuesresolved. Live III Live III	

CONFIGURATION

EMBEDDING IN A SYSTEM

Just copy paste code to your web system

Congratulations!

You have successfully configured a new Issue Collector.

Embedding the Issue Collector

Embed in HTML
 — Embed in JavaScript

Installation Embed the below code in the HTML code of the target website.


instructions:

<script type="text/javascript"</pre>

src="https://fivium.atlassian.net/s/d41d8cd98f00b204e9800998ecf8427e/en_USmlnair-

1988229788/6252/194/1.4.7/_/download/batch/com.atlassian.jira.collector.plugin.jira -issue-collector-plugin:issuecollector/com.atlassian.jira.collector.plugin.jira-issuecollector-plugin:issuecollector.js?collectorld=7642a729"></script>

EXAMPLE




EXAMPLE


Click here

ATLASSIAN USE IT

Its exactly how Atlassian include their own feedback



ATLASSIAN USE IT




WEB SERVICE APIS


- Application Programming Interface
- Web services
- Why are they good?
 - Pretty much an API available for every operation within JIRA
 - Push/pull data
 - Allows for full automation/integration
- SOAP/XML-RPC Deprecated in JIRA 6.0
- REST Introduced in JIRA 4.2
- Fantastic documentation
- Libraries available (official java, 3rd party .NET, python, etc)
- Available self hosted and on demand but need to be enabled

- Push workflow
- Jenkins CI
- Replicating functionality found in Bamboo but its FREE!
- Free Jenkins plugin available


Rapid Board - Workflow



Jenkins Plugin




Jenkins Comment in JIRA



- All information is in JIRA automate the generation of release notes
- Release notes functionality does exist within JIRA but its not great
- Open source
 - GitHub
 - Highly customisable via templates
 - Designed for CI

Provide custom changelog field in JIRA



Example of HTML output.

Release Notes

12-02-2014 - r2.10.020.1

Production Support 03

New Feature

[AUGDEMO-118]: Emails are now sent to system administrators when new users are created.

12-02-2014 - r2.10.020

Production Support 03

New Feature

[AUGDEMO-115]: KPI Report

[AUGDEMO-116]: Ability to add and remove users.

[AUGDEMO-129]: Ability to comment on users within the system.

Improvement

[AUGDEMO-120]: System colour scheme now meets WCAG AA contrast requirements.

Bug

[AUGDEMO-117]: Fixed an issue in the management report where dates were not being displayed correctly.

Multiple formats.

```
12-02-2014 r2.10.020.1 - Production Support 03

- [SEWPAC-118] (New Feature) Emails are now sent to system administrators when new users are created.

12-02-2014 r2.10.020 - Production Support 03

- [SEWPAC-115] (New Feature) KPI Report
- [SEWPAC-116] (New Feature) Ability to add and remove users.
- [SEWPAC-117] (Bug) Fixed an issue in the management report where dates were not being displayed correctly.
- [SEWPAC-120] (Improvement) System colour scheme now meets WCAG AA contrast requirements.
- [SEWPAC-129] (New Feature) Ability to comment on users within the system.
```

EXAMPLE - BACKEND WORKFLOW

- Use JIRA as a backend workflow engine
- Build an application (not in JIRA)
- Configure JIRA workflow
- Use the APIs to integrate

WEBHOOKS

- Introduced in JIRA 5.2
- Send data to a URL
- Event driven
- Why are they good?
 - No need to write complex integration code
 - No need to poll for changes
- Available self hosted and on demand
- Configured through JIRA front end

CONFIGURATION

Name*	AUG Demo Webhook
URL*	http://www.my-web-app.com/rest/do-something
Exclude details	Exclude issue details from the POST to URL
JQL	project="AUGDEMO"
	Syntax help JQL Filter for issue events that would trigger the webhook.
Events	 □ All issue events ☑ Issue Created ☑ Issue Deleted
	✓ Issue Updated
	Create Cancel

EXAMPLE - RECRUITMENT/SCREENING

- Using JIRA for recruitment
- Issue an assessment to an applicant for screening
- Not possible to create assessments within JIRA
- Use the web service API to record assessment scores in JIRA

CONCLUSION

- Issue Collector, APIs, Webhooks
- Easy to use and fully featured
- Limitless possiblities for integration
- Automate where possible

ANY QUESTIONS?

Slides available at:

HTTP://GOO.GL/A3YZ6V