

	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>

	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>
	<u>Vitals</u>	HPI ROS PE. MDM Dispo	<u>Labs:</u>	<u>Imaging:</u>