

	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	<input type="checkbox"/> Airway Checklist
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	<input type="checkbox"/> Shift eval
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	

	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	<input type="checkbox"/> Airway Checklist
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	<input type="checkbox"/> Shift eval
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	
	HPI ROS PE MDM Dispo	<u>Vitals:</u> <input type="checkbox"/>	<u>Labs:</u> Chem CBC	<u>Imaging:</u> EKG CXR	