

	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
6	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
12	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
16	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
☆	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
22	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
26	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			

	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
6	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
12	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
16	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
☆	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
22	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
26	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			
	<b>Vitals</b>	Lab/rad/meds HPI MDM PE Dispo			