Recruitment System Installation Runbook

Setting Up the Google Pilot

Tshidiso Molefe

October 2026

1 Purpose

This guide installs the recruitment pilot under your Google account.

The outcome is:

- one Apps Script project;
- an administrator entry link;
- an applicant entry link;
- a private recruitment Sheet; and
- a private evidence folder.

Use fictional application information and inboxes you control for the first test. This version sends real sign-in and recruitment emails.

2 Step 1: Choose the Owner Account

Open:

- `https://myaccount.google.com/`
- `https://drive.google.com/`

Use the account that will own the project and its Google resources.

For institutional use, confirm the permitted account and data route before collecting recruitment records.

UCT reference: `https://icts.uct.ac.za/services-data-backup-storage-storage-options-cloud-applications-uct/google-workspace`

3 Step 2: Create the Apps Script Project

1. Open `https://script.google.com/`.
2. Select **New project**.

3. Give the project a recognisable name.

Reference: `https://developers.google.com/apps-script/guides/projects`

4 Step 3: Add the Source Files

Copy the supplied files into the same project.

Source file	**Editor file**
Code.gs	Script file named Code
Index.html	HTML file named Index
Applicant.html	HTML file named Applicant
Styles.html	HTML file named Styles
Brand.html	HTML file named Brand
Client.html	HTML file named Client
appsscript.json	Project manifest

Replace the default Code file's complete contents.

For HTML files, use + > **HTML** and enter the filename without its extension. Preserve capitalisation.

Do not install an old showcase engine alongside the new code.

5 Step 4: Configure the Manifest

1. Open **Project Settings**.
2. Enable the option to show `appsscript.json`.
3. Replace its contents with the supplied manifest.
4. Save the project.

The manifest uses V8 and Africa/Johannesburg time.

Reference: `https://developers.google.com/apps-script/concepts/manifests`

Review the requested Google permissions. The manifest requests Calendar access even when the application's calendar feature is turned off.

6 Step 5: Initialise the Database

1. Select `setupProduction` in the function dropdown.
2. Click **Run**.
3. Authorise the installed project under the intended owner account.
4. Wait for successful completion.

Setup creates the database, evidence folder and authentication configuration. It begins with no fictional applicants.

Record the new resource URLs privately. Do not share the Sheet or evidence folder with applicants.

Troubleshooting: `https://developers.google.com/apps-script/guides/support/troubleshooting`

7 Step 6: Deploy the Owner Workspace

Choose **Deploy > New deployment > Web app**.

1. Description: *Recruitment — Owner admin.*
2. Execute as: **Me**.
3. Access: **Only myself**, where available.
4. Deploy and copy the URL ending in `/exec`.
5. Append `?page=admin`.
6. Bookmark the resulting private link.

Reference: `https://developers.google.com/apps-script/guides/web`

8 Step 7: Deploy the Applicant Portal

Create another web-app deployment in the **same project**.

1. Description: *Recruitment — Applicants.*
2. Execute as: **Me**.
3. Choose the audience permitted for your pilot.
4. Deploy and copy its separate `/exec` URL.

Where available, **Anyone** allows the application to present its own email sign-in. A restricted Google audience adds its own access requirement.

Applicants do not need access to the editor or database.

9 Step 8: Connect Settings

Open the private administrator link and select **Settings**.

1. Paste the applicant deployment URL ending in `/exec`, without query parameters.
2. Add authorised staff emails if required.
3. Enter the public recruitment contact email.
4. Leave Calendar off for the initial test.

5. Save.

Additional staff use the applicant deployment with `?page=admin`, then verify an allowlisted email.

The contact email is a reply-to address. It does not change the account sending the mail.

Reference: `https://developers.google.com/apps-script/reference/mail/mail-app`

10 Step 9: Adapt Branding and Configuration

Replace the neutral Brand template with your authorised branding.

For reuse elsewhere, also adapt the source's Stay & Connect display labels, email signatures and sender names.

The file `config.example.json` is a configuration checklist. It is not automatically loaded.

Setting	**Where to configure it**
Owner and resource IDs	Created by setup
Applicant URL and staff list	Settings
Contact email and Calendar	Settings
Round and role details	Rounds & roles
Time zone and permissions	Manifest
LOGIN_DAILY_LIMIT	Optional Script Property; default 50, code maximum 200

Never place authentication secrets or tokens in HTML or public configuration.

11 Step 10: Create a Test Round

In **Rounds & roles**:

1. create a round;
2. choose its category and dates;
3. add a role and position count;
4. review requirements and questions;
5. set a future deadline;
6. publish the role;
7. publish the round; and
8. copy the applicant link.

Confirm template requirements against the approved vacancy notice.

12 Step 11: Test Both Experiences

Use controlled inboxes and fictional evidence.

1. Browse the applicant vacancies.
2. Request and verify a sign-in code.
3. Submit an application and inspect its receipt.
4. Review the evidence as an administrator.
5. Shortlist and release the invitation.
6. Book an interview as the applicant.
7. Record the assessment.
8. Prepare and release an offer.
9. Accept it as the applicant.
10. Confirm the appointment as staff.

Also check that:

- an unauthorised account cannot manage recruitment;
- applicants cannot access another person's records;
- administrators can identify the stage and next action;
- review screens remain readable at the staff team's normal screen size; and
- errors tell users what to do next.

Record expected and actual results. Local code checks do not replace this test.

13 Step 12: Test Calendar If Needed

Enable Calendar in Settings and book a fresh test slot.

Inspect: `https://calendar.google.com/`

The system creates owner-calendar events without automatically inviting guests.

If an event's creation is uncertain, inspect the calendar before making a replacement.

14 Step 13: Share the Correct Link

Share the copied applicant round link in the approved advert.

Keep the owner link private. Give authorised staff their administrator sign-in route separately.

A typical round link contains:

```
?page=apply&round=ROUND_ID
```

Use the link copied by the system rather than guessing the identifier.

15 Step 14: Update the Deployments

After source changes:

1. save the project;
2. open **Deploy > Manage deployments**;
3. edit each existing deployment;
4. select a new version; and
5. preserve the intended access settings.

Update both deployments. Saving the editor alone does not update a versioned `/exec` deployment.

Reference: `https://developers.google.com/apps-script/concepts/deployments`

16 Common Installation Problems

Problem	**Check**
Missing HTML file	All five templates and exact names
Setup required	Run setupProduction as the owner
No public vacancies	Applicant URL, round publication, role status and deadline
Owner sees applicant page	Use page=admin on the private URL
Staff cannot open private link	Use the public deployment's admin page
No sign-in email	Inbox, spam, request limits and quota
Old interface	Both deployments use the latest version

Quota reference: `https://developers.google.com/apps-script/guides/services/quotas`

Execution history: `https://script.google.com/home/executions`

17 Installation Handover

Record:

- owner and support contact;
- project and resource URLs;
- both deployment URLs and versions;
- authorised staff;
- integration-test results;
- account capacity; and
- the approved data-handling arrangement.

Keep this record private and pass it to the person maintaining the system.