


DOKUMEN UJI VALIDASI W3C UNTUK FILE HTML DAN CSS

CSS



The W3C CSS Validation Service
W3C CSS Validator results for style-quiz.css (CSS level 3 + SVG)


[Jump to:](#) [Warnings \(2\)](#) [Validated CSS](#)

W3C CSS Validator results for style-quiz.css (CSS level 3 + SVG)

Congratulations! No Error Found.


This document validates as [CSS level 3 + SVG](#)!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page.



```


```



```

```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.
[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
OR
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

TOP

Warnings (2)

URI : style-quiz.css

25	-webkit-appearance	is a vendor extension
26	-moz-appearance	is a vendor extension

TOP

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

.pertanyaan {
  padding : 10px 0;
}

input[type="radio"] {
  content : url("http://i.stack.imgur.com/93EKO.png");
  height : 55px;
  width : 55px;
  transform : translateY(40px);
  appearance : none;
}

input:checked {
  content : url("http://i.stack.imgur.com/2aIva.png");
}

.pilihan {
  font-size : 2.5em;
  cursor : pointer;
  background-color : #c0c0c0;
  width : 300px;
  height : 137px;
  line-height : 115px;
  border-radius : 15px;
}


.pilihan:hover {
  background-color : #1597e9;
}


#container-1, #container-2, #container-3 {
  background-color : #f0f0f0;
  color : #000;
  border-radius : 65px;
  font-weight : 700;
}

.sosial:checked {
  background-color : #1597e9;
}
```


TOP

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)





COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG). ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for scoreboard.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for scoreboard.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in "developing" your developer skills? In W3C's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS Information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}
```

```
main {
  height : 82vh;
}
```

```
footer {
  background-color : #febb40;
  height : 8vh;
}
```

```
p {
  margin : 0;
}
```

```
.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}
```

```
ul li a {
  color : #fff;
}
```

```
main > div {
  margin-top : 5px;
}
```

```
#judul {
  background-color : #febb40;
  color : #000;
  width : 90vw;
  height : 80px;
  line-height : 80px;
  border-radius : 20px;
  font-weight : 400;
  font-size : 40px;
}
```

```
table {
  background-color : #424242;
  width : 90vw;
  height : 28vw;
  border-radius : 20px;
  margin-top : 30px;
}
```

```
#bahasa {
  background-color : #fff;
  border-radius : 20px;
}
```

```
#bahasa div:last-child {
  color : #000;
  font-weight : 700;
  font-size : 18.5px;
  line-height : 37px;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for style-check.css (CSS level 3 + SVG)

Jump to: Validated CSS

W3C CSS Validator results for style-check.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

main {
  height : 98vh;
}

footer {
  background-color : #febb40;
  height : 8vh;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

ul li a {
  color : #fff;
}

main > div {
  margin-top : 5px;
}

#container {
  background-color : #febb40;
  color : #000;
  border-radius : 65px;
  font-weight : 700;
}

#prev, #next {
  background-color : #000;
  border-radius : 5px;
}

#left, #mid, #right {
  background-color : #000;
  width : 300px;
  padding : 10px 0;
  border-radius : 15px;
  align-items : center;
}

#left a, #mid a, #right a {
  color : #fff;
}

#prev:hover, #next:hover, #left:hover, #mid:hover, #right:hover {
  background-color : rgb(37, 37, 37);
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG). ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





Jump to: Validated CSS

W3C CSS Validator results for style-index.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page.



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in "developing" your developer skills? In W3C's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

#btn-1 {
  background-color : #febb40;
}

#btn-1:hover {
  background-color : #fdc55d;
}

main {
  height : 92vh;
}

footer {
  background-color : #febb40;
  height : 8vh;
}

#text-1 {
  font-weight : 400;
  font-size : 105.123px;
  line-height : 150px;
}

#text-2 {
  font-weight : 700;
  font-size : 170px;
}

#text-2 span:first-child {
  color : #febb40;
}

#text-2 span:last-child {
  color : #fff;
}

#text-3 {
  padding : 0;
  background-color : #febb40;
  border-radius : 96px;
}

#text-3:hover {
  background-color : #fdc55d;
  cursor : pointer;
}

#btn-link {
  color : #000;
  font-weight : 700;
  font-size : 65px;
  line-height : 130px;
  letter-spacing : 0.83em;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)





The W3C CSS Validation Service

W3C CSS Validator results for style-index-choose.css (CSS level 3 + SVG)

Jump to: Validated CSS

W3C CSS Validator results for style-index-choose.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in understanding what new technologies are coming out of W3C? Follow [@w3cdevs on Twitter](#) to keep track of what the future looks like!

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

main {
  height : 82vh;
}

footer {
  background-color : #febb40;
  height : 8vh;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

ul li a {
  color : #fff;
}

main > div {
  margin-top : 150px;
}

#java, #sunda, #bali {
  background-color : #febb40;
  border-radius : 80px;
}

#java:hover, #sunda:hover, #bali:hover {
  background-color : #fdc55d;
}

#java a:last-child, #sunda a:last-child, #bali a:last-child {
  color : #000;
  font-weight : 700;
  font-size : 48.0154px;
  line-height : 96px;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 [W3C](#)® ([MIT](#), [ERCIM](#), [KEIO](#), [BEIHANG](#)). ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for style-index-level.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for style-index-level.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page.



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in understanding what new technologies are coming out of W3C? Follow [@w3cdevs on Twitter](#) to keep track of what the future looks like!

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

main {
  height : 82vh;
}

footer {
  background-color : #febb40;
  height : 8vh;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

ul li a {
  color : #fff;
}

main > div {
  margin-top : 50px;
}

#level1, #level2, #level3 {
  background-color : #febb40;
  border-radius : 80px;
}

#level1:hover, #level2:hover, #level3:hover {
  background-color : #fdc55d;
}

#level1 a:last-child, #level2 a:last-child, #level3 a:last-child {
  color : #000;
  font-weight : 700;
  font-size : 48.0154px;
  line-height : 36px;
}

#bahasa, #media {
  background-color : #fff;
  border-radius : 36px;
}

#bahasa div:last-child, #media div:last-child {
  color : #000;
  font-weight : 700;
  font-size : 18.5px;
  line-height : 37px;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG). ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for style-index-type.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for style-index-type.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page.



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
    </a>
  </p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in "developing" your developer skills? In W3C's hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

main {
  height : 82vh;
}

footer {
  background-color : #febb40;
  height : 8vh;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

ul li a {
  color : #fff;
}

main > div {
  margin-top : 50px;
}

#audio, #gambar {
  background-color : #febb40;
  border-radius : 80px;
}

#audio:hover, #gambar:hover {
  background-color : #fd655d;
}

#audio a:last-child, #gambar a:last-child {
  color : #000;
  font-weight : 700;
  font-size : 48.0154px;
  line-height : 96px;
}

#bahasa {
  background-color : #fff;
  border-radius : 36px;
}

#bahasa div:last-child {
  color : #000;
  font-weight : 700;
  font-size : 18.5px;
  line-height : 37px;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, Keio, Beihang). ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for style-pembahasan.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for style-pembahasan.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page.



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in understanding what new technologies are coming out of W3C? Follow [@w3cdevs on Twitter](#) to keep track of what the future looks like!

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist)

[↑ TOP](#)

Valid CSS information

```
body {
  font-family : "Montserrat";
  font-size : 22px;
  background-color : #000;
}

p {
  margin : 0;
}

.navbar {
  font-weight : 600;
  font-size : 1.4rem;
}

.pertanyaan {
  background-color : #febb40;
  color : #000;
  border-radius : 65px;
  font-weight : 700;
  padding : 30px 0;
}

.pilihan {
  font-size : 2.5em;
  cursor : pointer;
  background-color : #cbd5e0;
  width : 300px;
  height : 137px;
  line-height : 115px;
  border-radius : 19px;
}

#pembahasan {
  width : 240px;
  height : 50px;
  border-radius : 30px;
  background-color : #fff;
  cursor : pointer;
  transition-property : all;
  transition-duration : 0.7s;
  transition-timing-function : ease-out;
}

#pembahasan:hover {
  background-color : #000;
  color : #fff;
  transform : scale(1.1);
}

.benar {
  background-color : #66eca9;
}

.salah {
  background-color : #f07575;
}

.kosong {
  background-color : #000;
  color : #fff;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG). ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.



HTML

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file **index.html**

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by **file upload** No file chosen

Uploaded files with .html or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
head>... **<meta charset="UTF-8" />**... <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
8" />... **<meta http-equiv="X-UA-Compatible" content="IE=edge" />**... <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
e" />... **<meta name="viewport" content="width=device-width, initial-scale=1.0" />**... <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
s -->... **<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />**...
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 85
p -->... **<link rel="stylesheet" href="../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />**... <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 58
e -->... **<link rel="stylesheet" href="../../css/style-home.css" />**... </h
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 49
... ****...
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 51, column 9; to line 51, column 37
>... **<section class="text-center">**...

Document checking completed.

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file quiz.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .html or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
`head>__ <meta charset="UTF-8" />__ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
`8" />__ <meta http-equiv="X-UA-Compatible" content="IE=edge" />__ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
`e" />__ <meta name="viewport" content="width=device-width, initial-scale=1.0" />__ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
`s -->__ <link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />__`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 85
`p -->__ <link rel="stylesheet" href="../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />__ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 58
`e -->__ <link rel="stylesheet" href="../../css/style-quiz.css" />__ </h`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 49
`__`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 53, column 13; to line 53, column 56
`__`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 51, column 9; to line 51, column 135
`>__ <section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 380px; height: 390px; id="java">__`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 59, column 13; to line 59, column 57
`__`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 57, column 9; to line 57, column 136
`>__ <section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 380px; height: 390px; id="sunda">__`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 65, column 13; to line 65, column 56
`__`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 63, column 9; to line 63, column 135
`>__ <section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 380px; height: 390px; id="bali">__`

Document checking completed.

Used the HTML parser.
Total execution time 22 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file quiz-level-audio.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
head>... `<meta charset="UTF-8" />` <...>
 2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
8" />... `<meta http-equiv="X-UA-Compatible" content="IE=edge" />` <...>
 3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
e" />... `<meta name="viewport" content="width=device-width, initial-scale=1.0" />` <...>
 4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
s -->... `<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />` <...>
 5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 88
p -->... `<link rel="stylesheet" href="../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />` <...>
 6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 62
e -->... `<link rel="stylesheet" href="../../css/style-level.css" />` </h>
 7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 52
... `` <...>
 8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 54, column 13; to line 54, column 57
... `` <...>
 9. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 51, column 9; to line 51, column 137
... `<section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 330px; height: 340px; id="level1">` <...>
 10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 61, column 13; to line 61, column 57
... `` <...>
 11. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 58, column 9; to line 58, column 137
... `<section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 330px; height: 340px; id="level2">` <...>
 12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 68, column 13; to line 68, column 57
... `` <...>
 13. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 65, column 9; to line 65, column 137
>... `<section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 330px; height: 340px; id="level3">` <...>
 14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 76, column 13; to line 76, column 70
... `` <...>
 15. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 74, column 9; to line 74, column 130
>... `<section class="me-5 d-flex flex-column justify-content-center text-center" style="width: 140px; height: 140px; id="java">` <...>
 16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 82, column 13; to line 82, column 76
... `` <...>
 17. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 80, column 9; to line 80, column 132
>... `<section class="ms-5 d-flex flex-column justify-content-center text-center" style="width: 140px; height: 140px; id="gambar">` <...>

Document checking completed.

Used the HTML parser.

Total execution time 31 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file **quiz-level-gambar.html**

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
head>... **<meta charset="UTF-8" />...** <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
8" />... **<meta http-equiv="X-UA-Compatible" content="IE=edge" />...** <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
e" />... **<meta name="viewport" content="width=device-width, initial-scale=1.0" />...** <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
s -->... **<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />...**
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 88
p -->... **<link rel="stylesheet" href="../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />...** <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 62
e -->... **<link rel="stylesheet" href="../../css/style-level.css" />...** </h>
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 52
...
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 54, column 13; to line 54, column 57
...
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 51, column 9; to line 51, column 137
>... **<section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 330px; height: 340px" id="level1">...**
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 61, column 13; to line 61, column 57
...
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 58, column 9; to line 58, column 137
>... **<section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 330px; height: 340px" id="level2">...**
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 68, column 13; to line 68, column 57
...
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 65, column 9; to line 65, column 137
>... **<section class="ms-3 me-4 d-flex flex-column justify-content-center text-center" style="width: 330px; height: 340px" id="level3">...**
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 76, column 13; to line 76, column 70
...
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 74, column 9; to line 74, column 130
>... **<section class="me-5 d-flex flex-column justify-content-center text-center" style="width: 140px; height: 140px" id="jawa">...**
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 82, column 13; to line 82, column 73
...
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 80, column 9; to line 80, column 132
>... **<section class="ms-5 d-flex flex-column justify-content-center text-center" style="width: 140px; height: 140px" id="gambar">...**

Document checking completed.

Used the HTML parser.

Total execution time 17 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file **quiz-type.html**

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .html or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
`head>__<__<meta charset="UTF-8" />__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
`8" />__<__<meta http-equiv="X-UA-Compatible" content="IE=edge" />__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
`e" />__<__<meta name="viewport" content="width=device-width, initial-scale=1.0" />__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
`s -->__<__<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 88
`p -->__<__<link rel="stylesheet" href="../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 61
`e -->__<__<link rel="stylesheet" href="../../css/style-type.css" />__<__<__</h`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 52
`__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 53, column 13; to line 53, column 65
`__<__<__<`
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 51, column 9; to line 51, column 131
`>__<__<section class="me-5 d-flex flex-column justify-content-center text-center" style="width: 350px; height: 350px" id="audio">__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 59, column 13; to line 59, column 62
`__<__<__<`
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 57, column 9; to line 57, column 132
`>__<__<section class="ms-5 d-flex flex-column justify-content-center text-center" style="width: 350px; height: 350px" id="gambar">__<__<__<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 67, column 13; to line 67, column 70
`__<__<__<`
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 65, column 9; to line 65, column 125
`>__<__<section class="d-flex flex-column justify-content-center text-center" style="width: 140px; height: 140px" id="jawa">__<__<__<`

Document checking completed.

Used the HTML parser.

Total execution time 16 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file **no1.html**

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 4, column 5, to line 4, column 28

```
head>...<meta charset="UTF-8" />...<
```

2. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 5, column 5, to line 5, column 59

```
8" />...<meta http-equiv="X-UA-Compatible" content="IE=edge" />...<
```

3. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 6, column 5, to line 6, column 76

```
e" />...<meta name="viewport" content="width=device-width, initial-scale=1.0" />...<
```

4. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 10, column 5, to line 10, column 87

```
s -->...<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />...<
```

5. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 13, column 5, to line 13, column 91

```
p -->...<link rel="stylesheet" href=".../bootstrap-5.2.2-dist/css/bootstrap.min.css" />...<
```

6. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 17, column 5, to line 17, column 64

```
e -->...<link rel="stylesheet" href=".../css/style-jawa.css" />...</h
```

7. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 24, column 11, to line 24, column 55

```
...
```

8. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 52, column 11, to line 52, column 72

```
<source src=".../audio/jaran.mp3" type="audio/mpeg" />...
```

9. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 56, column 11, to line 56, column 99

```
<section class="pilihan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihA">...
```

10. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 59, column 11, to line 59, column 99

```
<section class="pilihan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihB">...
```

11. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 62, column 11, to line 62, column 99

```
<section class="pilihan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihC">...
```

12. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 65, column 11, to line 65, column 99

```
<section class="pilihan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihD">...
```

13. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 72, column 15, to line 72, column 59

```
...
```

14. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 70, column 11, to line 70, column 89

```
<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="prev">...
```

15. **Info** Trailing slash on void elements **has no effect** and **interacts badly with unquoted attribute values**.

From line 77, column 15, to line 77, column 60

```
...
```

16. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 75, column 11, to line 75, column 89

```
<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="next">...
```

Document checking completed.

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file finish.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
`head<___> <meta charset="UTF-8" />___ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
`8" />___ <meta http-equiv="X-UA-Compatible" content="IE=edge" />___ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
`e" />___ <meta name="viewport" content="width=device-width, initial-scale=1.0" />___ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
`s -->___ <link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />___</link>___`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 91
`p -->___ <link rel="stylesheet" href="../../../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />___ <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 64
`e -->___ <link rel="stylesheet" href="../../css/style-jawa.css" />___ </h`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 55
`___`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 51, column 142; to line 51, column 147
`x">Selamat
LEVEL`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 52, column 157; to line 52, column 162
`>SKOR ANDA
100pt<`
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 55, column 11; to line 55, column 89
`<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="left">___`
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 58, column 11; to line 58, column 88
`<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="mid">___`
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 61, column 11; to line 61, column 90
`<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="right">___`

Document checking completed.

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file **no1-detail.html**

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 4, column 5; to line 4, column 28
`head>... <meta charset="UTF-8" />... <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 5, column 5; to line 5, column 59
`8" />... <meta http-equiv="X-UA-Compatible" content="IE=edge" />... <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 6, column 5; to line 6, column 76
`e" />... <meta name="viewport" content="width=device-width, initial-scale=1.0" />... <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 10, column 5; to line 10, column 87
`s -->... <link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />... </link>`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 13, column 5; to line 13, column 91
`p -->... <link rel="stylesheet" href="../../bootstrap-5.2.2-dist/css/bootstrap.min.css" />... <`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 17, column 5; to line 17, column 64
`e -->... <link rel="stylesheet" href="../../css/style-jawa.css" />... </h`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 24, column 11; to line 24, column 55
`...`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 52, column 11; to line 52, column 72
`<source src="../../audio/jaran.mp3" type="audio/mpeg" />...`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 61, column 15; to line 61, column 59
`...`
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 59, column 11; to line 59, column 89
`<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="prev">...`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).
From line 66, column 15; to line 66, column 60
`...`
- Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 64, column 11; to line 64, column 89
`<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="next">...`

Document checking completed.

Used the HTML parser.

Total execution time 13 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.12.5

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file `no1-pembahasan.html`

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

file upload

Choose File

No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 4, column 5, to line 4, column 28

head<...>
 <meta charset="UTF-8" />...<

2

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 5, column 5, to line 5, column 59

8" />...<meta http-equiv="X-UA-Compatible" content="IE=edge" />...<

3

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 6, column 5, to line 6, column 76

e" />...<meta name="viewport" content="width=device-width, initial-scale=1.0" />...<

4

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 10, column 5, to line 10, column 87

s -->...<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" />...<

5

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 13, column 5, to line 13, column 91

p -->...<link rel="stylesheet" href=".../bootstrap-5.2.2-dist/css/bootstrap.min.css" />...<

6

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 17, column 5, to line 17, column 64

e -->...<link rel="stylesheet" href=".../css/style-jawa.css" />...</h

7

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 24, column 11, to line 24, column 55

...

8

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 52, column 11, to line 52, column 72

<source src=".../audio/jaran.mp3" type="audio/mpeg" />...

9

Warning

Section lacks heading. Consider using `h2`~`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 56, column 11, to line 56, column 143

<section class="pilihanPembahasan ms-4 d-flex flex-column justify-content-center" id="pilihA" style="background-color: #f87575">...

10

Warning

Section lacks heading. Consider using `h2`~`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 59, column 11, to line 59, column 109

<section class="pilihanPembahasan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihB">...

11

Warning

Section lacks heading. Consider using `h2`~`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 62, column 11, to line 62, column 109

<section class="pilihanPembahasan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihC">...

12

Warning

Section lacks heading. Consider using `h2`~`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 65, column 11, to line 65, column 143

<section class="pilihanPembahasan ms-3 me-4 d-flex flex-column justify-content-center" id="pilihD" style="background-color: #66c9a9">...

13

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 72, column 15, to line 72, column 59

...

14

Warning

Section lacks heading. Consider using `h2`~`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 70, column 11, to line 70, column 89

<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="prev">...

15

Info

Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 77, column 15, to line 77, column 60

...

16

Warning

Section lacks heading. Consider using `h2`~`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 75, column 11, to line 75, column 89

<section class="ms-5 me-5 d-flex flex-column justify-content-center" id="next">...

Document checking completed.

Used the HTML parser.
Total execution time 18 milliseconds.