

# jQuery Exercise


 Create a phrases array and fill it with some of your favourites phrases.

```
var phrases = [
    'I like pie.',
    'Add some of your own phrases here.',
    'Make sure to follow all but the last phrase with a comma.'
];
```

- Show one of the phrases on the html page.
- When you refresh the page, the phrase should change\*




 Create a button to change the phrase. It should use the same logic as when you choose the phrase on refresh.






- Add an input at the bottom to add new phrase
  - Do not use a button to add the phrase






- Put the input inside a form and add the phrase when the form is submitted.
- You submit a form when pressing the 'enter' key while your cursor is inside the input.
- Which event do you use for that? On what element?






- Add a link at the bottom to show and hide all the current phrases.
- Link should say "hide" or "show" depending on what it should do next.





 Add remove icons to each phrase, remove a phrase when its remove button is clicked.





#### Bonus

 Highlight or change the color of the currently displayed phrase on the list of phrases.

This is a phrase	
	Refresh
Input	
Show / Hide Sentences	
This is a phrase This is another phrase	X
This is another philase	x



# Extra bonus

- Add the new phrase to the bottom of the list as soon as you start typing it
  - As soon as you start typing something in the input, that text should appear at the end of the list.
  - You shouldn't actually add the phrase to the array until you submit it. The remove icon should only appear when you've submitted as well.

