

Advanced Data Analysis

DATA 71200

Class 1

Course Description


- ▶ This course will provide you with skills necessary to **apply machine learning techniques to data**, and **interpret and communicate their results**.
- ▶ You will also begin to develop **intuitions** about when machine learning is an appropriate tool versus other statistical methods.
- ▶ This course will cover both **supervised methods** (e.g., k-nearest neighbors, naïve Bayes classifiers, decision trees, and support vector machines) and **unsupervised methods** (e.g., principal component analysis and k-means clustering).
 - The supervised methods will focus primarily on “**classic**” **machine learning techniques** where features are designed rather than learned, although we will briefly look at recent deep learning models with neural networks.
- ▶ This is an **applied machine learning class** that emphasizes the intuitions and know-how needed to get learning algorithms to work in practice, rather than mathematical derivations.
- ▶ The course will be taught in **Python**, primarily using the **scikit-learn** library.

Course Objectives



- By the end of the course, you will be able to
 - articulate the main assumptions underlying machine learning approaches
 - demonstrate the basic principles of dataset creation
 - articulate the importance of data representations
 - evaluate machine learning algorithms
 - articulate the difference between supervised and unsupervised learning
 - apply a range of supervised and unsupervised learning techniques

Textbooks

Required



Recommended



Grade Breakdown

| | |
|----------------------------------|-----|
| Class Participation | 10% |
| Datacamp Assignments | 25% |
| Project 1: Dataset creation | 15% |
| Project 2: Supervised learning | 15% |
| Project 3: Unsupervised learning | 15% |
| Final Paper | 20% |

Grade Breakdown Details

- ▶ **Class Participation: 10%**

- The participation grade is a combination of attendance (including arriving on time); attentiveness, engagement, and participation during class; and general preparedness for class discussions.

- ▶ **Datacamp Assignments: 25%**

- These projects are hands-on activities designed to both provide coding background and reinforce the concepts covered in class.

Grade Breakdown Details

- ▶ **Project 1 (Dataset creation): 15%**
 - Curation and cleaning of a labeled data set that you will use for the supervised and unsupervised learning tasks in project 2 and 3. The dataset can be built from existing data and should be stored in your GitHub repository.
- ▶ **Project 2 (Supervised learning): 15%**
 - Application of two supervised learning techniques on the dataset you created in Project 1. This assignment should be completed as a Jupyter notebook in your GitHub repository.

Grade Breakdown Details

- ▶ **Project 3 (Unsupervised learning): 15%**
 - Application of two unsupervised learning techniques on the dataset you created in Project 1. This assignment should be completed as a Jupyter notebook your GitHub repository.
- ▶ **Final Paper: 20%**
 - A 5--8 page paper describing the work you did in projects 1--3 (your dataset and your supervised and unsupervised experiments). The paper should describe both what you did technically and what you learned from the relative performance of the machine learning approaches you applied to your dataset. This assignment should be posted as a PDF in your GitHub repository.

Course Schedule

| | |
|--------|---------------------------------------|
| 29-Jan | Introduction |
| 5-Feb | What is Machine Learning? |
| 12-Feb | No Class |
| 19-Feb | Getting Started with Machine Learning |
| 26-Feb | Inspecting Data |
| 4-Mar | Representing Data |

Course Schedule

| | |
|--------|---|
| 11-Mar | Evaluation Methods |
| 18-Mar | Supervised Learning (k-Nearest Neighbors, Linear Models) – <i>Project 1 Due</i> |
| 25-Mar | Supervised Learning (Naive Bayes Classifiers and Decision Trees) |
| 1-Apr | Supervised Learning (Support Vector Machines and Uncertainty estimates from Classifiers) |
| 7-Apr | Unsupervised Learning (Dimensionality Reduction & Feature Extraction, and Manifold Learning) - <i>Project 2 Due</i> |

Course Schedule


| | |
|--------|------------------------------------|
| 8-Apr | No class |
| 15-Apr | No class |
| 22-Apr | Unsupervised Learning (Clustering) |
| 29-Apr | Deep Learning |
| 6-May | Ethics - <i>Project 3 Due</i> |
| 13-May | Ethics |
| 20-May | <i>Final Project Due</i> |

Coding Environment

► Python 3

- matplotlib, NumPy, Pandas, SciPy scikit learn

► Jupyter notebooks



Anaconda Distribution

The World's Most Popular Python/R Data Science Platform [Download](#)

The open-source [Anaconda Distribution](#) is the easiest way to perform Python/R data science and machine learning on Linux, Windows, and Mac OS X. With over 19 million users worldwide, it is the industry standard for developing, testing, and training on a single machine, enabling *individual data scientists* to:

- Quickly download 7,500+ Python/R data science packages
- Manage libraries, dependencies, and environments with [Conda](#)
- Develop and train machine learning and deep learning models with [scikit-learn](#), [TensorFlow](#), and [Theano](#)
- Analyze data with scalability and performance with [Dask](#), [NumPy](#), [pandas](#), and [Numba](#)
- Visualize results with [Matplotlib](#), [Bokeh](#), [Datashader](#), and [Holoviews](#)

| | | | | |
|------------|--------------|--------|------------|------------|
| jupyter | spyder | NumPy | SciPy | Numba |
| pandas | DASK | Bokeh | HoloViews | Datashader |
| matplotlib | scikit-learn | H2O.ai | TensorFlow | CONDA |

Tutorial: <https://machinelearningmastery.com/setup-python-environment-machine-learning-deep-learning-anaconda/>

Class Website

DATA 71200 Advanced Data Analysis Methods

An introduction to supervised and unsupervised machine learning methods

HOME

SYLLABUS

COURSE SCHEDULE

RESOURCES

POSTS



<https://data71200sp20.common.gc.cuny.edu/>

Data Camp

[Learn](#) ▾[Assessment](#)[Pricing](#)[For Business](#)[Sign in](#)

THE SMARTEST WAY TO

Learn Data Science Online

The skills people and businesses need to succeed are changing. No matter where you are in your career or what field you work in, you will need to understand the language of data. With DataCamp, you learn data science today and apply it tomorrow.

[Start Learning For Free](#)

Create Your Free Account

[LinkedIn](#)[Facebook](#)[Google](#)

or

[Create Free Account](#)

By continuing you accept the Terms of Use and Privacy Policy. You also accept that you are aware that your data will be stored outside of the EU and that you are above the age of 16.

GitHub

jcdevaney / data71200sp20

Unwatch 1

Star 0

Fork 0

Code

Issues 0

Pull requests 0

Actions

Projects 0

Wiki

Security

Insights

Settings

DATA 71200 Advanced Data Analysis Methods

Edit

Manage topics

1 commit

1 branch

0 packages

0 releases

1 contributor

Branch: master

New pull request

Create new file

Upload files

Find file

Clone or download

jcdevaney Initial commit

Latest commit 02f220c 6 days ago

README.md

Initial commit

6 days ago

README.md

data71200sp20

DATA 71200 Advanced Data Analysis Methods

GitHub - Forking versus Cloning

The screenshot shows the GitHub interface for the repository `speechLabBcCuny / onssen`. At the top, there are buttons for `Watch` (11), `Star` (93), and `Fork` (22). Below these are tabs for `Code`, `Issues` (1), `Pull requests` (0), `Actions`, `Projects` (0), `Wiki`, `Security`, and `Insights`. The repository description is "An open-source speech separation and enhancement library". Below this, statistics show 28 commits, 2 branches, 0 packages, 0 releases, 1 contributor, and the GPL-3.0 license. A bar contains buttons for `Branch: master`, `New pull request`, `Create new file`, `Upload files`, `Find file`, and a green `Clone or download` button. A commit list shows a commit by `nateanl` titled "Create LICENSE" with the latest commit hash `0479d78` on Nov 29, 2019. Below the commit list are two files: `configs` and `data`, both with the description "Add batch_norm after rnn, refactorize training, add readme" and dated "3 months ago". A modal titled "Fork onssen" is open, asking "Where should we fork onssen?" and showing a user `jcdevaney`. Dotted lines connect the `Fork` button in the top right to the modal, and the `Clone or download` button to the commit list.

speechLabBcCuny / onssen

Watch 11 Star 93 Fork 22

Code Issues 1 Pull requests 0 Actions Projects 0 Wiki Security Insights

An open-source speech separation and enhancement library

28 commits 2 branches 0 packages 0 releases 1 contributor GPL-3.0

Branch: master New pull request Create new file Upload files Find file Clone or download

nateanl Create LICENSE 1 Latest commit 0479d78 on Nov 29, 2019

| | | |
|---------|--|--------------|
| configs | Add batch_norm after rnn, refactorize training, add readme | 3 months ago |
| data | Add batch_norm after rnn, refactorize training, add readme | 3 months ago |

Fork onssen


Where should we fork onssen?

jcdevaney

GitHub - Forking versus Cloning

 **jcdevaney / onssen**


forked from [speechLabBcCuny/onssen](#)

 Watch ▾


0


 Star

0

 Fork

23

 Code

 Pull requests 0

 Actions

 Projects 0

 Wiki

 Security

 Insights


 Settings


An open-source speech separation and enhancement library

Edit

[Manage topics](#)

 28 commits

 2 branches

 0 packages

 0 releases

 1 contributor

 GPL-3.0

Branch: master ▾

New pull request


Create new file


Upload files


Find file

Clone or download ▾

This branch is even with [speechLabBcCuny:master](#).

 Pull request

 Compare

 **nateanl** Create LICENSE

Latest commit 0479d78 on Nov 29, 2019

 [configs](#) Add batch_norm after rnn, refactorize training, add readme 3 months ago

 [data](#) Add batch_norm after rnn, refactorize training, add readme 3 months ago

Clone with HTTPS ⓘ

[Use SSH](#)


Use Git or checkout with SVN using the web URL.



Open in Desktop

Download ZIP

GitHub Desktop



Git Command Line

Git Basics

| | |
|--|---|
| <code>git init <directory></code> | Create empty Git repo in specified directory. Run with no arguments to initialize the current directory as a git repository. |
| <code>git clone <repo></code> | Clone repo located at <repo> onto local machine. Original repo can be located on the local filesystem or on a remote machine via HTTP or SSH. |
| <code>git config user.name <name></code> | Define author name to be used for all commits in current repo. Devs commonly use <code>--global</code> flag to set config options for current user. |
| <code>git add <directory></code> | Stage all changes in <directory> for the next commit. Replace <directory> with a <file> to change a specific file. |
| <code>git commit -m "<message>"</code> | Commit the staged snapshot, but instead of launching a text editor, use <message> as the commit message. |
| <code>git status</code> | List which files are staged, unstaged, and untracked. |
| <code>git log</code> | Display the entire commit history using the default format. For customization see additional options. |
| <code>git diff</code> | Show unstaged changes between your index and working directory. |

Undoing Changes

| | |
|--|--|
| <code>git revert <commit></code> | Create new commit that undoes all of the changes made in <commit>, then apply it to the current branch. |
| <code>git reset <file></code> | Remove <file> from the staging area, but leave the working directory unchanged. This unstages a file without overwriting any changes. |
| <code>git clean -n</code> | Shows which files would be removed from working directory. Use the <code>-f</code> flag in place of the <code>-n</code> flag to execute the clean. |

Rewriting Git History

| | |
|--------------------------------------|---|
| <code>git commit --amend</code> | Replace the last commit with the staged changes and last commit combined. Use with nothing staged to edit the last commit's message. |
| <code>git rebase <base></code> | Rebase the current branch onto <base>. <base> can be a commit ID, a branch name, a tag, or a relative reference to HEAD. |
| <code>git reflog</code> | Show a log of changes to the local repository's HEAD. Add <code>--relative-date</code> flag to show date info or <code>--all</code> to show all refs. |

Git Branches

| | |
|---|---|
| <code>git branch</code> | List all of the branches in your repo. Add a <branch> argument to create a new branch with the name <branch>. |
| <code>git checkout -b <branch></code> | Create and check out a new branch named <branch>. Drop the <code>-b</code> flag to checkout an existing branch. |
| <code>git merge <branch></code> | Merge <branch> into the current branch. |

Remote Repositories

| | |
|--|---|
| <code>git remote add <name> <url></code> | Create a new connection to a remote repo. After adding a remote, you can use <name> as a shortcut for <url> in other commands. |
| <code>git fetch <remote> <branch></code> | Fetches a specific <branch>, from the repo. Leave off <branch> to fetch all remote refs. |
| <code>git pull <remote></code> | Fetch the specified remote's copy of current branch and immediately merge it into the local copy. |
| <code>git push <remote> <branch></code> | Push the branch to <remote>, along with necessary commits and objects. Creates named branch in the remote repo if it doesn't exist. |

Machine Learning

