# **CoolTerm Remote Control Socket**

## **Protocol Specification v0.9.4**



Roger Meier, August 2020

## **Table of Contents**

CoolTerm Remote Control Socket Protocol	
Table of Contents	1
List of Figures	2
List of Tables	
1. Introduction	3
2. CoolTerm Remote Control Socket Protocol	
2.1. Overview	
2.2. Server	3
2.3. Client	4
2.4. Remote Packet	4
2.4.1. Remote Packet Format	4
2.4.2. Examples	5
2.4.3. Remote Packet OP Codes	6
2.4.4. Remote Packet ACK Codes	. 10

List of Figures	
Figure 1: Remote Packet Format.	4
List of Tables	
Table 1: Remote Packet OP Codes	10
Table 2: Remote Packet ACK Codes	

### 1. Introduction

This document specifies a protocol, based on TCP/IP, which allows actions, normally performed via the CoolTerm GUI, to be automated by a separate piece of software (e.g. scripting software). A listening TCP socket embedded in CoolTerm (Remote Control Socket), which is enabled via the CoolTerm GUI, can accept connections from the same computer on which CoolTerm is running as well as other computers that can make a TCP/IP connection to the computer on which CoolTerm is running. Another application that is connected to the Remote Control Socket can send commands to initiate actions normally performed via the GUI (e.g. open/closing the serial port, reading/writing data, etc.).

### 2. CoolTerm Remote Control Socket Protocol

#### 2.1. Overview

The CoolTerm Remote Control Socket Protocol is based on TCP/IP and is therefore a Client/Server type protocol. The CoolTerm application acts as the server while an external application (e.g. scripting application) acts as a client. Connections and subsequent data communication are initiated only by the client. I.e. the client can connect to and disconnect from a server socket, and only the client can initiate communication with the server. The server cannot send any unsolicited data.

#### 2.2. Server

The CoolTerm application has an embedded Remote Control Socket that is configured as server. The socket is normally disabled, but it can be enabled via the CoolTerm GUI. If enabled, the socket listens on a specified port for incoming connections. Once connected, the server waits for incoming packets. The server always responds to packets from the client to acknowledge them and to return data asked for by the client. The server does not send any unsolicited data.

The specifications for the Remote Control Socket configured as server are as follows:

- Default Port: 51413
- Normally disabled. Can be enabled via CoolTerm GUI.
- Always acknowledges receipt of a valid Remote Packet with another Remote Packet, i.e. ACK\_SUCCESS, together with data requested by the client (if necessary).
- Always acknowledges receipt of invalid Remote Packets with the appropriate ACK code, i.e. ACK BAD OPCODE, ACK BAD ARGUMENT, etc.
- Always acknowledges receipt of incomplete Remote Packets with the appropriate ACK code after a specified timeout, i.e. ACK\_TIMEOUT
- Default timeout for incomplete packets: 1 second.

#### 2.3. Client

The client is an application that connects to the server on a specified port, using an embedded Remote Control Socket configured as client. Once a connection with the server is established, it is the responsibility of the client to drive the communication. The server will not send any data without a request from the client. The server will acknowledge any Remote Packet sent by the client with a response. If data is requested by the client, the server will attach the requested data to the response. The client always expects a response from the server for any sent packet. If no response is received within a specified timeout, it is the responsibility of the client application to either retry the communication or alert the user.

#### 2.4. Remote Packet

#### 2.4.1. Remote Packet Format

The Remote Packet format is depicted in Figure 1.




Figure 1: Remote Packet Format.

A Remote Packet is comprised of the following components:

- **1F:** This preamble is present at the beginning of all Remote Packets. This allows the Remote Control Socket to recognize the beginning of a new packet. As the name suggests, the value is 0x1F.
- LEN: This is the length field of the packet. Its value is the length of the DATA field. LEN is UInt16, and the byte-order is little endian.
- **PID:** This is the Packet ID. It is the client's responsibility to pick a new Packet ID for every new packet. The server will respond to received packets by using the received packet ID in its response. This allows the client to associated sent packets with corresponding response (ACK) packets from the server
- **OP/ACK:** This field is used for the OP (Operator) code for packets sent from the client to the server, and for the ACK (Acknowledge) code for packets sent from the server to the client.
- **ID:** This is the terminal ID to which the packet is to be directed. Each CoolTerm terminal window has its own, unique, terminal ID. This allows OP packets to be addressed to specific terminal windows. While not all OP codes are address to specific terminal windows, the ID byte needs to be present in the packet regardless (the actual value will be ignored by the server). Responses from the server will always be addressed to *0xFF*

• **DATA:** If data is to be sent, it done is via the DATA field of the packet. The DATA field can contain 0 to 65535 bytes. The DATA field is to be formatted as a character string.

Packets sent from the Client to the Server always contain an OP Code. The DATA field is only populated if required by the OP Code.

Packets sent from the Server to the Client always contain an ACK Code. Data requested by the Client will be sent via the DATA field.

## 2.4.2. Examples

The following examples illustrate possible communications between Client and Server. Refer to 2.4.3 and 2.4.4 for details on OP and ACK codes, respectively.

**Example 1:** The following example, the Client sends an OP\_PING command to the server, and the server responds with and ACK\_SUCCESS code. The packet bytes are shown in hexadecimal format:

Packet sent by Client:	1F 00 00 DF 00	00
	<ul><li>LEN:</li><li>PID:</li><li>OP:</li><li>ID:</li></ul>	0x0000 (0 Bytes) 0xDF 0x00 (1: ping) 0x00
Response sent by Server:	1F 00 00 DF FF      LEN:     PID:     ACK:     ID:	<b>FF</b> 0x0000 (0 Byte)  0xDF  0xFF (255: success)  0xFF

**Example 2:** In this example, the client requests the name of the window with index 3 from CoolTerm:

Packet sent by Client:	1F 01 00 E8 1A	00 33
	• LEN:	0x0000 (0 Bytes)
	• PID:	0xE8
	• OP:	0x1A (26: GetWindowName)
	• ID:	0x00
	• DATA:	0x33 ("3")
Response sent by Server:	1F 0A 00 E8 FF	FF 43 6F 6F 6C 54
65 72 6D 5F 30		
	• LEN:	0x000A (10 Bytes)
	• PID:	0xE8
	• ACK:	0xFF (255: success)

• ID: 0xFF

• DATA: "CoolTerm\_0")

## 2.4.3. Remote Packet OP Codes

The Remote Protocol consists of, but is not limited to, the OP Codes listed in Table 1 below.

System Commands				
Description	OP	Data	Return Data	
OP PING	0	-	-	
S. <u>-</u>				
Causes the Server to return an				
ACK SUCCESS packet if a sound processor				
is online and ACK OFFLINE if no sound				
processor is currently online.				
OP LAST SOCKET ERROR	1	-	LastSocketError as String	
Returns the error code for the last socket				
error. Returns 0 for no error.				
Win	dow/	App Commands		
Description	OP	Data	Return Data	
OP_NEW_WINDOW	20	-	ID as String	
Opens a new CoolTerm window. Returns the				
ID of the new window.				
OP_LOAD_SETTING	21	FilePath as String	ID as String	
Tests at OcalTesia to Late		57. B. (6		
Instructs CoolTerm to load the connection		FilePath can be either		
settings specified by the FilePath. Returns the		absolute or relative to the		
ID of the new window if loading was		location of the CoolTerm		
successful, or -1 if it was not.	00	executable.	0	
OP_SAVE_SETTING	22	FilePath as String	Success as String	
Instructs CoolTerm to save the settings of the		FilePath can be either	"True": Success	
terminal window specified by WindowName at		absolute or relative to the	"False": No Success	
the path specified by FilePath		location of the CoolTerm	Taise . No Success	
the path specified by their attr		executable.		
OP GET WINDOW COUNT	23	-	WindowCount as String	
oo2			Trimacin dealine de diimig	
Returns the number of open terminal windows.				
OP GET WINDOW ID	24	Index as String	ID as String	
Returns the ID of the window with the		[0WindowCount-1]		
specified Index, or -1 if the index is invalid.				
OP_GET_WINDOW_ID_FROM_NAME	25	WindowName as string	ID as String	
Returns the ID of the window with the				
specified name, or -1 if the window doesn't				
exist.				
OP_GET_WINDOW_NAME	26	Index as String	Name as String	
Returns the name of the terminal window with		[0WindowCount-1]		
the specified index, or an empty String if the		[OvviiidowCodiit-1]		
index is invalid.				
OP INDEX OF WINDOW ID	27	_	Index as String	
OI _IIADEX_OI _VVIIADOVV_ID	1		mack as oning	
Returns the Index of the window with the				
specified ID.				
OP_CLOSE_WINDOW	28	-	-	
Closes the window with the specified ID.				

OP QUIT	29	Τ_	-
343			
Quits CoolTerm.			
OP_VERSION	30	-	CoolTermVersion as String
Returns the CoolTerm version.			
OP_SHOW_WINDOW	31	-	
Brings the window with the specified ID to the front.			
OP_PRINT	32	-	Success as String
_			
Prints the current contents of the window with the specified ID.			"True": Success "False": No Success
OP_GET_FRONTMOSTWINDOW	33	-	ID as String
Returns the ID of the frontmost terminal window. Returns -1 if there are no open or windows			
visible windows.  OP PAUSE DISPLAY	34	Value as String	
OF_FAUSE_DISFLAT	34	value as String	
		"True": On "False: Off	
Se	rial P	ort Commands	
Description	OP	Data	Return Data
OP_CONNECT	40	-	Success as String
Opens the serial port. Returns True on			"True": Success
success.			"False": No Success
OP_DISCONNECT	41	-	-
Closes the serial port.			
OP_IS_CONNECTED	42	-	Success as String
Returns True if the serial port is open.			"True": Success "False": No Success
OP_LAST_ERROR	43	-	ErrorCode as String
Returns the last serial port error code.	<u> </u>		
	Exch	ange Commands	
Description	OP	Data	Return Data
OP_WRITE	50	Data as String	-
Writes data to the serial port.		5.4	
OP_WRITE_LINE	51	Data as String	-
Writes data terminated by the "Enter Key			
Emulation" character specified in the			
connection settings to the serial port.			
OP_WRITE_HEX	52	HexData as String	-
Writes Hex formatted data to the serial port.			
This is useful when transmitting binary data			
that can't be expressed with a regular			
character string.  OP BYTES LEFT TO SEND	F2	-	NumButos as String
	53	_	NumBytes as String
Returns the number of bytes left in the transmit buffer awaiting transmission.			
OP_POLL	54	-	-
Polls the serial port. This causes all data			
currently available in the serial port receive			
buffer to be transferred to CoolTerm's receive			
buffer immediately. It is recommended to call			
this method before calling OP_READ,			
OP_READ_HEX, OP_READ_ALL,			
OP_LOOK_AHEAD, OP_LOOKAHEAD_HEX,			

and OP_BYTES_AVAILABLE.			
OP_READ	55	NumBytes as String	Data as String
Reads and removes the specified number of characters from the receive buffer.			
OP_READ_ALL	56	-	Data as String
Reads and removes all characters from the			
receive buffer. OP_READ_HEX	57	-	HexData as String
Reads and removes the specified number of characters from the receive buffer. Returns the read data in Hex format.			
OP_READ_ALL_HEX	58	-	HexData as String
Reads and removes all characters from the receive buffer. Returns the read data in Hex format.			
OP_BYTES_AVAILABLE	59	-	NumberOfBytes as string
Returns the number of characters currently available in the receive buffer.			
OP_LOOK_AHEAD	60	-	Data as String
Returns the contents of the receive buffer without removing any data.			
OP_LOOK_AHEAD_HEX	61	-	HexData as String
Returns the contents of the receive buffer in Hex format without removing any data.			
OP_CLEAR_BUFFER	62	-	-
Clears receive buffer.	<u> </u>		
	Serial	Commands	Detum Dete
Description OP_SEND_BREAK	70	Data -	Return Data
Sends a break signal.			
Serius a break signar.			
OP_FLUSH_PORT	71	-	-
OP_FLUSH_PORT	71	-	-
	71	-	-
OP_FLUSH_PORT  Flushes the Serial Port Buffers.  OP_RESET_PORT			
OP_FLUSH_PORT  Flushes the Serial Port Buffers.			
OP_FLUSH_PORT  Flushes the Serial Port Buffers.  OP_RESET_PORT  Resets the Serial Port.	72	-	State as String "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers.  OP_RESET_PORT  Resets the Serial Port.  OP_GET_DTR	72	-	- State as String
OP_FLUSH_PORT  Flushes the Serial Port Buffers.  OP_RESET_PORT  Resets the Serial Port.  OP_GET_DTR  Returns the state of the DTR status line.	72	- State as String "True": active	State as String "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers. OP_RESET_PORT  Resets the Serial Port. OP_GET_DTR  Returns the state of the DTR status line. OP_SET_DTR	72	- State as String	State as String "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers.  OP_RESET_PORT  Resets the Serial Port.  OP_GET_DTR  Returns the state of the DTR status line.  OP_SET_DTR  Sets the state of the DTR status line.	72 73 74	- State as String "True": active	State as String  "True": active "False: inactive -  State as String "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers. OP_RESET_PORT  Resets the Serial Port. OP_GET_DTR  Returns the state of the DTR status line. OP_SET_DTR  Sets the state of the DTR status line. OP_GET_RTS	72 73 74	- State as String "True": active	State as String "True": active "False: inactive - State as String
OP_FLUSH_PORT  Flushes the Serial Port Buffers. OP_RESET_PORT  Resets the Serial Port. OP_GET_DTR  Returns the state of the DTR status line.  OP_SET_DTR  Sets the state of the DTR status line.  OP_GET_RTS  Returns the state of the RTS status line.	72 73 74	- State as String "True": active "False: inactive - State as String "True": active	State as String  "True": active "False: inactive -  State as String "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers. OP_RESET_PORT  Resets the Serial Port. OP_GET_DTR  Returns the state of the DTR status line. OP_SET_DTR  Sets the state of the DTR status line. OP_GET_RTS  Returns the state of the RTS status line. OP_SET_RTS	72 73 74	- State as String "True": active "False: inactive - State as String	State as String  "True": active "False: inactive -  State as String "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers. OP_RESET_PORT  Resets the Serial Port. OP_GET_DTR  Returns the state of the DTR status line. OP_SET_DTR  Sets the state of the DTR status line. OP_GET_RTS  Returns the state of the RTS status line. OP_SET_RTS  Sets the state of the RTS status line.	72 73 74 75	- State as String "True": active "False: inactive - State as String "True": active	State as String  "True": active "False: inactive  -  State as String "True": active "False: inactive -  State as String "True": active "True": active
OP_FLUSH_PORT  Flushes the Serial Port Buffers. OP_RESET_PORT  Resets the Serial Port. OP_GET_DTR  Returns the state of the DTR status line. OP_SET_DTR  Sets the state of the DTR status line. OP_GET_RTS  Returns the state of the RTS status line. OP_SET_RTS  Sets the state of the RTS status line. OP_SET_RTS  Sets the state of the RTS status line. OP_GET_CTS	72 73 74 75	- State as String "True": active "False: inactive - State as String "True": active	State as String  "True": active "False: inactive  -  State as String "True": active "False: inactive -  State as String

			"False: inactive		
OP_GET_DCD	79	-	State as String		
Returns the state of the DCD status line.			"True": active		
OP_GET_RI	80	-	"False: inactive State as String		
Returns the state of the RI status line.			"True": active		
			"False: inactive		
Text Data Exchange Commands					
Description	OP	Data	Return Data		
OP_SEND_TEXTFILE	90	FilePath as String	Success as String		
Sends the text file with the specified FilePath		FilePath can be either absolute or relative to the location of the CoolTerm executable.	"True": Success "False": No Success		
OP_CAPTURE_START	91	FilePath as String	Success as String		
		E. S	" <del>*</del> " "		
Starts capture of data to the text file at the specified FilePath		FilePath can be either absolute or relative to the location of the CoolTerm executable.	"True": Success "False": No Success		
OP_CAPTURE_PAUSE	92	-	-		
Pauses a Capture currently in progress.  OP CAPTURE RESUME	93	_	_		
OP_CAPTURE_RESUME	93	-	-		
Resumes a previously paused Capture.					
OP_CAPTURE_STOP	94	-	-		
Stops a capture currently in progress and closes the file.					
Connection Setting Commands					
		Journal Communication			
Description	OP	Data	Return Data		
Description OP_RESCAN_SERIALPORTS			Return Data		
Description OP_RESCAN_SERIALPORTS Rescans the system for available serial ports.	<b>OP</b> 100	Data -	-		
Description OP_RESCAN_SERIALPORTS	OP	Data	Return Data - SerialPortCount as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT	<b>OP</b> 100	Data -	-		
Description OP_RESCAN_SERIALPORTS Rescans the system for available serial ports.	<b>OP</b> 100	Data -	-		
Description OP_RESCAN_SERIALPORTS Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT Returns the number of available serial ports. OP_SERIALPORT_NAME Returns the name of the Serial Port with the	100 101	Data -	- SerialPortCount as String		
Description OP_RESCAN_SERIALPORTS Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT Returns the number of available serial ports. OP_SERIALPORT_NAME Returns the name of the Serial Port with the specified index, or an empty String if the index	100 101	Data - SerialPortIndex as String	- SerialPortCount as String		
Description OP_RESCAN_SERIALPORTS Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT Returns the number of available serial ports. OP_SERIALPORT_NAME Returns the name of the Serial Port with the	100 101	Data - SerialPortIndex as String	- SerialPortCount as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT	OP 100 101 101 102	Data - SerialPortIndex as String	- SerialPortCount as String SerialPortName as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port.	OP 100 101 101 102	Data - SerialPortIndex as String	- SerialPortCount as String SerialPortName as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected	OP 100 101 101 102	Data - SerialPortIndex as String	- SerialPortCount as String SerialPortName as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index.	100 101 102	Data SerialPortIndex as String [0SerialPortCount-1] -	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed.	100 101 102	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index.	100 101 102	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER  Returns the value of parameter specified by	100 101 102 103	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1]	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER	100 101 102 103	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1]	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER  Returns the value of parameter specified by ParameterName.	100 101 102 103	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1]	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success  Value as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER  Returns the value of parameter specified by ParameterName. To obtain a list of all available Parameter	100 101 102 103	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1] ParameterName as String ParameterName + NUL +	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER  Returns the value of parameter specified by ParameterName. To obtain a list of all available Parameter names, use OP_GET_ALL_PARAMETERS.  OP_SET_PARAMETER	100 101 102 103 104	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1] ParameterName as String	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success  Value as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid.  OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port.  OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success.  OP_GET_PARAMETER  Returns the value of parameter specified by ParameterName. To obtain a list of all available Parameter names, use OP_GET_ALL_PARAMETERS.	100 101 102 103 104	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1] ParameterName as String ParameterName + NUL +	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success  Value as String		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER  Returns the value of parameter specified by Parameter Name. To obtain a list of all available Parameter names, use OP_GET_ALL_PARAMETERS. OP_SET_PARAMETER  Returns the value of the parameter specified by ParameterName. ParameterName and Value need to be separated by the NUL	100 101 102 103 104	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1] ParameterName as String ParameterName + NUL +	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success  Value as String  Success as String  "True": Success		
Description OP_RESCAN_SERIALPORTS  Rescans the system for available serial ports. OP_GET_SERIALPORT_COUNT  Returns the number of available serial ports. OP_SERIALPORT_NAME  Returns the name of the Serial Port with the specified index, or an empty String if the index is invalid. OP_GET_CURRENT_SERIALPORT  Returns the index of the currently selected Serial Port. OP_SET_CURRENT_SERIALPORT  Selects the serial port with the specified index. This can only be done while the port is closed. Returns True on success. OP_GET_PARAMETER  Returns the value of parameter specified by ParameterName. To obtain a list of all available Parameter names, use OP_GET_ALL_PARAMETERS.  Returns the value of the parameter specified by ParameterName. ParameterName and	100 101 102 103 104	Data - SerialPortIndex as String [0SerialPortCount-1] - SerialPortIndex as String [0SerialPortCount-1] ParameterName as String ParameterName + NUL +	SerialPortCount as String  SerialPortName as String  SerialPortIndex as String  Success as String  "True": Success "False": No Success  Value as String  Success as String  "True": Success		

names, use OP_GET_ALL_PARAMETERS.			
OP_GET_ALL_PARAMETERS	112	-	ParameterList as String
Returns a list of all parameter names their values (one per line).			

Table 1: Remote Packet OP Codes.

It is the responsibility of the Server (i.e. CoolTerm) to execute the proper operations upon receipt of one of these OP packets. It is also the Server's responsibility to verify the validity of received packets and respond to the client accordingly using ACK Codes.

#### 2.4.4. Remote Packet ACK Codes

The Remote Protocol consists of, but is not limited to, the ACK Codes listed in Table 2 below.

Description	ACK
ACK_SUCCESS	255
ACK_BAD_OPCODE	254
ACK_BAD_ARGUMENT	253
ACK_TIMEOUT	252
ACK OFFLINE	251

Table 2: Remote Packet ACK Codes.

- ACK\_SUCCESS: This code is used by the Server to indicate to the Client that the packed was successfully received and to return data requested by the Client in its DATA field.
- ACK\_BAD\_OPCODE: This code is sent by the server if the OP code in the received packet is invalid
- ACK\_BAD\_ARGUMENT: This code is sent by the server if the argument contains invalid values (outside the valid number range) or has an invalid format (e.g. Byte instead of UInt16). The server also returns this code the ID field in the received OP packet is invalid.
- ACK\_TIMEOUT: This code is used by the server to indicate to the client that it has not received a complete package within a specified time frame (default: 1 second).
- ACK\_OFFLINE: This code is returned by the server to indicate to the client that no sound processor is online.

Upon receipt of an ACK code that indicates an error, it is the responsibility of the Client software to either retry the communication or to alert the user.