





- Personalised web browsing experience is hard
- Especially with a rigorous and respectful privacy policy
- Ultimately, many of the approaches in UMAP strive to find innovative ways to extract a meaningful signal from very noisy data.

# DATA

Martin Lopatka  
mlopatka@mozilla.com  
Data Scientist/Applied Statistician

**moz://a**



Martin Lopatka  
mlopatka@mozilla.com  
Data Scientist/Applied Statistician

- Martin Lopatka
- Time we have through... Mozilla's approach to recommending browser extensions
- T.A.A.R.
- Curiosity vs. builders -> move **spatial anchor**
- given the time, focus on a very brief overview, and two specific design choices
- Privacy by design and CLLR

# Telemetry-Aware Add-on Recommender

moz://a

## └ Telemetry-Aware Add-on

- Full system Spec

# Differential Privacy

moz://a

## └ Differential Privacy

- Due diligence
- Guards against Overfitting



# Log Likelihood Ratio Cost (cLLR)

moz://a

## └ Log Likelihood Ratio Cost (cLLR)

- better usage of full signal if component modules are probabilistic (flavoured)
- better ensembles
- generalizable

# User Choice and Performance

moz://a

## └ User Choice and Performance

- variable availability of our data, not only in terms of quantity but in terms of fields
- offer users granular choice in Telemetry
- Performs well and scales with data availability
- And 100% open source
- so if you are just curious or building something -> step back **spatial anchor**

# Acknowledgements

moz://a

## └ Acknowledgements

- Thank you all for choosing to come engage with me here
- I'll be happy... questions
- but first... acknowledgements