



HotSchedules--General Purpose File Import Specifications v2.4

Change Log

Version	Updates
All versions prior to 2.0	Initial documentation
2.0 – May 29, 2015	Added missing columns for the following file: • Labor: BreakMinutes • Deliveries: EmpPosId
2.1 – June 11, 2015	Added in columns to show whether or not a value is required and what to input when data isn't available for the column.
2.2 – March 28, 2016	Addition of Schedule Export Format Addition of Dynamic Drivers Format
2.3 – July 8, 2016	The Dynamic Driver Count only supports one volume type (e.g. Plates and Kitchen Units) per file. Ensure only one type per file.
2.4 – August 8, 2017	Specifications for the Job Code file have been added.
2.5 – October 25, 2017	Corrections to the formatting of the OvertimeRate definition in the Job file. Corrections to the order and requirements of the Dynamic Driver file.

Introduction

Certain kinds of data can be provided to HotSchedules via file imports. Files are placed on a FTP server, provided by HotSchedules, at a mutually agreed upon time and frequency. Provided files need to meet very specific formatting and data requirements to ensure they will be processed correctly. This document will outline data and formatting requirements for files that can be processed by HotSchedules.

The following data can be imported into HotSchedules via file integration:

- Employee and employee job information
- Labor and sales data
- Guest, entree, table, delivery count, and dynamic driver data
- Employee certification data

Data that can be exported from HotSchedules via file integration includes:

- Scheduled shift data

File Format & Naming Convention

The import process looks for files by name so it's very important that files follow a very specific format and naming convention. The following specifications are required:

- UTF-8 Text format with a .txt extension
- The correct file name, which differs for each file but follows the same pattern:
 - file_name_YYYYMMDD_HHMMSS.txt
- Within the file:
 - One record per row with fields separated by a pipe character ("|")
 - There can be as many header rows as you want, but it needs to be consistent throughout all company files
 - No additional text should be present in the file other than the optional header rows and the rows that include data
 - No blank rows should be present at the end of the file
 - No additional rows should be present after the last line of actual data
 - All columns within the individual file specifications must be present; there can be no missing columns
 - If data isn't available for a non-required field, it should be blank ("|") or 0 depending on the data type

Once all individual files are ready, they should be zipped together in the same zip file. The name of the zip file should follow the one specified within the statement of work. Generally, the format is (COMPANY)_YYYYMMDD_HHMMSS.ZIP.

- Files should be generated, zipped, and placed automatically in the SFTP/FTP location that was agreed upon by the client and project team

File Specifications

Information that needs to be present within an import file differs depending on which file it is. The following section includes the required data specifications for the following files:

- Employee File
- Job File
- Employee Job File
- Timecard File
- Sales Item File
- Guest Count File
- Data Driver Count Files (same file spec for each driver type)
 - Entree Count File
 - Table Count File
 - Delivery Count File

Employee File (empl_master_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (Provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (Provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
Empld	Int	Employee POS ID	1	Required
FirstName	String	Employee's first name	Matthew	Required
LastName	String	Employee's last name	Fisher	Required
PhoneNo	String	Employee's phone number	512-512-5125	Blank
SmsNo	String	Employee's SMS number	512-512-5125	Blank
EmailAddr	String	Employee's email address	matt@matt.com	Blank
Address1	String	Employee's street address	123 Main Street #1233	Blank
City	String	Employee's address city	Austin	Blank
Province_State	String	Employee's address state	TX	Blank
PostalCode	String	Employee's address zip code	78701	Blank
FireDate	DateTime	Date the employee was fired/terminated	2009-07-01 00:00:00.000	Blank
Nickname	String	Employee's nickname	Matt	Blank
HireDate	DateTime	Date the employee was hired	2009-07-01 00:00:00.000	Blank
Hrld	Int	Employee's unique company-wide ID. Does not change once assigned to the employee.	1	Blank
BirthDate	DateTime	Employee's date of birth	2009-07-01 00:00:00.000	Blank

EmpStatus	Int	Terminated = -1 Active = 1 Inactive = 0 If terminated and termination date is missing, then the termination date will be set to yesterday. If the termination date is present, HS will update with the date passed. If a status is active or inactive, the termination date shouldn't be present.	-1	Blank
-----------	-----	--	----	-------

Job Code File (job_client_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (Provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (Provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	Required
Job Code	Int	Job code's POS ID	123	Required
Job Name	string	Descriptor of the job code	Bartender	Required
PayRate	Float	Default pay rate for this job	8.00	Required
OvertimeRate	Float	Default overtime rate for this job	12	0

Employee Job File (empl_job_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (Provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (Provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	Required
EmplId	Int	Employee's POS ID	123	Required
JobNo	Int	POS ID of the employee's job	321	Required
PayRate	Float	Employee's default pay rate for this job	8.00	Required
OvertimeFactor	Float	Multiplier for overtime for the pay rate	1.5	0
PrimaryFlag	Char	Y = user's primary job N = not user's primary job	Y	Required

Timecard File (timecard_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (Provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (Provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	Required
EmpID	Int	Employee ID (POS ID) of the employee who owns the punch record	1	Required
JobNo	Int	Job ID (POS Job ID) of the job that was worked for the punch record	1	Required
BusinessDate	DateTime	Business day the punch record posted to. Format: yyyy-mm-dd	2009-07-01 00:00:00.000	Required
PunchIn	DateTime	Clock in date and time for the punch record. Format: yyyy-mm-dd hh:mm:ss.sss	2009-07-01 00:00:00.000	Required
PunchOut	DateTime	Clock out date and time for the punch record. Format: yyyy-mm-dd hh:mm:ss.sss	2009-07-01 00:00:00.000	Required
WorkMinutes	Int	Total number of minutes worked for the punch record	123	0
OvertimeMinutes	Int	Total number of overtime minutes worked for the punch record	123	0
RegularPay	Float	Total value of regular (non-overtime) pay for the punch record	123.45	0
OvertimePay	Float	Total value of overtime pay for the punch record	123.45	0
SpecialPay	Float	Total value of special pay for the punch record	123.45	Blank
DeclaredTips	Float	Total value of declared tips for the punch record	123.45	0
BreakMinutes	Float	Total number of break minutes for the punch record	123.45	Blank
RegWage	Float	Regular wage paid for this punch record	123.45	Required
OvtWage	Float	Overtime wage paid for this punch record	123.45	Required

Sales File (sales_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (provided by HotSchedules)	1	Required

ConceptNum	Int	Unique concept ID (provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
BusinessDate	DateTime	Business day this record posted to. yyyy-mm-dd hh:mm:ss.sss	2009-07-01 00:00:00.000	Required
TransactionDateTime	DateTime	Date and time of day the transaction posted. yyyy-mm-dd	2009-07-01 00:00:00.000	Required
SalesAmount	Float	Total value of the transaction (two decimal places: 99999.99)	32.11	0
EmpID	Int	Employee ID (POS) of the employee that entered the sale	123	Blank
RevCenter	Int	Revenue center code	1	0
SalesCat	Int	Sales category code	1	0

Guest Count File (guest_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
BusinessDate	DateTime	Business day the record posted to. yyyy-mm-dd hh:mm:ss.sss	2009-07-01 00:00:00.000	Required
TransactionDateTime	DateTime	Date and time of day this transaction posted. yyyy-mm-dd hh:mm:ss.sss	2009-07-01 00:00:00.000	Required
GuestCount	Float	Total value of transaction (two digits for decimals: 99999.99)	32.11	0
RevCenter	Int	Revenue center code	1	0

Entree Count File (entrees_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Blank
CompanyNum	Int	Unique company ID (provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
BusinessDate	DateTime	The business day this record posted to. yyyy-mm-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required
TransactionDateTime	DateTime	The date and time of day this transaction posted. yyyy-m-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required

EntreeCount	Float	The actual entree count (two digits for decimals: 999999.99)	32.11	0
EmpPosId	Int	The employee ID of the employee that entered the sale	123	Required
RevenueCenterId	Int	The revenue center code	1	0

Table Count File (tables_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Blank
CompanyNum	Int	Unique company ID (provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
BusinessDate	DateTime	The business day this record posted to. yyyy-mm-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required
TransactionDateTime	DateTime	The date and time of day this transaction posted. yyyy-m-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required
TableCount	Float	The actual table count (two digits for decimals: 999999.99)	32.11	0
EmpPosId	Int	The employee ID of the employee that entered the sale (POS ID)	123	Required
RevenueCenterId	Int	The revenue center code	1	0

Delivery Count File (delivery_YYYYMMDD_HHMMSS.txt)

Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
BusinessDate	DateTime	The business day this record posted to. yyyy-mm-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required
TransactionDateTime	DateTime	The date and time of day this transaction posted. yyyy-m-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required
DeliveryCount	Float	The total value of this transaction (two digits for decimals: 99999.99)	32.11	0
EmpPosId	Int	The employee's POS ID that delivered the order	1	Required

RevenueCenterId	Int	The revenue center code	1	0
Employee Certifications File (emp_certs_YYYYMMDD_HHMMSS.txt)				
Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (Provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (Provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
EmpId	Int	Employee POS ID	1	Required
CertExtRef	Int	Numeric ID for this certification	2222	0
CertName	String	Name for this certification	Food Prep	Blank
CertExpirationDate	DateTime	Date this particular certification expires for this employee. yyyy-mm-dd hh:mm:ss.sss.	2009-07-01 00:00:000	Required
Dynamic Driver Count File (volume_YYYYMMDD_HHMMSS.txt)				
Column	Type	Description	Sample Value	Null/Empty
CompanyNum	Int	Unique company ID (provided by HotSchedules)	1	Required
ConceptNum	Int	Unique concept ID (provided by HotSchedules)	1	Required
StoreNum	Int	Unique store or location ID	1	0
POS_ID	Int	Employee POS ID	1	0
BusinessDate	DateTime	The business day this record posted to. Format should be yyyy-mm-dd hh:mm:ss.sss.	2009-07-01 00:00:00.000	Required
TransactionDateTime	DateTime	The date and time of day this transaction posted. Format should be yyyy-	2009-07-01 18:42:00.000	Required
VolumeAmount	Float	The actual volume count (two digits for decimals: 999999.99)	32.11	0
OrderID	Int	The POS ID associated with the order	1	0
Revenue Center	Int	The revenue center where the driver originated	1	Required
SalesCategory	Int	The sales category for the driver	1	Required
VolumeType	String	The type of driver	LBW	Required

Shift data export (schedule export) *

*Note: this data is exported from HotSchedules for use in external systems. Files can include a variable number of work weeks (1-4) of scheduled shift data

Shift Data Export (shifts_YYYYMMDD_HHMMSS.txt)			
Column	Type	Description	Sample value
CompanyNum	Int32	Unique company ID (will be provided by HotSchedules)	1
ConceptNum	Int32	Unique concept ID (will be provided by HotSchedules)	1
StoreNum	Int32	Unique store or location ID	1
BusinessDate	DateTime	Business date for this shift	2009-07-01 00:00:00.000
Workweek start	DateTime	Date for the first day of the workweek this shift belongs to	2009-07-01 00:00:00.000
Workweek end	DateTime	Date for the last day of the workweek this shift belongs to	2009-07-01 00:00:00.000
LocationID	Int32	External ref ID for the location for this shift	12
Location Name	char	Location name for this shift	Kitchen
EmpID	Int32	Employee POS ID	12345
Emp First Name	char	Employee first name	John
Emp Last Name	char	Employee last name	Smeeth
Job Code	Int32	POS job code ID	1234
Job Name	char	POS job code name	Server
Rate	currency	Scheduled rate for this employee working this shift	12.34
OT rate	currency	OT rate for this employee working this shift (will generally be 1.5x regular rate)	24.78
Shift start	DateTime	Date/time for this shift start	2009-07-01 00:00:00.000
Shift end	DateTime	Date/time for this shift end	2009-07-01 00:00:00.000
Regular minutes	int	Total scheduled minutes for this shift	480
OT Minutes	int	Total scheduled OT minutes for this shift	30
Regular pay	currency	Total scheduled regular pay for this shift	123.34
OT Pay	currency	Total scheduled OT pay for this shift	12.34
Special Pay	currency	Total scheduled special pay	12.34

*Note: this data is exported from HotSchedules for use in external systems. Files can include a variable number of work weeks (1-4) of scheduled shift data