Robust random graph matching in Gaussian models via vector approximate message passing

Zhangsong Li

RAMBLERLZS@PKU.EDU.CN

School of Mathematical Sciences, Peking University

Editors: Nika Haghtalab and Ankur Moitra

Abstract

In this paper, we focus on the matching recovery problem between a pair of correlated Gaussian Wigner matrices with a latent vertex correspondence. Although Polynomial-time algorithms for graph matching have been studied in the line of work (Barak et al. (2019); Ding et al. (2021); Fan et al. (2023a,b); Ganassali and Massoulié (2020); Ganassali et al. (2024a); Mao et al. (2021, 2023a); Ganassali et al. (2024b); Mao et al. (2023b); Ding and Li (2025+, 2023)), many of the efficient algorithms used to achieve matching recovery are believed to be fragile in the sense that adversarially modifying a small fraction of edges could fool the algorithm into outputting a result which deviates strongly from the true underlying matching. Thus, we are particularly interested in a robust version of this problem such that our observation is a perturbed input (A + E, B + F) where (A, B) is a pair of correlated Gaussian Wigner matrices and E, F are adversarially chosen matrices supported on an unknown $\epsilon n * \epsilon n$ principle minor of A, B, respectively. We propose a vector approximate message passing (vector AMP) algorithm that succeeds in polynomial time as long as the correlation ρ between (A, B) is a non-vanishing constant and $\epsilon = o(\frac{1}{(\log n)^{20}})$.

The main methodological inputs for our result are the iterative random graph matching algorithm proposed in Ding and Li (2025+, 2023) and the spectral cleaning procedure proposed in Ivkov and Schramm (2025). To the best of our knowledge, our algorithm is the first efficient random graph matching type algorithm that is robust under any adversarial perturbations of $n^{1-o(1)}$ size.¹

Keywords: random graph matching; robust algorithm; approximate message passing.

Acknowledgments

The author thanks Hang Du and Shuyang Gong for stimulating discussions. The author is partially supported by National Key R&D program of China (No. 2023YFA1010103) and NSFC Key Program (Project No. 12231002).

References

Boaz Barak, Chi-Ning Chou, Zhixian Lei, Tselil Schramm, and Yueqi Sheng. (Nearly) efficient algorithms for the graph matching problem on correlated random graphs. In *Advances in Neural Information Processing Systems (NIPS)*, volume 32. Curran Associates, Inc., 2019.

^{1.} Extended abstract. Full version appears at [arXiv:2412.16457v2]

- Jian Ding and Zhangsong Li. A polynomial-time iterative algorithm for random graph matching with non-vanishing correlation. *arXiv preprint*, *arXiv:2306.00266*, 2023.
- Jian Ding and Zhangsong Li. A polynomial time iterative algorithm for matching Gaussian matrices with non-vanishing correlation. *Foundations of Computational Mathematics*, 2025+.
- Jian Ding, Zongming Ma, Yihong Wu, and Jiaming Xu. Efficient random graph matching via degree profiles. *Probability Theory and Related Fields*, 179(1-2):29–115, 2021.
- Zhou Fan, Cheng Mao, Yihong Wu, and Jiaming Xu. Spectral graph matching and regularized quadratic relaxations I: The Gaussian model. *Foundations of Computational Mathematics*, 23 (5):1511–1565, 2023a.
- Zhou Fan, Cheng Mao, Yihong Wu, and Jiaming Xu. Spectral graph matching and regularized quadratic relaxations II: Erdős-Rényi graphs and universality. *Foundations of Computational Mathematics*, 23(5):1567–1617, 2023b.
- Luca Ganassali and Laurent Massoulié. From tree matching to sparse graph alignment. In *Proceedings of 33rd Conference on Learning Theory (COLT)*, pages 1633–1665. PMLR, 2020.
- Luca Ganassali, Laurent Massoulié, and Marc Lelarge. Correlation detection in trees for planted graph alignment. *Annals of Applied Probability*, 34(3):2799–2843, 2024a.
- Luca Ganassali, Laurent Massoulié, and Guilhem Semerjian. Statistical limits of correlation detection in trees. *Annals of Applied Probability*, 34(4):3701–3734, 2024b.
- Misha Ivkov and Tselil Schramm. Fast, robust approximate message passing. In *Proceedings of the 57th Annual ACM Symposium on Theory of Computing (STOC)*. ACM, 2025.
- Cheng Mao, Mark Rudelson, and Konstantin Tikhomirov. Random graph matching with improved noise robustness. In *Proceedings of 34th Conference on Learning Theory (COLT)*, pages 3296–3329. PMLR, 2021.
- Cheng Mao, Mark Rudelson, and Konstantin Tikhomirov. Exact matching of random graphs with constant correlation. *Probability Theory and Related Fields*, 186(1-2):327–389, 2023a.
- Cheng Mao, Yihong Wu, Jiaming Xu, and Sophie H. Yu. Random graph matching at Otter's threshold via counting chandeliers. In *Proceedings of the 55th Annual ACM Symposium on Theory of Computing (STOC)*, pages 1345–1356. ACM, 2023b.