Insert, View, and Delete Data

INSERT Syntax

```
INSERT [LOW_PRIORITY | DELAYED | HIGH_PRIORITY] [IGNORE]
  [INTO] tbl_name
  [PARTITION (part_name [, part_name] ...)]
  [(col_name [, col_name] ...)]
  {VALUES | VALUE} (value_list) [, (value_list)] ...
  [ON DUPLICATE KEY UPDATE assignment_list]
```

Insert rows into a table:
```
INSERT INTO tbl_name (col_name,col_name) VALUES
(val_list),(val_list);
```

Using INSERT...SELECT:
```
INSERT INTO tbl_name (col_name,col_name) SELECT...
```

SELECT Syntax

```
SELECT [DISTINCT] select_expr [, select_expr] FROM tbl_ref
  [WHERE where_cond]
  [GROUP BY col|expr|positiion]
  [HAVING where_cond]
  [ORDER BY col|expr|positiion]
  [LIMIT [offset,] row_count]
  [INTO OUTFILE 'file_name']
```

List entries in a table;
```
SELECT * FROM tbl_name;
SELECT col1, col2 FROM tbl_name;
```

Linux Academy

Database
Administration

Insert, View, and Delete Data

DELETE Syntax

```
DELETE FROM tbl_name [WHERE where_cond] [ORDER BY ...]
[LIMIT row_count]
```

Delete a record from a table:
```
DELETE FROM tbl_name WHERE col = 'value'
```