
设置样式

```
.emoji{
width: 300px;
 height: 300px;
 position: relative;
 overflow: hidden;
 background-image:
 radial-gradient(#feca3e 50%,#ff8000 80%);
 border-radius: 50%;
 box-shadow: 0 0 100px rgba(0, 0, 0, 0.5);
                           设置阴影
```


```
<div class="emoji">
</div>
```



伪元素创建两个眼睛


```
.emoji::before,.emoji::after{
 content:"";
 position: absolute;
 width: 32px;
 height: 45px;
 background: #663d0f;
 top: 90px;
 .emoji::before{
  left: 80px;
                    更新位置
 .emoji::after{
  right: 80px;
```

<div class="emoji"> </div>



伪元素创建两个眼睛

```
.emoji::before,.emoji::after{
content:"";
 position: absolute;
 width: 32px;
 height: 45px;
 background: #663d0f;
top: 90px;
 border-radius: 50%;
 box-shadow: 0 -6px #4d2e08;
```




山阜衣順(css-demo)

```
定义口罩样式
.mask{
width:220px;
height: 120px;
background: #ffffff;
position: absolute;
 left: 0;
right: 0;
margin: auto;
bottom: 30px;
```

border-radius: 5px 5px 50% 50%;


设置弧度

```
<div class="emoji">
  <div class="mask"></div>
  </div>
```



伪元素定义口罩绳子


```
.mask::before,.mask::after{
  content:"";
  width:300px;
  height: 10px;
  position: absolute;
  background: white;
  z-index: -1;
}
```



旋转和平移合适位置


```
.mask::before{
 left: -30px;
top:25px;
transform: rotate(-20deg);
.mask::after{
left: -50px;
top: 25px;
transform: rotate(20deg);
```

```
<div class="emoji">
  <div class="mask"></div>
  </div>
```



```
旋转和平移合适位置
```

```
.mask::before{
 left: -30px;
top:25px;
transform: rotate(-20deg);
.mask::after{
 left: -50px;
top: 25px;
transform: rotate(20deg);
```



```
设置样式
.details{
width: 180px;
height: 15px;
 background: #bef4f1;
 position: absolute;
 left: 0;
top: 20px;
right: 0;
 margin: auto;
border-radius: 0 0 50% 50%;
 box-shadow:
    0 25px #bef4f1,
    0 50px #bef4f1;
                         阴影方式增加另外两个
```

```
<div class="mask">
  <div class="details"></div>
  </div>
```

