

```
第一步:准备菜单结构和基本样式
<link rel="stylesheet"</pre>
                                                                引入字体图标库
href="http://at.alicdn.com/t/c/font_4096975_pswyqyk8tdo.css">
<l
   <
      <span></span>
                        悬浮层结构
      <span></span>
      <span></span>
      <span></span>
      <span class="iconfont icon-douyin"></span>
```

```
第一步:准备菜单结构和基本样式
body{
   margin: 0;
   padding: 0;
   min-height: 100vh;
   display: flex;
   align-items: center;
                               设置内容居中
   justify-content: center;
ul{
   position: relative;
   margin: 0;
   padding: 0;
   display: flex;
   list-style: none;
```

J

```
position: absolute;
top: 0;
left: 0;
width: 100%;
height: 100%;
background: #dd4b39;
transition: 0.5s;
display: flex;
justify-content: center; ← 设置底色, 图标居中
align-items: center;
color: #fff;
font-size: 30px !important;
```



```
第三步:添加鼠标悬停悬浮效果
ul li:hover span:nth-child(5){
   transform: translate(40px,-40px);
   opacity: 1;
ul li:hover span:nth-child(4){
   transform: translate(30px,-30px);
   opacity: 0.8;
ul li:hover span:nth-child(1){
   transform: translate(0,0);
   opacity: 0.2;
 hover时,每层位移+透明度
```

```
第四步: 复制 粘贴 完成 更多菜单
<
   <span></span>
   <span></span>
   <span></span>
   <span></span>
   <span class="iconfont icon-QQ"></span>
省略类似结构代码
<
   <span></span>
   <span></span>
   <span></span>
   <span></span>
   <span class="iconfont icon-shouji"></span>
```

```
第四步:复制 粘贴 完成 更多菜单

ul li:nth-child(1) span{
    background: #3b5999;
}
... ...

ul li:nth-child(5) span{
    background: #e4405f;
}
```

设置不同图标颜色



```
第四步:复制 粘贴 完成 更多菜单

ul li {
    background: transparent;
}

之前的灰色底色,恢复透明
```

