BABU BANARASI DAS UNIVERSITY

SCHOOL OF COMPUTER APPLICATION

Department of Cyber Security & Forensics

IDENTITY AND ACCESS MANAGEMENT (BCACSN13201)

Session 2025-26

PROJECT FILE

SUBMITTED BY :-
NAME – Sahil Singh yadav
SECTION – BCACS22
ROLL NO :- 1240264103

SUBMITTED TO :-
Mr. Anand Kumar

INDEX

S.No.	Name of Experiments	Page No.	Sign/ Remark
1.	Phishing Page		

PRACTICAL

OBJECTIVE

To demonstrate the effective use of **zPhisher** within a controlled and safe environment using **Kali Linux** installed on **VirtualBox**.

Requirements

- **VirtualBox**
- **Kali Linux ISO**
- **zPhisher** (htr-tech/zphisher)
- **Git**
- Terminal (within Kali)

Procedure

Step 1 — Installing zPhisher

1.1 Clone zPhisher repository

git clone https://github.com/htr-tech/zphisher.git



Step 2 — Running zPhisher

2.1 Change to the zPhisher directory

cd zphisher

2.2 Start zPhisher

Bash zphisher.sh

```
kali@kali: ~/zphisher
File  Actions  Edit  View  Help
Receiving objects: 100% (1801/1801), 28.68 MiB | 2.76 MiB/s, done.
Resolving deltas: 100% (817/817), done.

┌──(kali㉿kali)-[~]
└─$ cd zphisher

┌──(kali㉿kali)-[~/zphisher]
└─$ bash zphisher.sh

[+] Installing required packages ...

[+] Packages already installed.

[+] Internet Status : Online

[+] Checking for update : up to date

[+] Installing Cloudflared ...
```

2.2 Select a phishing template

- zPhisher displays a menu (e.g., Facebook, Instagram, Google). Enter the template number.

```
kali@kali: ~/zphisher
File  Actions  Edit  View  Help
|___  /     | |   (_)   | |
   / / _ __ | |__   _ ___| |__   ___ _ __
  / / | '_ \| '_ \| / __| '_ \ / _ \ '__|
 / /__| |_) | | | | \__ \ | | |  __/ |
/_____| .__/|_| |_|_|___/_| |_|\___|_|
      | |
      |_|                Version : 2.3.5

[-] Tool Created by htr-tech (tahmid.rayat)

[::] Select An Attack For Your Victim [::]

[01] Facebook      [11] Twitch       [21] DeviantArt
[02] Instagram     [12] Pinterest    [22] Badoo
[03] Google        [13] Snapchat     [23] Origin
[04] Microsoft     [14] Linkedin     [24] DropBox
[05] Netflix       [15] Ebay         [25] Yahoo
[06] Paypal        [16] Quora        [26] Wordpress
[07] Steam         [17] Protonmail   [27] Yandex
[08] Twitter       [18] Spotify      [28] StackoverFlow
[09] Playstation   [19] Reddit       [29] Vk
[10] Tiktok        [20] Adobe        [30] XBOX
[31] Mediafire     [32] Gitlab       [33] Github
[34] Discord       [35] Roblox
```

2.3 Configure phishing setup

- Follow prompts to select local server method and port.

2.4 Share the phishing link

- zPhisher will provide a lab link — use **only** in the authorized lab environment.



Step 3— Demonstrating the Attack (Controlled Lab)

3.1 Open a test browser

- On a separate lab VM/device, open a browser and navigate to the provided phishing link.



3.2 Capture credentials (lab-only)

- Credentials/input captured by zPhisher appear in the Kali terminal. Document results in your lab notes.
- Press Ctrl + C in the terminal to exit.