# X Healthcare: How to Insert an Indwelling Urinary Catheter (Foley Catheter) - Female

Policy Number 5

# **Purpose**

This document outlines the procedure for inserting an indwelling urinary catheter, also known as a Foley catheter, in female patients at X Healthcare, following policy number 5. This procedure is to be performed by trained and authorized personnel only.

# **Equipment Required**

The following equipment should be readily available before beginning the procedure:

- Sterile gloves
- Sterile drapes
- Antiseptic solution (e.g., povidone-iodine or chlorhexidine)
- Sterile cotton balls or swabs
- Lubricant jelly (water-soluble)
- Indwelling urinary catheter (appropriate size)
- Syringe with sterile water for balloon inflation
- Urine collection bag and drainage system
- Specimen container (if needed)
- Light source for visualization

## **Procedure**

- 1. Patient Preparation:
  - Verify the patient's identity and explain the procedure.
  - Ensure patient privacy and provide proper draping.

 Position the patient in the dorsal lithotomy position (supine with knees flexed and feet flat on the bed).

### 2. Hand Hygiene and Gloving:

- Perform thorough hand hygiene.
- Don sterile gloves.

### 3. Perineal Cleaning:

- Using sterile technique, clean the perineal area with antiseptic solution.
- Use each cotton ball or swab only once, moving from front to back.

### 4. Catheter Insertion:

- Identify the urinary meatus.
- Apply lubricant jelly to the tip of the catheter.
- Gently insert the catheter into the urinary meatus until urine flow is observed.

### 5. Balloon Inflation:

- Once urine flow is established, inflate the catheter balloon with the amount of sterile water specified on the catheter packaging.
- Gently pull back on the catheter until resistance is felt, ensuring the balloon is securely in place.

### 6. Connection to Drainage System:

- Connect the catheter to the urine collection bag and drainage system.
- Secure the catheter tubing to the patient's thigh to prevent dislodgement.

### 7. Post-Procedure Care:

- Ensure the patient is comfortable.
- Document the procedure, including the size of the catheter, amount of balloon inflation, and urine output.
- Monitor urine output and catheter patency regularly.

# **Important Notes**

- Maintain strict sterile technique throughout the procedure.
- If resistance is encountered during catheter insertion, do not force it. Notify a supervisor or physician.
- Always adhere to X Healthcare's policies and procedures for infection control and patient safety.

# **Potential Complications**

- Urinary tract infection
- Urethral trauma
- Bleeding
- Catheter blockage

This procedure must be performed by trained and authorized personnel. Any deviations from this procedure must be documented and approved.