
Introduction to Lambda Calculus


Maciek Makowski (@mmakowski)

12th August 2014

The Plan



Basic Lambda Calculus



```
\begin{array}{ll} \langle \textit{term} \rangle ::= x & \text{(variable)} \\ & | & (\lambda x. \langle \textit{term} \rangle) & \text{(abstraction)} \\ & | & (\langle \textit{term} \rangle \ \langle \textit{term} \rangle) & \text{(application)} \end{array}
```

where $x \in \mathbb{X}$ – the set of variables

 v_1

 v_1

var *v*₁

x y




 $\lambda a.b$

 $\lambda a.b$ abs a var b

 $(\lambda a.\lambda b.a)~c~(\lambda b.b)$

```
\begin{array}{ll} \langle \textit{term} \rangle ::= x & \text{(variable)} \\ & | & (\lambda x. \langle \textit{term} \rangle) & \text{(abstraction)} \\ & | & (\langle \textit{term} \rangle \ \langle \textit{term} \rangle) & \text{(application)} \end{array}
```



$$(\lambda x.xy) (\lambda x.x) \longleftrightarrow_{\alpha} (\lambda a.ay) (\lambda b.b)$$

$$(\lambda x.xy) (\lambda z.z) \longrightarrow_{\beta} (\lambda z.z) y \longrightarrow_{\beta} y$$


TODO: multiple redexes, Church-Rosser

TODO: Ω


Semantics

TODO: functions


Programming in Lambda Calculus




Simple Types




Curry-Howard Correspondence




More Types



The Lambda Cube



The Lambda Cube



Subtyping



Subtyping

