

Release Notes xxxx-xx-xx : : not ready at all

The AD literature seems to go from miracle to failed miracle almost daily with little attempt to integrate new results with old observations. There are now a lot of data points to put together with cause and effect like any TV detective would do or as described in fables like the blind men and the elephant even though apparently Natalie Merchant set it to music. This work tries to fix that and finds that all these things are logically explained by well known issues such as age related digestive defects. Suggestions are further supported by in-house work on optimization of dog diets demonstrating apparent safety and utility of out of favor vitamins that could be impacted by changes in stomach chemistry. Another problem may be politics. One issue may be related to tyrosine metabolism and increased relative abundance of analogs capable of becoming toxic. This immediately jumps out as a contributor to race based AD differences not just social aspects that are touted as they are politically correct. To be sure, constitutive tyrosine metabolizers may have adaptive responses which support this flux with no net "bad" effects elsewhere and there may turn out not to be any anyway. In any case, its an important issue and like any other law of nature will not yield to human desire and the only way for people to benefit is follow the data. If you want to fool society, appease angry people, instead of solving problems and eliminating run on sentences for everyone turn back now to your safe space... **This is a draft and has not been peer reviewed or completely proof read but released in some state where it seems worthwhile given time or other constraints. Typographical errors are quite likely particularly in manually entered numbers. This work may include output from software which has not been fully debugged. For information only, not for use for any particular purpose see fuller disclaimers in the text. Caveat Emptor.**

This document is a non-public DRAFT and contents may be speculative or undocumented or simple musings and should be read as such.

Note that any item given to a non-human must be checked for safety alone and in combination with other ingredients or medicines for that animal. Animals including dogs and cats have decreased tolerance for many common ingredients in things meant for human consumption.

I am not a veterinarian or a doctor or health care professional and this is not particular advice for any given situation. Read the disclaimers in the appendices or text, take them seriously and take prudent steps to evaluate this information.

This work addresses a controversial topic and likely advances one or more viewpoints that are not well accepted in an attempt to resolve confusion. The reader is assumed familiar with the related literature and controversial issues and in any case should seek additional input from sources the reader trusts likely with differing opinions. For information and thought only not intended for any particular purpose. Caveat Emptor

The release may use an experimental bibliography code that is not designed to achieve a particular format but to allow multiple links to reference works with modifications to the query string to allow identification of the citing work for tracking purposes. This may be useful for a bill-of-materials and purchases later.

Alzheimer's Disease : 10k maniacs agree its an elephant

Mike Marchywka*

157 Zachary Dr Talking Rock GA 30175 USA

(Dated: February 8, 2026)

Effective treatments for Alzheimer's Disease(AD) have been difficult to create. Much effort has been directed at amyloid beta removal with minimal clinical benefits demonstrated. Several alternative approaches have become popular including the infection hypothesis. Since so many pathogens appear to cause AD an age related vulnerability may be a better focus. Over various time spans, a series of headlines has emerged claiming benefits for various nutrients or supplements such as thiamine, choline, lithium, or NAD+. However, none appear to generate robust recovery. Taking these results and other observations together, similar to the fable of the blind men grasping different parts of an elephant, a plausible unifying theme is nutrient deficiency due to age related digestive defects. Isolated profound nutrient deficiencies will not likely exist so obvious attribution of disease to single molecular entity is not a good starting point. Note that this goes beyond failure to absorb nutrients but also the creation of age related toxins, possibly methanol for example, that may need to be mitigated. Adaptive and maladaptive responses may make such an initial cause difficult to discern. This work motivates "meal engineering" as an intervention strategy that may be able to correct many of these problems. If this analysis accurately captures cause and effect in the real disease, correction or prevention may be fairly easy with well known small nutrient molecules or addition of acid or chloride to meals. Individual responses to nutrient details will appear to make each case different but still possibly treatable with similar simple remedies. Indeed, there has been

some limited success with dietary interventions but these fail to be designed around likely age related causes although they may coincidentally mitigate some of these problems. It may not be possible get all required nutrients from food once damage to digestive system has occurred and supplements or other entities may be required. Cations such as metals, protein bound nutrients, amino acids, and lipophilic nutrients would likely be the first suspects. In particular, its likely that vitamin K and copper, along with more accepted components such as amino acids and SMVT substrates all need to be included to replace the younger absorption profile. However, brute force supplementation without regard to formulation may not work due to chemical and metabolic interactions. Two important amino acids with solubility issues in particular, tyrosine and tryptophan, and critical but reactive metals such as copper may require special attention. There are also possible political concerns if there is a hesitancy to link tyrosine metabolism to dementia. However, as always, social influences will not change the part to a best solution.

CONTENTS

I. Introduction	4
II. Common Age-Related Digestion Defects	7
III. Meal Engineering Considerations	8
IV. Candidate Ingredients	8
V. Development Paths	9
VI. Biggest Problems	9
VII. Conclusions	10
VIII. Supplemental Information	10
VIII.1. Computer Code	10
IX. Bibliography	10
References	10
Acknowledgments	16
A. Statement of Conflicts	17
B. About the Authors and Facility	17
C. Symbols, Abbreviations and Colloquialisms	17
D. General caveats and disclaimer	17
E. Citing this as a tech report or white paper	17

Citing information should also be available in machine readable form in the pdf extended information unless modified by the hosting web site ,

* marchywka@hotmail.com; to cite or credit this work, see bibtex in [E](#)

```
@techreport{marchywka-MJM-2026-001,
filename={elephant} ,
run-date={February 8, 2026} ,
title={Alzheimer's Disease : 10k maniacs agree its an elephant} ,
author={Mike J Marchywka } ,
type={techreport} ,
name={marchywka-MJM-2026-001} ,
number={MJM-2026-001} ,
version={0.00} ,
sourcecode={https://github.com/mmarchywka/elephant} ,
institution={not institutionalized, independent } ,
address={ 157 Zachary Dr Talking Rock GA 30175 USA} ,
date={February 8, 2026} ,
startdate={2026-01-17} ,
day={8} ,
month={2} ,
year={2026} ,
author1email={marchywka@hotmail.com} ,
contact={marchywka@hotmail.com} ,
author1id={orcid.org/0000-0001-9237-455X} ,
pages={ 19}
}
```

I. INTRODUCTION

Alzheimer's disease remains an unresolved problem despite all the money and effort directed at it for the last several decades. Despite decades of development, anti-amyloid products continue to show questionable net clinical benefit [80] and do not always get FDA approval even with creative trial design [33]. This is in spite of the fact that as early as 2002 some had noted too many inconsistent observations of amyloid or tau to be serious targets [76].

Others are using AI for precision medicine thinking that patient heterogeneity is a problem [110].

Thinking aloud

generally with such a narrow window there is either an important constraint or it is just chasing noise.

In response, some are proposing the use of emerging AI [35] which may yield results but often is limited by training not on raw data but human commentary and a statistical rather than "model of reality" based view.

Some are searching for connections between apparently unrelated observations [41].

Headlines sometimes appear about new scientific or anecdotal evidence pointing to a new treatment but rarely do these translate into useful therapies. The thesis of this work is that many of these results are useful but tend to be interpreted in isolation and without regard for cause and effect in real disease. "Animal models" may mimic some features of real disease but are predicated on a cause unlikely to be relevant to the pathology being treated. By coincidence, sometimes however results may be transferable but don't seem to add to understanding.

In the search for alternatives to the amyloid hypotheses, a number of other ideas have been generated. A variety of metabolic ideas have been considered.

Thinking aloud

find the work on secretase and hair color for example

Genetics have been widely explored with several common mutations linked to either familial AD (PSEN1, PSEN2, APP) or sporadic late onset (APOE) disease but with many others possibly involved [7]. Among these are things like SLC10A2 and a variety of lipid, calcium, or immune related genes. APOE is associated with many vitamins including vitamin K. APOE was identified as important for vitamin K transport to bones as early as 1996 with apoE4 noted for association with lower serum K and increased fracture risk [56] and it was noted response to supplementation occurs over months. However, a later work found "superior vitamin K status is associated with the apoE4 genotype in healthy older individuals from China and the UK" [113].

A some human mutations identified in specific populations, along with humanized genes, have been used to create animal models of AD. The 5xFAD mouse overexpresses mutations in APP and MSEN1 and mimics some features of real disease although not NFT's [79]. EFAD mice include a human APOE gene [101] but still interpretation of any intervention has to be tempered with an understanding of the assumptions inherent in these models. Interestingly, the 5xFAD mice respond differently to diet than wild type. One study found some apparent decoupling of results,

Thus, 5XFAD mice exhibited greater susceptibility to highfat diet than wildtype mice regarding cerebrovascular injury and cognitive impairment. On the other hand, 5XFAD mice fed highfat diet exhibited much less increase in body weight, white adipose tissue weight, and adipocyte size than their wildtype counterparts. Highfat diet significantly impaired glucose tolerance in wildtype mice but not in 5XFAD mice. Thus, 5XFAD mice had much less susceptibility to highfatdietinduced metabolic disorders than wildtype mice. [62].

These models were largely designed with the assumption that accumulation of amyloid beta was the central feature to replicate but that may turn out to not be correct. Since the cause and effect in real disease would only be captured by luck there could be a lot of limitations from any of these models.

Besides mutation data, transcriptome analysis has found genes which are over or under transcribed in Alzheimer's Disease. As with most data classes, this has not created an unambiguous path to an intervention and cause and effect, good or bad, remains unresolved for most of these genes and their products. A gene may be over or undertranscribed depending on how it is regulated. Functional feedback could signal for more of a dysfunctional product to be created or one that can not function for some system related reason. So, typical interpretations may be missing important bpoints that may fit well into the model proposed herein.

A 2025 article found ADAMTS2 to be one of the genes robustly increased in black and European Alzheimer's brains [105]. Essentially this translates into pervasive "weak structural proteins" as described below. Mice with non-functional ADAMTS-2 develop fragile skin [61]. It is over expressed in mice and humans with hypertrophic hearts and this condition is worse if ADAMTS-2 is lacking [109] The information so far suggests it is upregulated in cases where it may be beneficial but is unable to accomplish whatever the feedback is regulating. In the case of structural proteins, something may be signalling "more or better" but another factor is lacking (ie malnutrition).

Another approach gaining interest is the infectious hypothesis of AD [16] [71] [17]. In support of this, a wide range of vaccines has been found to reduce risk of AD or other dementia [64]. Another study found benefits of vaccination

and also anti viral treatment for herpes zoster [68]. There is also some indication AD may be transmissible similar to prion diseases [94].

However, many pathogens cause known GI damage that is often ignored or they trigger an interferon response leading to the loss of nutrients like tryptophan or nutritional immunity that may redistribute resources. Hypermetabolism has been described in Covid 19. While amyloid may have prion like properties, this kind of transmission does not seem likely in the vast majority of cases.

As no particularly good suspect has emerged, it may be worth looking at all the data and trying to guess at age related vulnerabilities that cause more infections to lead to dementia and classic symptoms such as amyloid build ups. Nutritional defects make some sense as frailty, more than age per se, may be a correlate of age related diseases.

Some success has been observed in probiotic trials [81] which of course likely effect GI chemistry.

Works cataloging the utility of vitamins or derivatives for AD exist [106] [97] but generally treat these things as "one at a time" approaches. Although at least one review from 2022 recognized the likely need for multiple components [4]. Some mixes such as a mitochondria nutrient mix [63] have been considered. Often mixes seem to be predicated on old ideas such as a combination of carotenoids, omega-3 fatty acids, and vitamin E which also may demonstrate a passing benefit [78]. The point of this work is to determine, or at least guess based on current knowledge and observations, a better cause to focus the response. Another work combined A,D,E,K and multiple B vitamins as well as probiotics with motivation being oxidative stress, inflammation, and dysbiosis [99]. However, its not clear what is causing all those things or why they matter. In particular, oxidative stress may be a signal for among other things copper deficient mitochondria. Too many to mention employ some combination including obscure or exotic herbs or ingredients [51] often for glib reasons.

In a prior work [66] I interpreted a brain microbiome result to describe some host factors that would explain differences in the most and least abundant organisms in AD and healthy brains post mortem. While the existence of a brain microbiome is controversial due to the expected low absolute abundance and opportunity for contamination, the analysis is somewhat robust in that contamination from other parts of the patient should still reflect differential body nutrient levels. One argument against contamination was similarity to an unrelated work on uterine microbiome and possible synergistic role of these organisms but still a lot of coincidences can occur. This work generally pointed to deficiencies in lipophilic amino acids but also suggested additional methanol in the AD patients. One likely source for this is the GI tract due to changes in microbiome or initially changes in chemistry. Other toxins could associate with methanol production too and a good strategy may be to restore GI chemistry back to youthful state. Methanol can be generated in the body from ethanol [26] while both ethanol and methanol circulate in a normal person at the .5-1.5mg/L level and may be produced from carbohydrate consumption [46]. Endogenous ethanol production in the stomach has been observed [98] and considered. One post mortem found high ethanol in the stomach attributed to *Candida glabrata* [59]. A recent review of auto-brewery syndrome suggested specific organisms may not be the issue as much as "...the use of medications, notably proton pump inhibitors and antibiotics. When combined with a Western diet rich in fat and simple sugars, these factors significantly contribute to altering the gut environment and subsequently, ethanol production." [73] although a list of ethanol producers has been created [70]. In one patient an oral glucose tolerance test achieved an ethanol concentration of 315mg/dL in the blood [96].

Tryptophan is a good suspect for many reasons but various supplementation trials have yet to show an interesting benefit in AD. In this work, the failures will be attributed to formulation, a need for other components of the limiting pathways, and failure to address any sources of toxins like methanol from the pathological GI chemistry which may exist.

Tryptophan as a contributor to many diseases has been reviewed in several publications [82] [47].

A mixture of 9 essential amino acids including tryptophan given for 28 days failed to show any meaningful benefits [102] but this may be too little, too short a time, the formulation was not clear, and given together they can compete for entry into CNS. Other factors may be needed to get uptake and transport. A tryptophan dipeptide, a product of fermentation which may have improved absorption, did have some effects in mice [8]. At 25mg/kg BW for 12 weeks, elderly with mood disorders showed some improvements [21]/ although formulation was not clear. A variety of tryptophan derivatives have been explored such as 5-HTP [2] and indole 3-propionic acid [57] have also been explored.

Once nutrient issues occur, they can cause other problems such as transport reduction making simple supplementation less likely to work easily. One small study in rats found an age dependence of transport across the BBB both saturable and passive diffusion rates decreased in older animals [103]. This would suggest that at a constant blood level less enters the brain and supplementation with tryptophan may be futile. However, the transport restriction may be simply due to loss of other nutrients with age. Of particular interest was the 1991 observation that oleic acid can open the blood brain barrier [100] which has been observed to change with age and AD [88]. The quality of the BBB could then be responsible for many nutrient deficiencies in the brain but as with other structural components may be limited by nutrient uptake from the GI tract. Note too these issues are not mutually exclusive. Tryptophan occurs as a conserved amino acid in transporters and at membrane interfaces. Once tryptophan is depleted transport and barrier may suffer.

The GLP-1 data may also motivate an interest. GLP-1's apparently are causing non-specific nutrient deficiencies maybe similar to problems common in old age. Recent clinical trials showed either no benefit in AD with the Novo Nordisk product [1]

Thinking aloud

does the author realize running against "other" antidiabetic drugs is misleading? ROFL

or a positive trial [29] appeared to be cherry picked. A Novo-Nordisk presentation on the results, https://sciencehub.novonordisk.com/content/dam/sciencehub/global/en/congresses-and-scientific-publications/congresses/ctad2025/johannsen1/sliders/Symposium_4_Cummings_Jeffrey_V2_OH.pdf does suggest largely no effect either good or bad although some of the side effects may be unpleasant. Its likely that "early stage AD" implies existence of important nutrient limitations have already been there for years so the differential impact, despite GI symptoms, may be minor.

A pooled analysis of 4 trials and 112 AD and MCI patients showed no significant outcomes differences and numerical harm well below significance [?].

The emergence of clinically important aged appearance (" Ozempic face") [77] [92] and concerns about neurological adverse events [20] or "brain fog"i anecdotes [104] are well known despite several works suggesting they should be brain beneficial

. There are a lot of lessons here but the immediate thing of relevance is that nutrient limitation that is can be "plausibly denied" appears to generate some symptoms of aging and more to the point frailty. Interestingly, at least one study found a correlation between perceived face age and dementia risk [112].

Evidence pointing towards a cognitive benefit for GLP-1's may be a bit misleading. In one case, they were run against sulfonylureas which have known relevant side effects. In other cases, words suggesting a cognitive benefit in actuality mean that some risk factor has been reduced without clear evidence of real clinical benefit against dementia.

Women and blacks appear to be at higher risk of AD than European males. Factors unrelated to the disease per se may confound results but that is the case with even politically correct association studies. A small 1996 study found that blacks has a higher found higher pH and HCO₃ secretion as well as higher prevalence of Helicobacter pylori infection and gastritis [24]. Difference in "normal" protein digestion in healthy males and females appear to be known and have been considered already for a basis of "engineering foods for women" [60]. Note that this empirical difference does not rely on a specific reason although the chemistry may be informative for meal design. A small 1982 study of relatives found that older and female probands had lower acid output although some results depend on how the output is normalized [53]. One study comparing healthy 23-42 year olds with 44-71 found more acid secretion in the older group [37].

One obvious issue with skin pigment is tyrosine metabolism. Both the depletion of tyrosine and generation of toxic analogs could be considered. It is possible that constitutive skin pigmentation (CSP) evolved with adaptive mechanisms that may be instructive to investigate. CSP evolution is usually described as an issue of sun exposure with damage and vitamin D synthesis being driving forces in tone [45].

While CSP may predispose to various maladies, it may also be easily treated if existing adaptations are not already active. Indeed, speculation on beneficial tyrosine analogs can not be dismissed.

Thinking aloud

goog ai went wild with "dementia skin pigmentation"

A link between dementia and melanin has been considered by many authors. A study of several thousand Taiwanese demonstrated a hazard ratio of over 12 for AD in vitiligo sufferers versus control (HR of 5.3 for any dementia) [18]. Vitiligo is an autoimmune disease making interpretation difficult but it does suggest an age related problem with melanin due to covert pathogen or defective products.

Fringe ideas in the mainstream literature include ability of melanin to transfer light energy to the cell for ATP creation and loss impairs function [11] . More plausibly, loss of something like tyrosine or copper limits pigment synthesis in some idiosyncratic manner or more to the point constitutive pigmentation requires resources that are no longer plentiful.

In zebrafish, there was an unexpected link between PSEN2 and pigmentation [39] of unknown significance.

Tyrosine anecdotes around menopause may be one indicator. While not considered essential as it can be derived from phenylalanine, it is possible that overall supply of the precursor and regulatory systems reduce tyrosine production pathologically. This is most likely during times of "stress" and shortages. Interestingly in connection with GLP-1 there is a tyrosine dipeptide apparently acting as a signalling molecule Amino acids such as tyrosine may have limited availability in cell cultures and dipeptides have been explored [49] for many years now. Also of interest is the need to supplement tyrosine as a dipeptide to Chinese hamster ovary cells in bioreactors [108] with work showing possible pickiness of cells for uptake although translation to human GI tract remains to be done. Similar problems have been noted for tyrosine usage in humans from either IV injection or parenteral feeding [65]. Tyrosine-tyrosine peptide is considered a hormone and may be responsible for anorexia in urea cycle disorder patients [75].

Comparison to other racial groups does not appear informative as data are all complicated.

Some context for phenylalanine to tyrosine conversion as part of the larger protein turnover dynamics has been

explored [36].

Indeed GLP-1 is often considered with PYY for understanding obesity signalling [25]. While its unclear if PYY can replace the GLP-1 drugs, if supplementation is attempted it will benefit a lot from recognizing the issues explored here. Dipeptides or reproduction of "best" GI chemistry may be more important than simply adding tyrosine to diet.

Copper has a lot of motivation behind it but its rich chemistry may make it one of the more difficult to study. Copper is difficult to characterize but some results may motivate its importance. Overall it appears that AD brains are copper deficient and well formulated supplementation may be beneficial but it can not be excluded yet that other nutrients are limiting its distribution. At least one case report exists of a defect in ceruloplasmin resulting in chorea and dementia with iron deposition that resolved somewhat with fresh frozen plasma [115]. As early as 2016, copper overload was suggested for regenerative medicine and boosting mitochondria performance[89].

Sometimes there is a tendency to think of local levels as a passive result of supply but often complicated signalling generates overall results. As early as 2009, the paradox of excess copper with amyloid beta coincident with tissue copper deficiency was recognized and explained to some degree [43]. In prior work with dogs, the inability of chelation to produce clinical benefit in animals with hepatic copper accumulation pointed to a bottleneck in transport rather than a global excess[67]. Also in the above work it was noted that "copper toxicity" varied widely with the background diet suggesting it has to do with chemical reactions in the meal. Rats raised on a copper deficient diet showed increases in adrenal dopamine-beta-monooxygenase mRNA, protein levels, and enzyme activity in decreasing order [84]. This suggests that feedback mechanisms are attempting to increase activity levels with greater transcription rates but unable to metallize the extra translation products. A 2017 mass spectrometry study on post mortem brains found overall decreased copper in AD brains similar to that in Menkes' Disease [111].

For whatever reason, vitamin K is often ignored even though interactions with APOE and appearance in "healthy" foods motivates at least an association with health.

Choline has also made recent headlines

adding to a long history for it [107] [19] and related pathways [34] including cholinesterase inhibitors [12].

Biotin and the SMVT substrates [93] have also come up in AD work and dementia more generally [95] [22] . Biotin is critical for many processes and can be obtained from digestion or intestinal microbe production [50].

Thiamine is also being considered [31] and that too is through to have acid sensitive absorption [58]. A 2012 study did show some benefits from supplementation in the elderly but due to poor absorption parental dosing was mentioned [86]. It seems that many studies on isolated nutrients have come to similar conclusions but not attempted to think through cause and effect more generally. A 1988 study claimed to use a niacinamide placebo [14] which motivates another problem of an unintentionally active placebo. And in fact niacinamide has been discussed as a treatment too [55].

Lithium has recently been rediscovered [9] although positive review articles date back to at least 2012 [32] or so [69] and its not clear what happened over the intervening decade.

In 1971, it was observed that lithium could impact carbohydrate generally and inositol status in the brain [6]. In another manuscript considering inositol as a dog supplement (unpublished result)

but as of 2005 it could not be determined if lithium or inositol was more directly causal to brain changes that matter in the clinic [40]. This is likely a recurring issue in Alzheimer's and medicine overall. Associations are difficult to map to an actionable cause and effect sequence that can be beneficially modified. It is the main theme of this work that the primary cause is well removed from these associations and the elephant is not apparent from the sum of its parts. It is likely that both inositol and lithium are impacted by some common cause and simply supplementing one or the other or both can make some improvements but is a deadend to a cure.

An early proposal for vitamin K deficiency was described in 2000 citing "regulation of sulfotransferase activity and the activity of a growth factor/tyrosine kinase receptor (Gas 6/Axl) " [5].

In the last few years many works have explored vitamin K in old age conditions [30] [48] including association between vitamin K intake and cognition [15]. As bleeding or microbleeding is an issue in AD, its worth noting that 82 percent of "chronic stroke subjects" were vitamin K intake deficient and excessive vitamin E may also be a common problem [38]. The above work also describes more direct effects of vitamin K in AD including interactions with amyloid beta. (there are works that concentrate on emerging problems with vitamin E supplementation too, for example [52])

Thinking aloud

II. COMMON AGE-RELATED DIGESTION DEFECTS

To begin to make sense of the above and look towards the design of a better intervention, some knowledge of likely defects and resulting deficiencies needs to be established.

By 1992, common themes in impairment reports were emerging. One review suggested decreased taste and hypochlorhydria with decreased uptake of B-12 and minerals but increased absorption of lipids [90]. A small 1997 study of independently living people over 65 found about 90 percent had basal pH under 3.5 [44] although there is no indication of how this compares to the young or very old.

A study of 79 healthy elderly people found some indications of lower acidity than young people but did not consider it relevant in most individuals at least for drug absorption [91].

The pancreas and intestines may also be effected. One review mentions decreases in calcium, zinc, and magnesium but not copper in old rats [42]. However, the pancreas and intestines must work with whatever the stomach produces with the meal. Earlier, I considered that lack of an early low pH step may produce more idiosyncratic results as some mineral can irreversibly precipitate [67].

Around 2004, it was thought that reserve capacity was sufficient although some reduced absorption of vitamins such as A,D,K, and B6 but tended to minimize significance for treating aging [28]. One problem however is that even today sufficient intake and uptake may not be clear and the impact of multiple "low levels" could invoke adaptive responses.

Today however protein deficiency appears to be reasonably well accepted as an issue with aging and its manifestation as sarcopenia [85]. What may be less apparent is any changes in quality such as due to translational infidelity or lack of "other stuff." Sarcopenia or frailty appear to be highly correlated with vulnerability to several "age related" conditions [114].

Further, the impact of drugs common in the elderly on nutrient status is becoming recognized [10].

III. MEAL ENGINEERING CONSIDERATIONS

Based on the above, the goal then is to replace nutrients and remove toxics that are more common in old age. Return to a youthful GI tract may be a reasonable goal although it may be possible to do even better. Conceivably if nutrient uptake can overcome GI limitations some healing may be observed making possible a return to normal food for a while.

Nutrients need only be supplied over "relevant" time scales. This can vary a lot from nutrient to nutrient and allows better segregation and rotation than trying to get everything everyday. Incompatibilities include chemistry and competition for receptors or enzymes or transporters etc.

Not every meals needs to be the same and in fact currently with the dogs one meal contains most things while a second is largely reserved for copper.

IV. CANDIDATE INGREDIENTS

Candidates are drawn from prior thoughts on food and vitamin supplements along with the presumed GI disturbances common in old age.

Any foods or supplements reputed to improve some age related condition could be examined. In many cases the folklore appears to be a useful starting point as it may rationalize well with the above theory or be supported by in-house work here with dog feeding.

Whey peptides improved some functions in healthy people thought to be due to Trp-Tyr peptides [54].

Fermented foods meet many of the criteria for obtaining nutrients with age impaired digestions. They tend to have low pH, and can even include pH as part of the definition, and essential molecules such as free amino acids and vitamin k.

Olive oil has been an important part of in-house dog diets (manuscript in preparation) as well as being a highlighted component of the Mediterranean Diet. A variety of possible causal pathways could be imagined for it but here it is considered somewhat uniquely, along with lecithin and phosphorous sources, as an absorption enhancer. Its interesting to note, although of unknown significance, that yeast with a higher amount of membrane oleic acid have higher ethanol tolerance [116]. As part of a meal formulation it may help with uptake of lipophilic nutrients.

2 related objectives are to improve chloride levels and reduce pH. In the results cited previously, acid came from citric acid and HCl supplement formulations. Formulations that use HCl as a raw component would require great care and may be avoided initially. Some soft drinks such as diet cola beverages contain phosphoric acid that may have some benefits. Chloride was largely from potassium chloride and again added HCl.

Title			
Ingredient	Amount	InCompatible	Remarks

TABLE I.

V. DEVELOPMENT PATHS

Since many candidate components are GRAS, its possible to outline informal or "crowd sourced" data from motivated parties such as caregivers. Concerns about malicious data due to various incentives as well as other issues would have to be considered in detail. I have been using MUQED daily to record dog diets and relate to outcomes. This helped to identify olive oil as an improtant component although it may have a long response time if other sources of oleic acid such as chicken are included in the diet. The added workflow just requires a few minutes after each meal or dosing to enter whatever was given and have it checked for basic syntax. I use "vi" although more sophisticated or voice entry may be easy to do. The current implementation of MUQED creates a small vocabulary of foods, supplements and outcomes as well as a simply syntax for entering amounts right after or even skeletons before consumption. As the current implementation is designed for just "a few" people or dogs, everything is done with text files locally although collation with a standard vocabulary could be done with better scaling implementations.

My in-house results with dogs does suggest some folk lore or anecdotes may have useful signals but will require more data to sort out and a MUQED-like approach may fill the void.

Even if this fails to mitigate disease, it may not be a frivolous effort especially if any trends are observed with prescription medicines.

VI. BIGGEST PROBLEMS

Thinking outloud

lot of issues here include off-target effects, accurate prescribing patterns, population differences between users and non uers, any real effect etc. AGA seems to be pushing this things probably get ad revenue lol

As proton concentration is thought to be a big issue, it may be surprising that chronic PPI use does not lead to obvious epidemic of AD. Although in older people they may not have much real impact as stomach acid is already likely to be low (if PPI's are effective at anything it is likely through some other mechanism. If you can't tolerate stomach acid you are going to be malnourished anyway - something is wrong so you may expect accurately prescribed PPI users to already be predisposed to dementia). For H pylori control, it turns out they likely prevent a bacterial pump rather than a host pump from functioning leading to reduction [13]. In general they lead to less healthy microbiome and over abundance of Streptococcus that may also produce symptoms in patients [74]. Its worth noting that some species can secrete virulence factors inducible by a return to low pH [27]. The PPI's may appear to relieve symptoms but allow the organisms to proliferate making the situation worse with a return to physiological acid levels. (lol).

Current evidence is conflicting even among older or sick people who may already have GI impairments minimizing any effect of PPI's. A 2023 study of a 1.98 million Danish cohort found an incidence of any dementia ratio between PPI users and non-users of 1.36 but reducing with age [83]. The American Gastroenterological Association appears to advance the position that this is unlikely. One post hoc analysis of the ASPREE aspirin trial involving people older than 65, found no association between PPI use and dementia [72]. Reported results are heavily corrected for various factors and the raw HR was not immediately obvious. It is possible the low dose aspirin has some impact but difficult to tell as presented.

Protons and chloride appear to be differentially regulated and PPI's do not stop normal chloride secretion [23] despite the fact they may be used to prevent excess fecal chloride excretion in abnormal cases [3]. There are several chloride transporters in the stomach including calcium activated [87] that may decouple from PPI's. The cystic fibrosis literature may provide some clues.

However, the theory here is a bit empirical and recognizes other factors than pH alone may be important. With a non-zero supply of most required molecules adaptive responses may be able to move the effects of the deficiencies around making the clinical presentation difficult to trace to original problem.

Even if the theory is sound and eventually is proven useful as a starting point, social issues are a big problem. For whatever reason amyloid drugs appear to be getting a more favorable response than is supported by known data. Anything involving skin pigment will attract angry people.

VII. CONCLUSIONS

VIII. SUPPLEMENTAL INFORMATION

VIII.1. Computer Code

IX. BIBLIOGRAPHY

-
- [1] Popular obesity drug fails in hotly anticipated alzheimer's trials, 11 2025. doi:[10.1126/science.zvgswf0](https://doi.org/10.1126/science.zvgswf0).
 - [2] Hakeem Adekunle and Olalekan Balogun. Tryptophan and htp supplementation in the treatment of cognitive and mood disorders: A systematic review and meta-analysis. *Journal of Gynecological & Obstetrical Research*, 06 2025. doi:[10.61440/jgor.2025.v3.33](https://doi.org/10.61440/jgor.2025.v3.33).
 - [3] Berendt W. Aichbichler, Charles H. Zerr, Carol A. Santa Ana, Jack L. Porter, and John S. Fordtran. Proton-pump inhibition of gastric chloride secretion in congenital chloridorrhea. *New England Journal of Medicine*, 336, 01 1997. doi:[10.1056/nejm199701093360205](https://doi.org/10.1056/nejm199701093360205).
 - [4] Jahangir Alam. Vitamins: a nutritional intervention to modulate the alzheimer's disease progression. *Nutritional Neuroscience*, 25, 05 2022. doi:[10.1080/1028415x.2020.1826762](https://doi.org/10.1080/1028415x.2020.1826762).
 - [5] A.C. Allison. The possible role of vitamin k deficiency in the pathogenesis of alzheimer's disease and in augmenting brain damage associated with cardiovascular disease. *Medical Hypotheses*, 57(2):151–155, 2001. URL: <https://www.sciencedirect.com/science/article/pii/S0306987701913076>, doi:[10.1054/mehy.2001.1307](https://doi.org/10.1054/mehy.2001.1307).
 - [6] J. H. ALLISON and M. A. STEWART. Reduced brain inositol in lithium-treated rats. *Nature New Biology*, 233, 10 1971. URL: <https://www.nature.com/articles/newbio233267a0>, doi:[10.1038/newbio233267a0](https://doi.org/10.1038/newbio233267a0).
 - [7] Jesús Andrade-Guerrero, Alberto Santiago-Balmaseda, Paola Jeronimo-Aguilar, Isaac Vargas-Rodríguez, Ana Ruth Cadena-Suárez, Carlos Sánchez-Garibay, Glustein Pozo-Molina, Claudia Fabiola Méndez-Catalá, Maria-del-Carmen Cardenas-Aguayo, Sofía Diaz-Cintra, Mar Pacheco-Herrero, José Luna-Muñoz, and Luis O. Soto-Rojas. Alzheimer's disease: An updated overview of its genetics. *International Journal of Molecular Sciences*, 24, 02 2023. doi:[10.3390/ijms24043754](https://doi.org/10.3390/ijms24043754).
 - [8] Yasuhisa Ano, Yuka Yoshino, Toshiko Kutsukake, Rena Ohya, Takafumi Fukuda, Kazuyuki Uchida, Akihiko Takashima, and Hiroyuki Nakayama. Tryptophan-related dipeptides in fermented dairy products suppress microglial activation and prevent cognitive decline. *Aging*, pages 2949–2967, May 2019. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC6555451/>, doi:[10.18632/aging.101909](https://doi.org/10.18632/aging.101909).
 - [9] Liviu Aron, Zhen Kai Ngian, Chenxi Qiu, Jaejoon Choi, Marianna Liang, Derek M. Drake, Sara E. Hamplova, Ella K. Lacey, Perle Roche, Monlan Yuan, Saba S. Hazaveh, Eunjung A. Lee, David A. Bennett, and Bruce A. Yankner. Lithium deficiency and the onset of alzheimer's disease. *Nature*, 645, 09 2025. URL: <https://www.nature.com/articles/s41586-025-09335-x>, doi:[10.1038/s41586-025-09335-x](https://doi.org/10.1038/s41586-025-09335-x).
 - [10] Victoria Bell, Ana Rodrigues, Maria Antoniadou, Marios Peponis, Theodoros Varzakas, and Tito Fernandes. An update on drug-nutrient interactions and dental decay in older adults. *Nutrients*, 15, 12 2023. doi:[10.3390/nu15234900](https://doi.org/10.3390/nu15234900).
 - [11] Stacie Z. Berg and Jonathan Berg. Melanin: a unifying theory of disease as exemplified by parkinson's, alzheimer's, and lewy body dementia. *Frontiers in Immunology*, 14, 09 2023. doi:[10.3389/fimmu.2023.1228530](https://doi.org/10.3389/fimmu.2023.1228530).
 - [12] Jacqueline S Birks. Cholinesterase inhibitors for alzheimer's disease. *Cochrane Database of Systematic Reviews*, 2016, 03 2016. doi:[10.1002/14651858.cd005593](https://doi.org/10.1002/14651858.cd005593).
 - [13] V. Blandón-Arias, A.M. Ospina-Gil, B.E. Salazar-Giraldo, and T.L. Pérez-Cala. Systematic review: Effect of proton pump inhibitors on helicobacter pylori physiology. *Revista de Gastroenterología de México (English Edition)*, 90(3):388–399, 2025. URL: <https://www.sciencedirect.com/science/article/pii/S2255534X25000891>, doi:[10.1016/j.rgmexn.2025.09.003](https://doi.org/10.1016/j.rgmexn.2025.09.003).
 - [14] John P. Blass. Thiamine and alzheimer's disease. *Archives of Neurology*, 45, 08 1988. doi:[10.1001/archneur.1988.00520320019008](https://doi.org/10.1001/archneur.1988.00520320019008).
 - [15] Sarah L. Booth, M. Kyla Shea, Kathryn Barger, Sue E. Leurgans, Bryan D. James, Thomas M. Holland, Puja Agarwal, Xueyan Fu, Jifan Wang, Gregory Matuszek, and Julie A. Schneider. Association of vitamin k with cognitive decline and neuropathology in communitydwelling older persons. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*, 8, 01 2022. doi:[10.1002/trc2.12255](https://doi.org/10.1002/trc2.12255).
 - [16] Randy R. Brutkiewicz, Wei Cao, David Morgan, Roberta Souza Dos Reis, Vidyani Suryadevara, Auriel A. Willette, Sara A. Willette, Season K. Wyatt-Johnson, and Michael R. Duggan. What would it take to prove that a chronic infection is a causal agent in alzheimer's disease? *Trends in Neurosciences*, 48, 08 2025. doi:[10.1016/j.tins.2025.05.009](https://doi.org/10.1016/j.tins.2025.05.009).

- [17] Alejandra Camacho-Soto, Irene Faust, Osvaldo J. Laurido-Soto, Jordan A. Killion, Natalie Senini, Brittany Krzyzanowski, and Brad A. Racette. Risk of developing alzheimer disease in relation to common infections. *Neurodegenerative Diseases*, 05 2025. doi:10.1159/000546589.
- [18] TsungHsien Chang, YingHsuan Tai, YingXiu Dai, YunTing Chang, TzengJi Chen, and MuHong Chen. Association between vitiligo and subsequent risk of dementia: A populationbased cohort study. *The Journal of Dermatology*, 48, 01 2021. doi:10.1111/1346-8138.15582.
- [19] Elissavet Chartampila, Karim S Elayouby, Paige Leary, John J LaFrancois, David Alcantara-Gonzalez, Swati Jain, Kasey Gerencer, Justin J Botterill, Stephen D Ginsberg, and Helen E Scharfman. Choline supplementation in early life improves and low levels of choline can impair outcomes in a mouse model of alzheimer’s disease. *eLife*, 12:RP89889, jun 2024. doi:10.7554/eLife.89889.
- [20] He Chen, Sixing Liu, Shuai Gao, Hangyu Shi, Yan Yan, Yixing Xu, Jiufei Fang, Weiming Wang, Huan Chen, and Zhishun Liu. Pharmacovigilance analysis of neurological adverse events associated with glp-1 receptor agonists based on the fda adverse event reporting system. *Scientific Reports*, 15, 05 2025. URL: <https://www.nature.com/articles/s41598-025-01206-9>, doi:10.1038/s41598-025-01206-9.
- [21] Cezary Chojnacki, Anita GUx0105[bad char vv=261]siorowska, Tomasz PopUx0142[bad char vv=322]awski, Paulina Konrad, Marcin Chojnacki, Michal Fila, and Janusz Blasiak. Beneficial effect of increased tryptophan intake on its metabolism and mental state of the elderly. *Nutrients*, 15, 02 2023. doi:10.3390/nu15040847.
- [22] Janelle L. Cooper. P3400: Biotin deficiency and abnormal pantothenic acid levels in dementia. *Alzheimer’s & Dementia*, 4, 07 2008. doi:10.1016/j.jalz.2008.05.1970.
- [23] Tamer Coskun, Heidi K. Baumgartner, Shaoyou Chu, and Marshall H. Montrose. Coordinated regulation of gastric chloride secretion with both acid and alkali secretion. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 283, 11 2002. doi:10.1152/ajpgi.00184.2002.
- [24] B Cryer and M Feldman. Racial differences in gastric function among african americans and caucasian americans: secretion, serum gastrin, and histology. *Proceedings of the Association of American Physicians*, pages 481–9, Nov 1996. URL: <https://pubmed.ncbi.nlm.nih.gov/8956372/>.
- [25] Akila De Silva and Stephen R. Bloom. Gut hormones and appetite control: A focus on pyy and glp-1 as therapeutic targets in obesity. *Gut and liver*, pages 10–20, 01 2012. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3286726/>, doi:10.5009/gnl.2012.6.1.10.
- [26] Ricardo Jorge Dinis-Oliveira. Ux201c[bad char vv=8220]not everything that can be counted countsux201d[bad char vv=8221] in ethanol toxicological results: an antemortem and postmortem technical interpretation focusing on driving under the influence. *Forensic Sciences Research*, 9, 07 2024. doi:10.1093/fsr/owae023.
- [27] Hackwon Do, Nishanth Makthal, Arica R. VanderWal, Matthew Ojeda Saavedra, Randall J. Olsen, James M. Musser, and Muthiah Kumaraswami. Environmental ph and peptide signaling control virulence of streptococcus pyogenes via a quorum-sensing pathway. *Nature Communications*, 10, 06 2019. URL: <https://www.nature.com/articles/s41467-019-10556-8>, doi:10.1038/s41467-019-10556-8.
- [28] Gerald W. Dryden and Stephen A. McClave. *Gastrointestinal Senescence and Digestive Diseases of the Elderly*, pages 569–581. Humana Press, Totowa, NJ, 2004. doi:10.1007/978-1-59259-391-0_25.
- [29] Paul Edison, Grazia Daniela Femminella, Craig Ritchie, Joseph Nowell, Clive Holmes, Zuzana Walker, Basil Ridha, Sanara Raza, Nicholas R. Livingston, Eleni Frangou, Sharon Love, Gareth Williams, Robert Lawrence, Brady Mcfarlane, Hilary Archer, Elizabeth Coulthard, Benjamin R. Underwood, Paul Koranteng, Salman Karim, Carol Bannister, Robert Perneczky, Aparna Prasanna, Kehinde Junaid, Bernadette McGuinness, Ramin Nilforooshan, Ajay Macharouthu, Andrew Donaldson, Simon Thacker, Gregor Russell, Naghma Malik, Vandana Mate, Lucy Knight, Sajeev Kshemendran, Christian Holscher, Anita Mansouri, Mae Chester-Jones, Jane Holmes, Trisha Tan, Steve Williams, Azhaar Ashraf, David J. Brooks, John Harrison, Rainer Hinz, George Tadros, Anthony Peter Passmore, and Clive Ballard. Liraglutide in mild to moderate alzheimer’s disease: a phase 2b clinical trial. *Nature Medicine*, 12 2025. URL: <https://www.nature.com/articles/s41591-025-04106-7>, doi:10.1038/s41591-025-04106-7.
- [30] Ebru Emekli-Alturfan and A. Ata Alturfan. The emerging relationship between vitamin k and neurodegenerative diseases: a review of current evidence. *Molecular Biology Reports*, 50(1):815–828, Jan 2023. doi:10.1007/s11033-022-07925-w.
- [31] Jeffrey Fessel. Supplemental thiamine as a practical, potential way to prevent alzheimer’s disease from commencing. *Alzheimer’s & Dementia: Translational Research & Clinical Interventions*, 7, 01 2021. doi:10.1002/trc2.12199.
- [32] Orestes V. Forlenza, Vanessa J. de Paula, Rodrigo Machado-Vieira, Breno S. Diniz, and Wagner F. Gattaz. Does lithium prevent alzheimer’s disease? *Drugs & Aging*, 29(5):335–342, May 2012. doi:10.2165/11599180-000000000-00000.
- [33] Orestes Vicente Forlenza and Breno José Alencar Pires Barbosa. What are the reasons for the repeated failures of clinical trials with anti-amyloid drugs for ad treatment? *Dementia & Neuropsychologia*, 19, 2025. doi:10.1590/1980-5764-dn-2025-e001.
- [34] Ai Ling Fu, Qian Li, Zhao Hui Dong, Shi Jie Huang, Yu Xia Wang, and Man Ji Sun. Alternative therapy of alzheimer’s disease via supplementation with choline acetyltransferase. *Neuroscience Letters*, 368(3):258–262, 2004. URL: <https://www.sciencedirect.com/science/article/pii/S0304394004007153>, doi:10.1016/j.neulet.2004.05.116.
- [35] Cory C. Funk, Tom Paterson, Alex Bangs, David M. Cannon, George Savage, Eric Ringger, and Lee Hood. Mining the gaps: Deciphering alzheimer’s biology through ai-driven reconciliation. *The Journal of Prevention of Alzheimer’s Disease*, 13(1):100402, 2026. URL: <https://www.sciencedirect.com/science/article/pii/S2274580725003449>, doi:10.1016/j.tjpad.2025.100402.
- [36] Giacomo Garibotto, Paolo Tessari, Daniela Verzola, and Laura Dertenais. The metabolic conversion of phenylalanine

- into tyrosine in the human kidney: Does it have nutritional implications in renal patients? *Journal of Renal Nutrition*, 12, 01 2002. doi:10.1053/jren.2002.29600.
- [37] Markus Goldschmiedt, Cora C. Barnett, Barry E. Schwarz, William E. Karnes, Jan S. Redfern, and Mark Feldman. Effect of age on gastric acid secretion and serum gastrin concentrations in healthy men and women. *Gastroenterology*, 101(4):977–990, 1991. URL: <https://www.sciencedirect.com/science/article/pii/001650859190724Y>, doi:10.1016/0016-5085(91)90724-Y.
 - [38] Lorenzo Grimaldi, Rosaria A. Cavallaro, Domenico De Angelis, Andrea Fuso, and Giulia Sancesario. Vitamin k properties in stroke and alzheimer’s disease: A janus bifrons in protection and prevention. *Molecules*, 30, 03 2025. doi:10.3390/molecules30051027.
 - [39] Jiang Haowei, Newman Morgan, and Michael Lardelli. The zebrafish orthologue of familial alzheimer’s disease gene presenilin 2 is required for normal adult melanotic skin pigmentation. *PLOS ONE*, 13(10):1–20, 10 2018. doi:10.1371/journal.pone.0206155.
 - [40] A J Harwood. Lithium and bipolar mood disorder: the inositol-depletion hypothesis revisited. *Molecular Psychiatry*, 10, 01 2005. URL: <https://www.nature.com/articles/4001618>, doi:10.1038/sj.mp.4001618.
 - [41] Zaw Myo Hein, Barani Karikalan, Prarthana Kalerammana Gopalakrishna, Krina Dhevi, Aisyah Alkatiri, Farida Hussan, Mohamad Aris Mohd Moklas, Saravanan Jagadeesan, Muhammad Danial Che Ramli, Che Nasril Che Mohd Nassir, and Thirupathirao Vishnumukkala. Toward a unified framework in molecular neurobiology of alzheimer’s disease: Revisiting the pathophysiological hypotheses. *Molecular Neurobiology*, 63(1):282, Dec 2025. doi:10.1007/s12035-025-05602-0.
 - [42] Peter R. Holt. Intestinal malabsorption in the elderly. *Digestive Diseases*, 25, 04 2007. doi:10.1159/000099479.
 - [43] Ya Hui Hung, Elysia L Robb, Irene Volitakis, Michael Ho, Genevieve Evin, Qiao-Xin Li, Janetta G Culvenor, Colin L Masters, Robert A Cherny, and Ashley I Bush. Paradoxical condensation of copper with elevated beta-amyloid in lipid rafts under cellular copper deficiency conditions: implications for alzheimer disease. *The Journal of biological chemistry*, pages 21899–21907, 06 2009. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC2755914/>, doi:10.1074/jbc.M109.019521.
 - [44] Aryeh Hurwitz. Gastric acidity in older adults. *JAMA: The Journal of the American Medical Association*, 278, 08 1997. doi:10.1001/jama.1997.03550080069041.
 - [45] Nina G. Jablonski and George Chaplin. Human skin pigmentation, migration and disease susceptibility. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367, 03 2012. doi:10.1098/rstb.2011.0308.
 - [46] Alan Wayne Jones. Comment on ‘estimates of non-alcoholic food-derived ethanol and methanol in human’. *Journal of Analytical Toxicology*, 46(1):e48–e51, 10 2021. arXiv:<https://academic.oup.com/jat/article-pdf/46/1/e48/42508144/bkab112.pdf>, doi:10.1093/jat/bkab112.
 - [47] Joanna Kaluzna-Czaplinska, Paulina Gatarek, , Salvatore Chirumbolo, Max Stanley Chartrand, and Geir Bjorklund. How important is tryptophan in human health? *Critical Reviews in Food Science and Nutrition*, 59, 2017. doi:10.1080/10408398.2017.1357534.
 - [48] Julia Kamierczak-Baraska and Bolesaw T Karwowski. The protective role of vitamin k in aging and age-related diseases. *Nutrients*, 12 2024. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC11676630/>, doi:10.3390/nu16244341.
 - [49] Sohye Kang, Johanna Mullen, Les P. Miranda, and Rohini Deshpande. Utilization of tyrosine and histidinecontaining dipeptides to enhance productivity and culture viability. *Biotechnology and Bioengineering*, 109, 09 2012. doi:10.1002/bit.24507.
 - [50] Chrysoula-Evangelia Karachaliou and Evangelia Livaniou. Biotin homeostasis and human disorders: Recent findings and perspectives. *International Journal of Molecular Sciences*, 25, 06 2024. doi:10.3390/ijms25126578.
 - [51] Chenmala Karthika, Anoop Pattanoor Appu, Rokeya Akter, Md. Habibur Rahman, Priti Tagde, Ghulam Md. Ashraf, Mohamed M. Abdel-Daim, Syed ul Hassan, Areha Abid, and Simona Bungau. Potential innovation against alzheimer’s disorder: a tricomponent combination of natural antioxidants (vitamin e, quercetin, and basil oil) and the development of its intranasal delivery. *Environmental Science and Pollution Research*, 29(8):10950–10965, Feb 2022. doi:10.1007/s11356-021-17830-7.
 - [52] Alan D Kaye, Austin S Thomassen, Sydney A Mashaw, Ellie M MacDonald, Aubert Waguespack, Lily Hickey, Anushka Singh, Deniz Gungor, Anusha Kallurkar, Adam M Kaye, Sahar Shekoohi, and Giustino Varrassi. Vitamin e (upalaphatocopherol): Emerging clinical role and adverse risks of supplementation in adults. *Cureus*, 02 2025. doi:10.7759/cureus.78679.
 - [53] M. Kekki, I. M. Samloff, T. Ihamaäki, K. Varis, and M. Siurala. Age- and sex-related behaviour of gastric acid secretion at the population level. *Scandinavian Journal of Gastroenterology*, 17. doi:10.3109/00365528209181087.
 - [54] Masahiro Kita, Kuniaki Obara, Sumio Kondo, Satoshi Umeda, and Yasuhisa Ano. Effect of supplementation of a whey peptide rich in tryptophan-tyrosine-related peptides on cognitive performance in healthy adults: A randomized, double-blind, placebo-controlled study. *Nutrients*, 10, 07 2018. doi:10.3390/nu10070899.
 - [55] Jule Klotter. Niacinamide (nicotinamide) and alzheimer’s disease. *Townsend Letter*, 12 2010. URL: <https://go.gale.com/ps/i.do?id=GALE%7CA243290423&sid=googleScholar&v=2.1&it=r&linkaccess=abs&issn=19405464&p=HRCA&sw=w&userGroupName=anon%7E7071297&aty=open-web-entry>.
 - [56] Martin Kohlmeier, Andreas Salomon, Jörg Saupe, and Martin J. Shearer. Transport of vitamin k to bone in humans. *The Journal of Nutrition*, 126:1192S–1196S, 1996. URL: <https://www.sciencedirect.com/science/article/pii/S0022316622017527>, doi:10.1093/jn/126.suppl_4.1192S.
 - [57] Piotr Konopelski and Izabella Mogilnicka. Biological effects of indole-3-propionic acid, a gut microbiota-derived metabolite, and its precursor tryptophan in mammals’ health and disease. *International Journal of Molecular Sciences*, 23, 02 2022. doi:10.3390/ijms23031222.
 - [58] Satoshi Kurisu and Hitoshi Fujiwara. Overestimation of aortic stenosis in thiamine deficiency: Two cases with distinct

- underlying conditions. *Cureus*, page e99487, 12 2025. URL: <https://pubmed.ncbi.nlm.nih.gov/41552235/>, doi:10.7759/cureus.99487.
- [59] Maiko Kusano, Chikara Kohda, Masaya Fujishiro, and Taka-aki Matsuyama. Ethanol production in the gut: an autopsy case. *Journal of Analytical Toxicology*, 49(6):422–426, 05 2025. arXiv:<https://academic.oup.com/jat/article-pdf/49/6/422/63056819/bkaf039.pdf>, doi:10.1093/jat/bkaf039.
- [60] Carolina Lajterer, Carmit Shani Levi, and Uri Lesmes. An in vitro digestion model accounting for sex differences in gastro-intestinal functions and its application to study differential protein digestibility. *Food Hydrocolloids*, 132:107850, 2022. URL: <https://www.sciencedirect.com/science/article/pii/S0268005X22003708>, doi:10.1016/j.foodhyd.2022.107850.
- [61] S W Li, M Arita, A Fertala, Y Bao, G C Kopen, T K Lngsj, M M Hyttinen, H J Helminen, and D J Prockop. Transgenic mice with inactive alleles for procollagen n-proteinase (adamts-2) develop fragile skin and male sterility. *The Biochemical journal*, pages 271–8, Apr 2001. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC1221736/>, doi:10.1042/0264-6021:3550271.
- [62] Bowen Lin, Yu Hasegawa, Koki Takane, Nobutaka Koibuchi, Cheng Cao, and Shokei KimMitsuyama. High‐fat‐diet intake enhances cerebral amyloid angiopathy and cognitive impairment in a mouse model of alzheimer’s disease, independently of metabolic disorders. *Journal of the American Heart Association*, 5(6):e003154, 2016. URL: <https://www.ahajournals.org/doi/abs/10.1161/JAHA.115.003154>, arXiv:<https://www.ahajournals.org/doi/pdf/10.1161/JAHA.115.003154>, doi:10.1161/JAHA.115.003154.
- [63] Jiankang Liu and Bruce N. Ames. Reducing mitochondrial decay with mitochondrial nutrients to delay and treat cognitive dysfunction, alzheimer’s disease, and parkinson’s disease. *Nutritional Neuroscience*, 8. doi:10.1080/10284150500047161.
- [64] Stefania Maggi, Tamàs Fulöp, Elda De Vita, Federica Limongi, Damiano Pizzol, Francesco Di Gennaro, and Nicola Veronese. Association between vaccinations and risk of dementia: a systematic review and meta-analysis. *Age and Ageing*, 54(11):afaf331, 11 2025. arXiv:<https://academic.oup.com/ageing/article-pdf/54/11/afaf331/65450501/afaf331.pdf>, doi:10.1093/ageing/afaf331.
- [65] Timoth J. Maher, Paul J. Kiritsy, Fernando A. Moya-Huff, Franco Casacci, Franco De Marchi, and Richard J. Wurtman. Use of parenteral dipeptides to increase serum tyrosine levels and to enhance catecholamine-mediated neurotransmission. *Journal of Pharmaceutical Sciences*, 79(8):685–687, 1990. URL: <https://www.sciencedirect.com/science/article/pii/S0022354915483078>, doi:10.1002/jps.2600790807.
- [66] Mike J Marchywka. Brain microbiome : Make your garden grow? feed your head. techreport MJM-2023-008, not institutionalized, independent, 44 Crosscreek Trail, Jasper GA 30143, 10 2023. URL: https://www.researchgate.net/publication/374946157_potuse-2023-10-24-v3, doi:10.5281/zenodo.10038912.
- [67] Mike J Marchywka. Copper supplementation in dogs: Listen to her heart everybody’s got a hungry heart. techreport MJM-2024-010, not institutionalized, independent, 157 Zachary Drive Talking Rock GA 30175 GA, 7 2025. URL: https://www.researchgate.net/publication/393240388_Copper_Supplementation_in_Dogs, doi:10.5281/zenodo.15785347.
- [68] Fawziah Marra, Kyle Gomes, Emily Liu, Nirma Khatri Vadlamudi, Kathryn Richardson, and Jacquelyn J. Cragg. Effects of herpes zoster infection, antivirals and vaccination on risk of developing dementia: A systematic review and meta-analysis. *Human Vaccines & Immunotherapeutics*, 21, 12 2025. doi:10.1080/21645515.2025.2546741.
- [69] Shinji Matsunaga, Taro Kishi, Peter Annas, Hans Basun, Harald Hampel, and Nakao Iwata. Lithium as a treatment for alzheimer’s disease: A systematic review and meta-analysis. *Journal of Alzheimer’s Disease*, 48, 09 2015. doi:10.3233/jad-150437.
- [70] Babacar Mbaye, Reham Magdy Wasfy, Maryam Tidjani Alou, Patrick Borentain, Rene Gerolami, Jean-Charles Dufour, and Matthieu Million. A catalog of ethanol-producing microbes in humans. *Future Microbiology*, 19, 05 2024. doi:10.2217/fmb-2023-0250.
- [71] Seyyed Sam Mehdi Hosseinasab, Rasoul Ebrahimi, Shirin Yaghoobpoor, Kiarash Kazemi, Yaser Khakpour, Ramtin Hajibeygi, Ashraf Mohamadkhani, Mobina Fathi, Kimia Vakili, Arian Tavasol, Zohreh Tutunchian, Tara Fazel, Mohammad Fathi, and Mohammadreza Hajiesmaeili. Alzheimer’s disease and infectious agents: a comprehensive review of pathogenic mechanisms and microrna roles. *Frontiers in Neuroscience*, 18, 01 2025. doi:10.3389/fnins.2024.1513095.
- [72] Raaj S Mehta, Bharati Kochar, Zhen Zhou, Jonathan C Broder, Paget Chung, Keming Yang, Jessica Lockery, Michelle Fravel, Joanne Ryan, Suzanne Mahady, Suzanne G Orchard, John J McNeil, Anne Murray, Robyn L Woods, Michael E Ernst, and Andrew T Chan. Association of proton pump inhibitor use with incident dementia and cognitive decline in older adults: A prospective cohort study. *Gastroenterology*, pages 564–572.e1, 06 2023. URL: <https://pubmed.ncbi.nlm.nih.gov/37315867/>, doi:10.1053/j.gastro.2023.05.052.
- [73] Abraham S. Meijnikman, Max Nieuwdorp, and Bernd Schnabl. Endogenous ethanol production in health and disease. *Nature Reviews Gastroenterology & Hepatology*, 21, 08 2024. URL: <https://www.nature.com/articles/s41575-024-00937-w>, doi:10.1038/s41575-024-00937-w.
- [74] Artem Minalyan, Lilit Gabrielyan, David Scott, Jonathan Jacobs, and Joseph R. Pisegna. The gastric and intestinal microbiome: Role of proton pump inhibitors. *Current Gastroenterology Reports*, 19(8):42, Jul 2017. doi:10.1007/s11894-017-0577-6.
- [75] Sabrina Mitchell, Teresa Welch-Burke, Logan Dumitrescu, Jefferson P Lomenick, Deborah G Murdock, Dana C Crawford, and Marshall Summar. Peptide tyrosine tyrosine levels are increased in patients with urea cycle disorders. *Molecular genetics and metabolism*, pages 39–42, 02 2012. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC3336020/>, doi:10.1016/j.ymgme.2012.02.011.
- [76] Amritpal Mudher and Simon Lovestone. Alzheimer’s disease - do tauists and baptists finally shake hands? *Trends in Neurosciences*, 25, 01 2002. doi:10.1016/s0166-2236(00)02031-2.

- [77] Thomaz Funari Neto and Emanuela Ferreira Esper. "ozempic face": Aesthetic consequence, unintended muscle loss, or a warning sign of maladaptive weight reduction? *International Health Sciences Review*, 1, 09 2025. doi:10.70164/ihsr.v1i4.49.
- [78] John M. Nolan, Rebecca Power, Alan N. Howard, Paula Bergin, Warren Roche, Alfonso Prado-Cabrero, George Pope, John Cooke, Tommy Power, and Riona Mulcahy. Supplementation with carotenoids, omega-3 fatty acids, and vitamin e has a positive effect on the symptoms and progression of alzheimer's disease. *Journal of Alzheimer's Disease*, 90, 10 2022. doi:10.3233/jad-220556.
- [79] Adrian L Oblak, Peter B Lin, Kevin P Kotredes, Ravi S Pandey, Dylan Garceau, Harriet M Williams, Asli Uyar, Rita O'Rourke, Sarah O'Rourke, Cynthia Ingraham, Daria Bednarczyk, Melisa Belanger, Zackary A Cope, Gabriela J Little, Sean-Paul G Williams, Carl Ash, Adam Bleckert, Tim Ragan, Benjamin A Logsdon, Lara M Mangravite, Stacey J Sukoff Rizzo, Paul R Territo, Gregory W Carter, Gareth R Howell, Michael Sasner, and Bruce T Lamb. Comprehensive evaluation of the 5xfad mouse model for preclinical testing applications: A model-ad study. *Frontiers in aging neuroscience*, page 713726, 07 2021. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC8346252/>, doi:10.3389/fnagi.2021.713726.
- [80] Francesco Panza, Vittorio Dibello, Rodolfo Sardone, Roberta Zupo, Fabio Castellana, Ivana Leccisotti, Maria Claudia Moretti, Mario Altamura, Antonello Bellomo, Antonio Daniele, Vincenzo Solfrizzi, Emanuela Resta, and Madia Lozupone. Successes and failures: the latest advances in the clinical development of amyloid-upbeta-targeting monoclonal antibodies for treating alzheimer's disease. *Expert Opinion on Biological Therapy*, 25, 03 2025. doi:10.1080/14712598.2025.2463963.
- [81] Tzu-Rong Peng, Hung-Hong Lin, Tzu-Ling Tseng, and Ta-Wei Wu. Effectiveness of probiotic supplements on cognitive function in mild cognitive impairment and alzheimer's disease: A meta-analysis of randomized controlled trials. *General Hospital Psychiatry*, 97:284–293, 2025. URL: <https://www.sciencedirect.com/science/article/pii/S0163834325002142>, doi:10.1016/j.genhosppsych.2025.11.004.
- [82] Burkhard Poeggeler, Sandeep Kumar Singh, and Miguel A. Pappolla. Tryptophan in nutrition and health. *International Journal of Molecular Sciences*, 23, 05 2022. doi:10.3390/ijms23105455.
- [83] Nelsan Pourhadi, Janet Janbek, Christina JensenDahm, Christiane Gasse, Thomas Munk Laursen, and Gunhild Walde-mar. Proton pump inhibitors and dementia: A nationwide populationbased study. *Alzheimer's & Dementia*, 20, 02 2024. doi:10.1002/alz.13477.
- [84] Joseph R. Prohaska and Bruce Brokate. Dietary copper deficiency alters protein levels of rat dopamine upbeta-monoxygenase and tyrosine monoxygenase. *Experimental Biology and Medicine*, 226, 03 2001. doi:10.1177/153537020122600307.
- [85] Lili Qiu, Qianqian Huang, Wenhao Li, Qian Zhang, Jun Zhou, Juan Chen, Yixuan Li, Ran Wang, Pengjie Wang, Siyuan Liu, Bing Fang, and Xiaoyu Wang. Aging influences protein digestion, absorption and amino acid metabolism. *Biogerontology*, 26(4):146, Jul 2025. doi:10.1007/s10522-025-10289-w.
- [86] Khanh vinh quUx1ed1[bad char vv=7889]c Lu'o'ng and Lan Thi Hoang NguyUx1ec5[bad char vv=7877]n. Role of thiamine in alzheimer's disease. *American Journal of Alzheimer's Disease & Other Dementias®*, 26, 12 2011. doi:10.1177/1533317511432736.
- [87] Satish K. Raut, Kulwinder Singh, Shridhar Sanghvi, Veronica Loyo-Celis, Liyah Varghese, Ekam R. Singh, Shubha Gu-ruraja Rao, and Harpreet Singh. Chloride ions in health and disease. *Bioscience Reports*, 44, 05 2024. doi:10.1042/bsr20240029.
- [88] May J Reed, Mamatha Damodarasamy, and William A Banks. The extracellular matrix of the blood-brain barrier: structural and functional roles in health, aging, and alzheimer's disease. *Tissue barriers*, page 1651157, 09 2019. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC6866683/>, doi:10.1080/21688370.2019.1651157.
- [89] Lina M. Ruiz, Erik L. Jensen, Yancing Rossel, German I. Puas, Alvaro M. Gonzalez-Ibanez, Rodrigo I. Bustos, David A. Ferrick, and Alvaro A. Elorza. Non-cytotoxic copper overload boosts mitochondrial energy metabolism to modulate cell proliferation and differentiation in the human erythroleukemic cell line k562. *Mitochondrion*, 29:18–30, 2016. URL: <https://www.sciencedirect.com/science/article/pii/S1567724916300241>, doi:10.1016/j.mito.2016.04.005.
- [90] RM Russell. Changes in gastrointestinal function attributed to aging. *The American Journal of Clinical Nutrition*, 55(6):1203S–1207S, 1992. URL: <https://www.sciencedirect.com/science/article/pii/S0002916523317222>, doi:10.1093/ajcn/55.6.1203S.
- [91] Tanya L. Russell, Rosemary R. Berardi, Jeffrey L. Barnett, Lambros C. Dermentzoglou, Kathleen M. Jarvenpaa, Stephen P. Schmaltz, and Jennifer B. Dressman. Upper gastrointestinal ph in seventy-nine healthy, elderly, north american men and women. *Pharmaceutical Research*, 10(2):187–196, Feb 1993. doi:10.1023/A:1018970323716.
- [92] Arisha Salam and Mohammed Salman Hyder. Semaglutide and the skin: A brief review of dermatologic implications. *Cosmoderma*, 5, 08 2025. doi:10.25259/csdm_97_2025.
- [93] Crystal Sang, Sasha A. Philbert, Danielle Hartland, Richard. D Unwin, Andrew W. Dowsey, Jingshu Xu, and Garth J. S. Cooper. Coenzyme a-dependent tricarboxylic acid cycle enzymes are decreased in alzheimer's disease consistent with cerebral pantothenate deficiency. *Frontiers in Aging Neuroscience*, 14, 06 2022. doi:10.3389/fnagi.2022.893159.
- [94] Genevieve Saw, Ling-Xiao Yi, Eng King Tan, and Zhi Dong Zhou. Evidence suggesting that alzheimer's disease may be a transmissible disorder. *International Journal of Molecular Sciences*, 26, 01 2025. doi:10.3390/ijms26020508.
- [95] Melissa Scholefield, Stephanie J. Church, Jingshu Xu, Stefano Patassini, and Garth J.S. Cooper. Localized pantothenic acid (vitamin b5) reductions present throughout the dementia with lewy bodies brain. *Journal of Parkinson's Disease*, 14, 07 2024. doi:10.3233/jpd-240075.
- [96] Merve Hazal Ser, Fatma Zehra ÇalkuUx015f[bad char vv=351]u, Nursena Erener, Orhan DestanoUx011f[bad char

- vv=287]lu, ErtuUx011f[bad char vv=287]rul Kykm, and Aksel Siva. Auto brewery syndrome from the perspective of the neurologist. *Journal of Forensic and Legal Medicine*, 96:102514, 2023. URL: <https://www.sciencedirect.com/science/article/pii/S1752928X2300032X>, doi:10.1016/j.jflm.2023.102514.
- [97] Harsh Shah, Fereshteh Dehghani, Marjan Ramezan, Ritchel B. Gannaban, Zobayda Farzana Haque, Fatemeh Rahimi, Soheil Abbasi, and Andrew C. Shin. Revisiting the role of vitamins and minerals in alzheimer's disease. *Antioxidants*, 12, 02 2023. doi:10.3390/antiox12020415.
- [98] Renee Stamation. Endogenous ethanol production in the human alimentary tract: A literature review. *Journal of Gastroenterology and Hepatology*, 40, 04 2025. doi:10.1111/jgh.16869.
- [99] Omme Fatema Sultana, Raksa Andalib Hia, and P. Hemachandra Reddy. A combinational therapy for preventing and delaying the onset of alzheimer's disease: A focus on probiotic and vitamin co-supplementation. *Antioxidants*, 13, 02 2024. doi:10.3390/antiox13020202.
- [100] Laszlo Sztriha and A. Lorris Betz. Oleic acid reversibly opens the blood-brain barrier. *Brain Research*, 550, 06 1991. doi:10.1016/0006-8993(91)91326-v.
- [101] Leon M Tai, Deebika Balu, Evangelina Avila-Munoz, Laila Abdullah, Riya Thomas, Nicole Collins, Ana Carolina Valencia-Olvera, and Mary Jo LaDu. Efad transgenic mice as a human apoe relevant preclinical model of alzheimer's disease. *Journal of lipid research*, pages 1733–1755, 04 2017. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC5580905/>, doi:10.1194/jlr.R076315.
- [102] Michihiro Takada, Shin Tanaka, Koh Tanaka, Tamao Tsukie, Masako TsukamotoYasui, Katsuya Suzuki, Yasushi Noguchi, Akira Imaizumi, Makoto Ishii, and Takeshi Ikeuchi. Effects of an essential amino acid mixture on behavioral and psychological symptoms of dementia and executive function in patients with alzheimer's disease: A doubleblind, randomized, placebo-controlled exploratory clinical trial. *International Journal of Geriatric Psychiatry*, 37, 09 2022. doi:10.1002/gps.5782.
- [103] Jian-Ping Tang and Srikumaran Melethil. Effect of aging on the kinetics of blood–brain barrier uptake of tryptophan in rats. *Pharmaceutical Research*, 12(7):1085–1091, Jul 1995. doi:10.1023/A:1016283003747.
- [104] NeuroLaunch editorial team. Semaglutide mental side effects: Navigating the psychological impact of weight loss medication. 02 2025. URL: <https://neurolaunch.com/semaglutide-mental-side-effects/>.
- [105] Andrew F. Teich, Katarnut Tobunluepop, Juan C. Troncoso, ShihHsiu Wang, Zihan Wang, Benjamin Wolozin, Jesse Mez, Lindsay A. Farrer, Mark W. Logue, Adam Labadorf, Nicholas K. O'Neill, Dennis W. Dickson, Brittany N. Dugger, Margaret E. Flanagan, Matthew P. Frosch, Marla Gearing, LeeWay Jin, Julia Kofler, Richard Mayeux, Ann McKee, Carol A. Miller, Melissa E. Murray, Peter T. Nelson, Richard J. Perrin, Julie A. Schneider, and Thor D. Stein. Novel differentially expressed genes and multiple biological pathways for alzheimer's disease identified in brain tissue from african american donors. *Alzheimer's & Dementia*, 21, 10 2025. doi:10.1002/alz.70629.
- [106] Tanmaykumar Varma, Pradnya Kamble, Madhavi Kumari, Vineet Diwakar, and Prabha Garg. *Vitamin-Based Derivatives for the Management of Alzheimer's Disease*, pages 317–344. Springer Nature Singapore, Singapore, 2023. doi:10.1007/978-981-99-6038-5_12.
- [107] Ramon Velazquez, Eric Ferreira, Sara Knowles, Chaya Fux, Alexis Rodin, Wendy Winslow, and Salvatore Oddo. Life-long choline supplementation ameliorates alzheimer's disease pathology and associated cognitive deficits by attenuating microglia activation. *Aging Cell*, 18, 12 2019. doi:10.1111/ace1.13037.
- [108] Natascha Verhagen, Andy Wiranata Wijaya, Attila Teleki, Muhammad Fadhlullah, Andreas Unsld, Martin Schilling, Christoph Heinrich, and Ralf Takors. Comparison of l-tyrosine containing dipeptides reveals maximum atp availability for l-prolyl-l-tyrosine in cho cells. *Engineering in life sciences*, pages 384–394, 06 2020. URL: <https://pmc.ncbi.nlm.nih.gov/articles/PMC7481768/>, doi:10.1002/elsc.202000017.
- [109] Xiaodi Wang, Wen Chen, Jie Zhang, Aiman Khan, Liangpeng Li, Fuhua Huang, Zhibing Qiu, Liming Wang, and Xin Chen. Critical role of adamts2 (a disintegrin and metalloproteinase with thrombospondin motifs 2) in cardiac hypertrophy induced by pressure overload. *Hypertension*, 69(6):1060–1069, 2017. URL: <https://www.ahajournals.org/doi/abs/10.1161/HYPERTENSIONAHA.116.08581>, arXiv:<https://www.ahajournals.org/doi/pdf/10.1161/HYPERTENSIONAHA.116.08581>, doi:10.1161/HYPERTENSIONAHA.116.08581.
- [110] Andrew E. Welchman and Zoe Kourtzi. Solving the 'goldilocks problem' in dementia clinical trials with multimodal ai. *The Journal of Prevention of Alzheimer's Disease*, 13(1):100397, 2026. URL: <https://www.sciencedirect.com/science/article/pii/S2274580725003395>, doi:10.1016/j.tjpad.2025.100397.
- [111] Jingshu Xu, Stephanie J Church, Stefano Patassini, Paul Begley, Henry J Waldvogel, Maurice A Curtis, Richard M Faull, Richard D Unwin, and Garth S Cooper. Evidence for widespread, severe brain copper deficiency in alzheimer's dementiadagger. *Metallomics*, 9(8):1106–1119, 06 2017. arXiv:<https://academic.oup.com/metallomics/article-pdf/9/8/1106/34732504/c7mt00074j.pdf>, doi:10.1039/c7mt00074j.
- [112] Xinming Xu, Guliyeerke Jigeer, David Andrew Gunn, Yizhou Liu, Xinrui Chen, Yi Guo, Yaqi Li, Xuelan Gu, Yanyun Ma, Jiucun Wang, Sijia Wang, Liang Sun, Xu Lin, and Xiang Gao. Facial aging, cognitive impairment, and dementia risk. *Alzheimer's Research & Therapy*, 16(1):245, Nov 2024. doi:10.1186/s13195-024-01611-8.
- [113] Liya Yan, Bo. Zhou, Shailja Nigdikar, Xiaohong Wang, Janet Bennett, and Ann Prentice. Effect of apolipoprotein e genotype on vitamin k status in healthy older adults from china and the uk. *British Journal of Nutrition*, 94, 12 2005. doi:10.1079/bjn20051578.
- [114] Lian Ye, Rui Liang, Xiaolei Liu, Jun Li, Jirong Yue, and Xinjun Zhang. Frailty and sarcopenia: A bibliometric analysis of their association and potential targets for intervention. *Ageing Research Reviews*, 92:102111, 2023. URL: <https://www.sciencedirect.com/science/article/pii/S1568163723002702>, doi:10.1016/j.arr.2023.102111.
- [115] Masaru Yonekawa, Tomohiro Okabe, Yasumasa Asamoto, and Michiya Ohta. A case of hereditary ceruloplasmin deficiency with iron deposition in the brain associated with chorea, dementia, diabetes mellitus and retinal pigmentation:

- Administration of fresh-frozen human plasma. *European Neurology*, 42, 10 1999. doi:[10.1159/00008091](https://doi.org/10.1159/00008091).
- [116] Kyung Man You, Claire-Lise Rosenfield, and Douglas C. Knipple. Ethanol tolerance in the yeast *saccharomyces cerevisiae* is dependent on cellular oleic acid content. *Applied and Environmental Microbiology*, 69, 03 2003. doi:[10.1128/aem.69.3.1499-1503.2003](https://doi.org/10.1128/aem.69.3.1499-1503.2003).

ACKNOWLEDGMENTS

1. Pubmed eutils facilities and the basic research it provides.
2. Free software including Linux, R, LaTeX etc.
3. Thanks everyone who contributed incidental support.

Appendix A: Statement of Conflicts

No specific funding was used in this effort and there are no relationships with others that could create a conflict of interest. I would like to develop these ideas further and have obvious bias towards making them appear successful. Barbara Cade, the dog owner, has worked in the pet food industry but this does not likely create a conflict. We have no interest in the makers of any of the products named in this work.

Appendix B: About the Authors and Facility

This work was performed at a dog rescue run by Barbara Cade and housed in rural Georgia. The author of this report ,Mike Marchywka, has a background in electrical engineering and has done extensive research using free online literature sources. I hope to find additional people interested in critically examining the results and verify that they can be reproduced effectively to treat other dogs.

Appendix C: Symbols, Abbreviations and Colloquialisms

TERM definition and meaning

Appendix D: General caveats and disclaimer

This document was created in the hope it will be interesting to someone including me by providing information about some topic that may include personal experience or a literature review or description of a speculative theory or idea. There is no assurance that the content of this work will be useful for any particular purpose.

All statements in this document were true to the best of my knowledge at the time they were made and every attempt is made to assure they are not misleading or confusing. However, information provided by others and observations that can be manipulated by unknown causes ("gaslighting") may be misleading. Any use of this information should be preceded by validation including replication where feasible. Errors may enter into the final work at every step from conception and research to final editing.

Documents labelled "NOTES" or "not public" contain substantial informal or speculative content that may be terse and poorly edited or even sarcastic or profane. Documents labelled as "public" have generally been edited to be more coherent but probably have not been reviewed or proof read.

Generally non-public documents are labelled as such to avoid confusion and embarrassment and should be read with that understanding.

Appendix E: Citing this as a tech report or white paper

Note: This is mostly manually entered and not assured to be error free.

This is tech report MJM-2026-001.

Version	Date	Comments
0.01	2026-01-17	Create from empty.tex template
-	February 8, 2026	version 0.00 MJM-2026-001
1.0	20xx-xx-xx	First revision for distribution

Released versions,
build script needs to include empty releases.tex

Version	Date	URL

```
@techreport{marchywka-MJM-2026-001,
filename={elephant} ,
run-date={February 8, 2026} ,
title={Alzheimer's Disease : 10k maniacs agree its an elephant} ,
author={Mike J Marchywka } ,
type={techreport} ,
name={marchywka-MJM-2026-001} ,
number={MJM-2026-001} ,
version={0.00} ,
sourcecode={https://github.com/mmarchywka/elephant} ,
institution={not institutionalized, independent } ,
address={ 157 Zachary Dr Talking Rock GA 30175 USA} ,
date={February 8, 2026} ,
startdate={2026-01-17} ,
day={8} ,
month={2} ,
year={2026} ,
author1email={marchywka@hotmail.com} ,
contact={marchywka@hotmail.com} ,
author1id={orcid.org/0000-0001-9237-455X} ,
pages={ 19}
}
```

Supporting files. Note that some dates,sizes, and md5's will change as this is rebuilt.

This really needs to include the data analysis code but right now it is auto generated picking up things from prior build in many cases

```
2703 Feb 7 14:26 comment.cut f995244b5e95cab8bb975bbef4509f63
14321 Feb 7 14:26 elephant.aux da6f8d0e0c69a0825ffabb97da635375
47642 Feb 7 14:26 elephant.bbl 6a3bb6873a4955c1e8fe2cdb6e969638
466810 Feb 7 14:26 elephant.bib 0c300b6dfaa15ae4bca9cb79a5cd34e1
1616 Feb 7 14:26 elephant.blg 491f299fb1850c40eb8dd0e7fd8adca9
0 Feb 7 14:26 elephant.bundle_checksums d41d8cd98f00b204e9800998ecf8427e
25284 Feb 7 14:26 elephant.fls c191be6b918cf7e5b99e8e136646d6ad
3 Feb 7 14:26 elephant.last_page cf4278314ef8e4b996e1b798d8eb92cf
50321 Feb 7 14:26 elephant.log 379f29524526e49ab6af86ac5bca95c0
0 Feb 7 14:26 elephantNotes.bib d41d8cd98f00b204e9800998ecf8427e
3546 Feb 7 14:26 elephant.out 12733f2f81d87bcbb721796d6792973a
194382 Feb 7 14:26 elephant.pdf 52a11a3743c0a96224e8256c55a00722
50927 Feb 7 14:26 elephant.tex 3d54c15d2a33d3d3e342f187a48c3a2d
1652 Feb 7 14:26 elephant.toc a994106978ac1a9944ba3bf330dd666d
49863 Jan 17 03:59 /home/documents/latex/bib/mjm_tr.bib e93b93c88b4601ca44b7886f378f254a
48988 Jul 1 2025 /home/documents/latex/bib/releases.bib f2fdf87a36feddcbbab0918dc2b00129
7331 Jan 24 2019 /home/documents/latex/pkg/fltpage.sty 73b3a2493ca297ef0d59d6c1b921684b
7434 Oct 21 1999 /home/documents/latex/pkg/lgrind.sty ea74beead1aa2b711ec2669ba60562c3
1069 Oct 15 2021 /home/documents/latex/share/includes/disclaimer-gaslight.tex 94142
b06063984d082bfff3b400abe0fb
425 Oct 11 2020 /home/documents/latex/share/includes/disclaimer-status.tex b276f09e06a3a9114f927e4199f379f7
3927 May 2 2024 /home/documents/latex/share/includes/mjmaddbib.tex d58183f98615737b38f9d6e03fc064de
117 Oct 16 2023 /home/documents/latex/share/includes/mjmlistings.tex c1c3bd564b7fb321b4d8f223c7d3cde3
4867 Jun 23 2025 /home/documents/latex/share/includes/mycommands.tex d78deef4710745e9b4b29511fd3b610d
1031 Nov 8 07:26 /home/documents/latex/share/includes/myrevtexheaders.tex 79e40ba4aee901851cf9a06010aed8c2
2919 Jun 9 2024 /home/documents/latex/share/includes/myskeletonpackages.tex 08
a01c33af793bf936c6684d2e792c
1538 Aug 14 2021 /home/documents/latex/share/includes/recent_template.tex 49763d2c29f74e4b54fa53b25c2cc439
7217 May 15 2023 /home/documents/latex/share/overrides/mol2chemfig.sty 5aa81c197d462c2153a794ccee9881ef
413928 Feb 7 14:03 non_pmc_elephant.bib e96974ea9f9be2398b4978c325058a061
442 Jan 30 13:27 nutrient_table.tex 3232a0e067049091f2b7e4ba74158414
52471 Feb 7 14:03 pmc_elephant.bib ed12671d899c700f2233c046b7e08034
413 Jan 17 03:59 releases.tex 56213b8bd7e164dd6e668b62f5acf868
```

```
33495 Jan 30 2023 /usr/share/texlive/texmf-dist/bibtex/bst/urllibst/plainurl.bst 46
      cfb45e24a877059f9f7e142c7fc61c
165211 Jul 10 2025 /var/lib/texmf/fonts/map/pdftex/updmap/pdftex.map 6b08d096f3d0fe5ff6b266061a2b45e0
5712750 Jul 10 2025 /var/lib/texmf/web2c/luahbtex/lualatex.fmt a41ebf2b4a8fce76020b8e7c277eca3a
194382 Feb 7 14:26 elephant.pdf 52a11a3743c0a96224e8256c55a00722
```