

My Air Buddy And I

Version: 1.07.02 Beta

Build: 73

Released Date: 3/5/2026

Language: English

Unit of Measure: Imperial

BLE Quick Start

(Bluetooth Low Energy)


Contents

Add a Dive Computer 3

Connect a Dive Computer 15

Download Computer Dives 20

Add a Dive Computer

 12:47 [notification icons] 58% ← Pick a Dive ⋮ 🔍 <table><tr><td>LBN</td><td>Date/Time</td><td>Status</td><td>My Buddy</td></tr><tr><td>Location</td><td></td><td>Dive Site</td><td></td></tr></table> [Diver icon] [Watch icon]	LBN	Date/Time	Status	My Buddy	Location		Dive Site		Tap Pick a dive computer at the bottom right
LBN	Date/Time	Status	My Buddy						
Location		Dive Site							

08:35 🌤️ 31 M ⚠️ •

🔋 98%



Pick a dive computer



Computer No

Description



No dive computers are listed.

Tap Add a dive computer at the bottom right.

08:36   31   •   98%

←

Add a dive computer

⋮

CANCEL

TEST CONNECTION

SAVE

DISCONNECTED

Description (required)

Vendor

Model

Connection Type

Transport

Device Name

Firmware

0

MAC Address

Serial Number

0


Note



No dive computer details exist yet.

The status is DISCONNECTED and in Red.

Tap the Bluetooth icon at the bottom right.




MABAI only supports BLE dive computers supported by libdivecomputer.

Select the Vendor of your dive computer.

Select the model of your dive computer.


MAKE SURE YOUR DIVE COMPUTER IS ON AND BLUETOOTH IS ON.


Tap SCAN.



Allow the Access this device's location permission.

MABAI will not be able to work without that permission.

 11:32 ← BLE dive computer(s) ⋮ SCAN Add a supported dive computer On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect Vendor She Mo Pe Allow My Air Buddy And I to find, connect to, and determine the relative position of nearby devices? Allow Don't allow	Allow the Find, connect to, and determine the relative position of nearby device permission. MABAI will not be able to work without that permission.
---	--



Allow to send you notifications permission.

MABAI will not be able to work without that permission.

08:17



43%



BLE dive computer(s)



SCANNING...

Add a supported dive computer

On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect

Vendor

Shearwater



Model

Perdix AI



Name	MAC Address
ihoment_H6127_8F66	A4:C1:38:DA:8F:66
N06FC	FA:53:D1:7B:33:A1
N04TN	C9:F3:E9:3E:3D:35
ihoment_H6138_C8A9	A4:C1:38:98:C8:A9
Perdix	F1:4C:BE:12:8A:BD
[TV] Samsung Q6DAA 55 TV	80:47:86:87:E5:97
LE-High Note	4C:87:5D:60:56:D6
LG tv	4D:76:E7:C1:CA:CC
LE-reserved_I	4C:87:5D:60:67:BE
N07MP	E7:A3:2A:3E:60:E9

All the nearby Bluetooth devices are listed.

Make sure to select your dive computer.

08:37     •  98%

BLE dive computer(s)



SCAN

Add a supported dive computer

On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect

[Vendor](#)Shearwater [Model](#)Perdix AI 

Name	MAC Address
Bose Color SoundLink	08:DF:1F:32:EC:9C
vivoactive HR	E8:4B:1D:2F:AA:0E
MICHELLATITUDE	98:59:7A:86:32:2D
LE-High Note	4C:87:5D:60:56:D6
GK001739	D4:FF:00:00:00:92
Perdix	F1:4C:BE:12:8A:BD
 Connect	
ihoment_H6127_8F66	A4:C1:38:DA:8F:66
LG tv	43:DE:8B:72:96:9D
N06FC	FA:53:D1:7B:33:A1
ihoment_H6138_C8A9	A4:C1:38:98:C8:A9
LE-reserved_I	4C:87:5D:60:67:BE
N07MP	E7:A3:2A:3E:60:E9

Tap Connect for your dive computer.

11:33

31

M

M

96%

←

Add a dive computer

CANCEL

TEST CONNECTION

SAVE

DISCONNECTED

Description (required)

My Perdix AI

Vendor

Shearwater

Model

Perdix AI

Connection Type

Bluetooth

Transport

Bluetooth LE

Device Name

Perdix

Firmware

0

MAC Address

F1:4C:BE:12:8A:BD

Serial Number

0

Note

The status is DISCONNECTED and in Red.

Enter your description.

Tap SAVE.

You can the connection by tapping TEST CONNECTION. Make sure Bluetooth is enabled on your dive computer.

08:37 🌤️ 31 📧 ⚠️ •

📶 🔋 98%



Pick a dive computer



Computer No

Description

1 My Perdix AI



Detail




Dives



Your dive
computer has
been added.

Connect a Dive Computer

	Tap Pick a dive computer at the bottom right.
---	--



Pick a dive computer



Computer No

Description

1 My Perdix AI



Detail



Dives



Tap Dives to add
computer dives.

09:06   98% < My Perdix AI dive(s) ⋮ Connect your dive computer On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect DISCONNECTED CONNECT VIEW DIVE(S) ON THIS COMPUTER DOWNLOAD DIVE(S)	The Status is DISCONNECTED and in Red. MAKE SURE YOUR DIVE COMPUTER IS ON AND BLUETOOTH IS ON. Tap CONNECT.
---	--

10:40   98% < My Perdix AI dive(s) ⋮ Connect your dive computer On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect CONNECTED DISCONNECT VIEW DIVE(S) ON THIS COMPUTER DOWNLOAD DIVE(S)	The status is CONNECTED and in Green. You can DISCONNECT. You can view the dives in MABAI that were downloaded from that dive computer.
---	--

Download Computer Dives

09:34 📶 31 M M •

📶 🔋 98%



My Air Buddy and I



Me

Dive Type Average

No Buddy

No Group
0.849

Equipment Group
RMV

No Group
0.000

09:21:21

To Date

00:00:00

6/6/25 09:02
34 Day(s)
23:14

Last Dive
Surface Interval



Tap the top right
menu

09:17 🌤️ 📅 M M •

🔋 98%



My Air Buddy and

Waiver

Acknowledgements

Privacy Policy

Settings

Help

Contact Us

About

Me

Dive T

Avera

No Group
0.000

Equipmen
RM

00:00:00

To D

Last I
Surface I



Tap Settings

09:18   31   •

  98%



Settings

Download and Import

Starting Logbook No.

Starting Logbook No when downloading dives from a dive computer or importing UDDF files

Scanning Timeout

Maximum time allowed in millisecond to scan and find Bluetooth Low Energy (BLE) devices. Default is 10000 ms

Connection Timeout

Maximum time allowed in millisecond to connect to a Bluetooth Low Energy (BLE) device. Default is 10000 ms

libdivecomputer Timeout

Maximum time allowed in millisecond to start the download from a dive computer. Default is 1000 ms

libdivecomputer Log Level

Information

Default Equipment Group

Assign default equipment group when downloading computer/importing dives



Force Matched Specs


Force a perfect match between the Downloaded/Imported cylinders and the Default Equipment Group



Error Margin on Match (%)

Error margin allowed when comparing Downloaded/Imported equipments against

Scroll down and tap Starting Logbook No.




Enter the Logbook No. you want the downloaded dives to start at.

You can change the Starting Logbook No. whenever there is a discrepancy between the NEXT Logbook No. on your dive computer and MABAI.

After the download process, MABAI have the functionalities to merge and to renumber dives.

Tap OK to continue.

09:18   M M •  DIR or don't do it! A Acronyms C Constants  Blending Tools (Beta)  Bluetooth Low Energy (Test)  Quick Calculators  Maintenance  Me  Divers  Equipment Groups  Equipment Group Switch  Cylinder Types  Dive Types  Dynamic Spinners  Group Types  Segment Types	  98% No Buddy No Group 0.000 00:00:00 		Under the Maintenance menu, tap Equipment Groups
--	---	--	---



Pick the Equipment Group you want the Download process to try to match the download dives to that Equipment Group

09:19

31

M

M

•

98%

←

Edit an Equipment Group

⋮

CANCEL

SAVE

CLONE

Type (required)

Single

Description (required)

AL80Sin

New Description (conditional)

Default Group (required)

Yes

No	Usage	Type	Volume
A	1 Bottom Gas	AL80	78.2

i

Detail

Set the Equipment Group as the Default Group.

You can change this Default Group before every Download, as necessary.

19:33 🌐 📶 🔒 M • 🔋 95% ← My Perdix AI dive(s) ⋮ Connect your dive computer On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect DISCONNECTED CONNECT VIEW DIVE(S) ON THIS COMPUTER DOWNLOAD DIVE(S)	The status is Disconnected and in Red. MAKE SURE YOUR DIVE COMPUTER IS ON AND BLUETOOTH IS ON. Click Connect to connect to the Dive Computer.
--	---

09:07 🌐 31 M M •

🔋 98%



My Perdix AI dive(s)



Connect your dive computer

On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect


CONNECTED

DISCONNECT

VIEW DIVE(S) ON THIS COMPUTER

DOWNLOAD DIVE(S)

Tap DOWNLOAD
DIVES

 The screenshot shows a mobile application interface. At the top, a blue header bar contains the text "My Air Buddy And I" and a battery status icon showing "98%". Below the header, a dark grey dialog box is displayed, titled "Download Dive(s) · now". The dialog features a progress bar, a "Cancel" button, and a download icon. A red rectangular box highlights the dialog. Below the dialog, a list of buttons is shown: "CONNECTED" (dark green), "DISCONNECT" (light green), "VIEW DIVE(S) ON THIS COMPUTER" (light green), and "DOWNLOAD DIVE(S)" (light green). The bottom of the screen shows a blue bar with a white horizontal line.	The Downloading Dive(s) progress bar is shown in percentage as estimated by libdivecomputer
---	--

09:30 🌤️ 31 M M •

🔋 98%



View computer dive(s) 10



SAVE DIVE(S)

Dive No.

Date



509

6/6/25



508

6/4/25



507

6/4/25



506

6/3/25



505

6/2/25



504

3/16/25



503

3/16/25



502

3/14/25



501

3/9/25



500


3/9/25

You can choose which dives to save in MABAI.

All dives are selected by default.

Tapping the Back Arrow or SAVE DIVE(S) will save the selected dives in MABAI.

My Air Buddy And I 98%  Saving Dive(s) · now  On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect CONNECTED DISCONNECT VIEW DIVE(S) ON THIS COMPUTER DOWNLOAD DIVE(S)	The Saving Dive(s) progress bar is shown in percentage as estimated by MABAI
---	---



The number of dives saved is shown.

Tap OK to continue.

19:32 🌐 📶 🔒 M •  95% ← My Perdix AI dive(s) ⋮ Connect your dive computer On your dive computer, start Bluetooth now and make sure your dive computer is ready to connect DISCONNECTED CONNECT VIEW DIVE(S) ON THIS COMPUTER DOWNLOAD DIVE(S)	The status is Disconnected and in Red. Ready to be connected again.
---	---

09:31     •   98%

← Pick a Dive

⋮



N

507 6/4/25 08:37 Real No Buddy

☐ Location not specified Dive Site not specified

N

506 6/3/25 09:31 Real No Buddy

☐ Location not specified Dive Site not specified

N

505 6/2/25 09:45 Real No Buddy

☐ Location not specified Dive Site not specified

N

504 3/16/25 11:59 Real No Buddy

☐ Location not specified Dive Site not specified

N

503 3/16/25 09:59 Real No Buddy

☐ Location not specified Dive Site not specified

N

502 3/14/25 06:55 Real No Buddy

☐ Location not specified Dive Site not specified

N

501 3/9/25 11:19 Real No Buddy

☐ Location not specified Dive Site not specified

N

500 3/9/25 09:20 Real No Buddy

☐ Location not specified Dive Site not specified



The downloaded dives are shown on the dive list starting with the Logbook No specified earlier

End of document