natcat-chatear y enviar archivos

```
📉 🔲 🛅 🍃 🝏 🕒 v 📘 2 3 4 🛙 🐸 👩
File Actions Edit View Help
    link/ether 00:0c:29:60:94:d0 brd ff:ff:ff:ff:ff
    inet 192.168.35.128/24 brd 192.168.35.255 scope global dynamic noprefixroute eth0
       valid_lft 934sec preferred_lft 934sec
    inet6 fe80::6dca:fe5c:cf09:c8bf/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
(root@kali)-[/home/kali]
ping 192.168.35.139
PING 192.168.35.139 (192.168.35.139) 56(84) bytes of data.
64 bytes from 192.168.35.139: icmp_seq=1 ttl=64 time=1.01 ms
64 bytes from 192.168.35.139: icmp_seq=2 ttl=64 time=1.03 ms
64 bytes from 192.168.35.139: icmp_seq=3 ttl=64 time=1.60 ms
^C
 — 192.168.35.139 ping statistics –
3 packets transmitted, 3 received, 0% packet loss, time 2003ms
rtt min/avg/max/mdev = 1.010/1.213/1.599/0.273 ms
        :<mark>⊕kali</mark>)-[/home/kali]
```











