Information Retrieval - Short Exercises I - Boolean Retrieval and Navigational Patterns

I. Consider the following documents **D1-D4** using 8 different terms:

D1 = {breakthrough drug schizophrenia}

D2 = {new schizophrenia drug}

D3 = {new approach treatment schizophrenia}

D4 = {new hope schizophrenia patient}

Fill in the term-document incidence matrix for this document collection.


| | D1 | D2 | D3 | D4 |
|---------------|----|----|----|----|
| approach | 0 | 0 | 1 | 0 |
| breakthrough | 1 | 0 | 0 | 0 |
| drug | 1 | 1 | 0 | 0 |
| hope | 0 | 0 | 0 | 1 |
| new | 0 | 1 | 1 | 1 |
| patient | | | | |
| schizophrenia | | | | |
| treatment | | | | |

What are the results returned for the below Boolean queries:

schizophrenia AND drug Answer:

new AND NOT(drug OR approach) Answer:

II. Given the following four sessions: {D1 D2 D3}, {D1 D3}, {D2 D3}, answer the questions related to using the Markov chain for mining navigational patterns.



What is $P(D1 \rightarrow D2)$?

Answer:

What is the probability of P(Start \rightarrow D1 \rightarrow D3)? Answer:

What is the probability of P(D3|D1)?

Answer: