



GAOYI高意

艾 瑞 衣 帽 柜

A I R U I · C L O A K R O O M C A B I N E T



柜 | 艾 瑞 · 衣 帽 柜

C A B I N E T | A I R U I · C L O A K R O O M C A B I N E T





框架衣帽柜
特点:模块化设计、前支臂
层板发光、门型铰链互通

Product: Airui
Framed Cloakroom Cabinet
Features: Modular design, Front support arm,
illuminated shelves, interchangeable door hinges.



框架衣帽柜
特点:模块化设计、前支臂
层板发光、门型铰链互通

Product: Airui
Framed Cloakroom Cabinet
Features: Modular design, Front support arm,
illuminated shelves, interchangeable door hinges.



框架衣帽柜
特点:模块化设计、前支臂
层板发光、门型铰链互通

Product: Airui
Framed Cloakroom Cabinet
Features: Modular design, Front support arm,
illuminated shelves, interchangeable door hinges.

当意式美学与现代生活习惯融合，看似随意的布置其实都是精心设计。艾瑞为四面通透玻璃柜，将内部结构从传统板式中抽离，以多层格的设计呈现，玻璃的通透明亮，井然有序的物品种摆放，使整体实用性与艺术感相得益彰。

艾瑞玻璃柜最大特点为多变式的组合结构，可作为客厅展示柜、酒柜，亦可通过配件的搭配，作为卧室玻璃衣帽柜，同时它还有个优点就是其柜门与多款铰链互通，适配市面上的多款铰链，区别于其它只能用单款铰链的柜门。

When Italian aesthetics merge with modern lifestyles, the seemingly effortless arrangement is in fact meticulously curated. The Airui four-sided transparent glass cabinet reimagines traditional panel-based construction through its multi-tiered shelving system. The crystalline clarity of glass combined with neatly organized displays creates perfect harmony between functionality and artistic sensibility.

The Airui cabinet's standout feature lies in its versatile modular configuration. It effortlessly transitions between roles as a living room display case, wine cabinet, or even a bedroom glass wardrobe through accessory customization. Furthermore, its door system demonstrates exceptional compatibility, designed to work with most market-available hinges—a distinct advantage over competitors limited to single-hinge solutions.

框架衣帽柜
特点:模块化设计、前支臂
层板发光、门型铰链互通



Product: Airui
Framed Cloakroom Cabinet
Features: Modular design, Front support arm,
illuminated shelves, interchangeable door hinges.



品名：艾瑞

Product: Airui

定制范围

Customization Options

边框颜色 | 金属12色

Frame Color | 12 metallic colors

侧板/背板 | 玻璃材质/木板材质 (可选)

Finishing Material | Fabric/Wave board/Rock board/Paint glass

结构形式 | 框架式

Structural Style | Framework

应用形式 | 一字型/L型/U型

Configuration | One - shaped / L type / U type

功能组件 | 玻璃层板/抽屉/衣通/裤架抽

Functional Components | Glass Shelf/Drawer/Clothing Passage/Trousers Pump



柜 | 艾 瑞 · 衣 帽 柜

C A B I N E T | A I R U I · C L O A K R O O M C A B I N E T













艾瑞是铝框结构玻璃柜系统，其顶板、底板均为木板材质，侧板、背板可以选择木板材质和玻璃材质，整个柜子也可选择只有前立柱或者只有后立柱的开放式立柱挂臂系统，也可以两者搭配，即外侧栅为木板材质或玻璃材质，中间侧栅只有前立柱或者只有后立柱，打通了封闭式柜体与开放式柜体的壁垒，可以实现两者的无缝转换。

它的多功能性能根据不同的场景用不同的方式，内部结构具有模块化的灵活变动，是一款功能强大的玻璃柜系统。


The Airui system is an aluminum-framed glass cabinet architecture where top/base panels maintain wood construction, while side/back panels offer material flexibility between wood and glass. Its innovative column mounting system provides three configuration modes: front-column-only open design, rear-column-only setup, or hybrid arrangements combining wood/glass exterior grids with selective front/rear central columns. This structural ingenuity bridges the divide between enclosed and open cabinet formats, enabling seamless transition between both paradigms.

Engineered for versatile performance, the system adapts to diverse scenarios through modular flexibility in its internal framework, establishing itself as a supremely functional glass cabinet solution.

模块化 Modularity



模块化 Modularity



工艺说明:

①柜体:

(1) .艾瑞玻璃柜可以选择全部侧板是铝栅结构, 通体玻璃铝栅仅能应用于柜体左右最外侧, 只有无玻璃的铝栅能应用于所有侧栅; 所有侧栅底部前后均有调节脚, 调节范围为5-16mm; 侧栅前面型材竖打光, 层板前下打光, 灯线可选: 1) 在侧栅后型材内走线, 2) 层板触点取电; 顶底板材质是25mm木板, 顶板可配嵌入式灯条, 顶底板前端和后端均配铝横梁; 背板材质可选木板、木板包皮、木板包布、玻璃; 2400mm≤柜体高度≤2800mm, 深度350mm/550mm;

(2) .艾瑞玻璃柜可以选择有前立柱 (即为侧栅前型材) 的开放式立柱前挂臂系统, 形成立式衣帽间; 立柱顶天立地, 底部有调节脚, 初始值为10mm, 可调节范围±5mm, 顶部有固定安装码; 立柱竖打光, 顶部走线; 支臂挂在前立柱后面;

(3) .艾瑞玻璃柜可以选择有后立柱 (即为侧栅后型材) 的开放式立柱后挂臂系统, 形成护墙式衣帽间; 立柱固定在墙面, 顶天立地, 底部有调节脚, 调节范围为5-16mm, 顶部有固定安装码; 背板通过型材卡在后立柱的卡槽内, 与后立柱齐平; 支臂挂在后立柱前面;

(4) .艾瑞玻璃柜可以选择以柜体混搭的方式, 侧栅选择铝栅结构, 在侧栅型材上装上支臂型材, 把侧栅横梁改成悬挂支臂, 随之中间几个侧栅采用只有前立柱或只有后立柱的结构, 实现封闭的柜体和开放式柜体的丝滑转换;

②门板:

(柜体1) .艾瑞可设计为无门柜, 也可以设计为带门柜, 门板能搭配“萨利切”系列玻璃门板、“亚萨”系列玻璃门板、“LK”系列门板、“百灵”系列玻璃门板; 门板宽度300mm≤W≤550mm, 高度=柜体高度-4mm;

注: “萨利切”系列门板最大可以做1.3㎡, 超宽门板需使用“重型萨利切”系列门板;

(柜体1和2混搭) .艾瑞可设计为无门开放式柜, 也可以设计为带门柜, 门板能搭配“亚萨”系列玻璃门板、“LK”系列门板、“百灵”系列玻璃门板; 门板宽度300mm≤W≤550mm, 高度=柜体高度-4mm。

Process Description:

① Cabinet Body:

(1) Ari glass cabinet can be configured with all side panels as aluminum grid structures. Full-glass aluminum grids can only be used on the outermost left/right sides of the cabinet body; glass-free aluminum grids can be used for all side grids. All side grids have leveling feet at front/rear bottom with 5-16mm adjustment range. Front profile of side grid has vertical lighting; front underside of shelf has lighting. Wiring options: 1) Run wires inside rear profile of side grid, 2) Contact power supply from shelf. Top/bottom panels are 25mm wood panels. Top panel can be equipped with recessed light strips. Both top/bottom panels have aluminum beams at front/rear ends. Back panel options: wood panel, leather-wrapped wood, fabric-wrapped wood, or glass. Cabinet height: 2400mm ≤ H ≤ 2800mm. Depth: 350mm/550mm.

(2) Ari glass cabinet can be configured with front posts (front profile of side grid) for an open front-post hanging arm system, creating a vertical walk-in closet. Posts extend floor-to-ceiling with leveling feet at bottom (initial height 10mm, ±5mm adjustment range) and fixed mounting brackets at top. Posts feature vertical lighting with top wiring. Arms hang behind front posts.

(3) Ari glass cabinet can be configured with rear posts (rear profile of side grid) for an open rear-post hanging arm system, creating a wall-mounted walk-in closet. Posts are wall-fixed and extend floor-to-ceiling with leveling feet at bottom (5-16mm adjustment range) and fixed mounting brackets at top. Back panel locks into slots of rear posts via profiles, flush with posts. Arms hang in front of rear posts.


(4) Ari glass cabinet can be configured with hybrid cabinet body: Side grids use aluminum grid structure. Install arm profiles on side grid profiles, replacing side grid beams with hanging arms. Intermediate side grids adopt front-post-only or rear-post-only structures, enabling seamless conversion between enclosed and open cabinets.

② Door Panels:


(For Cabinet Type 1) Ari can be designed doorless or with doors. Compatible doors: Salice Series glass doors, Yasa Series glass doors, LK Series doors, Belling Series glass doors. Door width: 300mm ≤ W ≤ 550mm. Height = Cabinet height - 4mm. Note: Maximum Salice Series door size: 1.3㎡. Oversized doors require Heavy-Duty Salice Series.

(For Hybrid Cabinet Type 1 & 2) Ari can be designed as open doorless cabinet or with doors. Compatible doors: Yasa Series glass doors, LK Series doors, Belling Series glass doors. Door width: 300mm ≤ W ≤ 550mm. Height = Cabinet height - 4mm.

模块化 Modularity



模块化 Modularity



产品说明:

艾瑞是铝框结构玻璃柜系统，其顶板、底板均为木板材质，侧板、背板可以选择木板材质和玻璃材质，整个柜子也可选择只有前立柱或者只有后立柱的开放式立柱挂臂系统，也可以两者搭配，即外侧栅为木板材质或玻璃材质，中间侧栅只有前立柱或者只有后立柱，打通了封闭式柜体与开放式柜体的壁垒，可以实现两者的无缝转换；铰链可以选择天地铰链、针式铰链、烟斗铰，可用于衣柜（衣帽间）、书柜、鞋柜、酒柜、餐边柜。

标准说明:

- ①高度：柜体高度2400mm≤H≤2800mm为标准高度,模块组件安装高度的位置可以客户需求定制；
- ②宽度：侧栅/中栅的宽度为25mm；两竖板之间的所有部件组成参考模块，模块的宽度以相邻两竖板的间距为准，单开门模块参考宽度有421mm/471mm/521mm，对开门模块参考模块宽864mm/964mm/1064mm；
- ③深度：衣柜的标准深度为550mm(不含门)，书柜/鞋柜/隔断的深度为350mm(不含门)；
- ④产品组成：按单元模块，产品可分为两部分：模块、竖板和门板(可选)；参考模块可分为：衣柜单门模块、衣柜双门模块、书柜单门模块、书柜双门模块；竖板组合可分为：(左侧栅、中侧栅、右侧栅)，或(前立柱)，或(后立柱)，或(左侧栅、前立柱、右侧栅)，或(左侧栅、后立柱、右侧栅)，或(前立柱、中侧栅、后立柱)；门板(可选)：萨利切系列门板、亚萨系列门板、LK系列门板、百灵门板。

Product Specifications:


Airui is an aluminum frame glass cabinet system. The top and base panels are made of wood. Side panels and back panels are available in either wood or glass. The cabinet can be configured with an open post hanging arm system featuring only front posts, only rear posts, or a combination of both. Side panels (outer sections) can be wood or glass, while the center side panel section utilizes either front posts only or rear posts only. This design bridges the gap between enclosed and open cabinet systems, enabling seamless transition between the two. Hinge options include top-and-bottom hinges, pin-type hinges, or concealed cup hinges. Suitable for wardrobes (walk-in closets), bookcases, shoe cabinets, wine cabinets, and sideboards.

Standard Specifications:

- ① Height: Standard cabinet height is 2400mm ≤ H ≤ 2800mm. Installation height of module components can be customized per client requirements.
- ② Width: Side panel / Center panel width: 25mm. All components between two vertical panels constitute a reference module. Module width is determined by the distance between adjacent vertical panels. Single-door module reference widths: 421 mm / 471 mm / 521 mm. Double-door module reference widths: 864 mm / 964 mm / 1064 mm.
- ③ Depth: Standard wardrobe depth: 550mm (excluding door). Standard bookcase / shoe cabinet / partition depth: 350mm (excluding door).
- ④ Product Composition: By unit module, the product consists of two parts: Modules, Vertical Panels, and Door Panels (optional). Reference Modules: Wardrobe Single-door Module, Wardrobe Double-door Module, Bookcase Single-door Module, Bookcase Double-door Module. Vertical Panel Combinations: (Left Side Panel, Center Side Panel, Right Side Panel), or (Front Post), or (Rear Post), or (Left Side Panel, Front Post, Right Side Panel), or (Left Side Panel, Rear Post, Right Side Panel), or (Front Post, Center Side Panel, Rear Post). Door Panels (Optional): Salice Series Door Panel, Yasa Series Door Panel, LK Series Door Panel, Bailing Door Panel.

功能组件 Functional components

艾瑞侧栅/中栅(70前立柱)




艾瑞-无玻璃铝栅
H=2400-2800mm
W=350/550mm
D=25mm

艾瑞-通体玻璃铝栅
H=2400-2800mm
W=350/550mm
D=30mm

艾瑞-内嵌木板铝栅
H=2400-2800mm
W=350/550mm
D=25mm

艾瑞侧栅/中栅(45前立柱)




艾瑞-无玻璃铝栅
H=2400-2800mm
W=350/550mm
D=25mm

艾瑞-通体玻璃铝栅
H=2400-2800mm
W=350/550mm
D=30mm


艾瑞-内嵌木板铝栅
H=2400-2800mm
W=350/550mm
D=25mm

艾瑞-70前立柱




艾瑞-70前立柱
H≤3000mm W=70mm D=25mm

艾瑞-45前立柱



艾瑞-45前立柱
H≤3000mm W=70mm D=25mm

艾瑞-后立柱




艾瑞-后立柱
H≤3000mm W=45mm D=25mm


注意: 图册中所有参数仅作参考，具体数值请以设计规范为准。

功能组件 Functional components


带灯玻璃层板




带灯酒杯架




木层板




带灯+衣通玻璃层板



带灯躺酒架




木抽屉



金属材质选择 Metal Materials


粉末喷涂 Powder Coating




灯草灰
Jungle Grey




星岩灰
Star Rock Grey




哑黑
Matte Black



铁灰
Iron Grey



哑光白
Matte White




古铜
Bronze




香槟
Champagne


油漆喷涂 Paint Spraying




纳米·浅金
Nano Light Gold



纳米·黑银
Nano Black Silver



纳米·烟灰
Nano Soot



纳米·深褐
Nano Dark Brown



咖啡银
Coffee Silver

D高意金属同色超哑烤漆 D Metal-Matched Color Super-Matte Baking Finish



纳米·浅金
Nano Light Gold



纳米·黑银
Nano Black Silver



纳米·烟灰
Nano Soot



纳米·深褐
Nano Dark Brown

皮革材质选择 Leather Materials

注意: 图片会有色差, 色卡颜色请以实物为准。


皮革 Leather




T201白色
T201 White



T228褐色
T228 Chocolate Brown



T224灰色
T224 Grey



T217棕色
T217 Brown

单玻类 Single-Pane Glass



3厘灰茶 5厘欧灰 5厘紫罗兰 8厘超白

镀膜类 Coated Glass



5厘超白镀膜直边修角R2 5厘灰茶镀膜 5厘金茶镀膜

磨砂类 Frosted Glass



4厘超白单面晶钻 8厘超白双面晶钻 8厘欧灰双面晶钻

烤漆类 Painted Glass




5厘灰镜 5厘超白单面上中国红 5厘超白单面上劳力士绿 5厘超白单面上宝石蓝




5厘超白单面上调色
纳米棕灰油 (4617) 5厘超白单面上调色
深咖油 (3822) 5厘超白单面上调色
珠光粉油 (3829) 5厘超白单面上调色
珠光灰油 (5001)

注意: 图片会有色差, 色卡颜色请以实物为准。

压花类 Patterned Glass



5厘白金元 5厘布纹 5厘超白水晶单面晶钻 5厘超白小灯芯




5厘超白银霞 5厘超白长虹 5厘超白长虹单面油砂 8厘超白长虹



8厘超白银玻 8厘格律人生

夹丝/夹胶类 Wired/Laminated Glass




4厘超白+4厘超白夹丝
250149 4厘超白+4厘超白夹丝
250151 4厘超白+4厘超白绒面夹丝
250125 4厘超白+4厘超白绒面夹丝
250126



4厘超白+4厘超白绒面夹丝
250128 4厘超白+4厘超白绒面夹丝
250132 4厘超白+4厘超白绒面夹丝
250137 4厘超白+4厘超白绒面夹丝
250138



4厘超白+4厘超白绒面夹丝
250139 4厘超白+4厘超白绒面夹丝
250140 4厘灰茶+4厘灰茶夹丝
250153 4厘灰茶+4厘灰茶夹丝
250150



4厘灰茶+4厘超白芒种夹胶 4厘欧灰+4厘超白夏至夹胶


F天然木皮 F Natural Wood Veneer



黑橡
Black Oak



白橡
White Oak




烟熏橡木
Smoked Oak



胡桃木
Walnut



柚木
Teak




榆木
Elm

W PET板 W PET Panel




C3115
C3115




C1123
C1123



C3114
C3114



C3117
C3117




C1106
C1106




C1108
C1108

D 国产PET D Chinese PET




缟白 CN
Gauze-White CN



凝脂 CN
Ivory skin CN



开司米灰 CN
Cashmere Grey CN



丝光白 CN
Silk White CN



羊脂玉 CN
Mutton Fat Jade CN



亚利桑那米 CN
Arizona Rice CN



伦敦灰 CN
London Grey CN

注意: 图片会有色差, 色卡颜色请以实物为准。

D免漆颗粒板 D Paint-Free Particle Board



原臻黑胡桃
Premium Black Walnut



榆木
Elm



水洗白橡
Washed White Oak



原臻白橡
Premium White Oak



摩卡橡木
Mocha Oak



烟熏榆木
Smoked Elm




愈创木
Guaiacum Wood




LN-01
LN-01



米白帆布
Beige Canvas Texture




米白荔枝皮纹
Beige Litchi Grain



微水泥-A
Microcement-A

W免漆颗粒板 W Paint-Free Particle Board



LS0040
LS0040



LS2176
LS2176




LS2422
LS2422



LS2421
LS2421



LS2175
LS2175



LS5151
LS5151



FR3061
FR3061



FR3062
FR3062



FR3225
FR3225



FR3224
FR3224

VES进口布艺 D Paint-Free Particle Board



G054202120



G416101188



G016901188



G816011188



G900109998



G844202120



G016101188



G506901188



G606011188




G800109998



G3541625558



G01170118



G091924248



G015230235



G912014248



G200121120



G410304290



G255234290



G681924248



G602014248



G820121120



G300304290



G145234290



G754162558



G131701188



G108307195



公众号



视频号



小程序



打开APP搜索