References

[1] M. M. Casetti, J. Merschen, B. von Stengel (2010). Finding Gale Strings. *Electronic Notes in Discrete Mathematics* 36, pp. 1065 – 1082.

[2] X. Chen, X. Deng (2006). Settling the complexity of two-player Nash equilibrium. *Proc. 47th FOCS*, pp. 261–272.

[3] C. Daskalakis, P. W. Goldberg, C. H. Papadimitriou (2006). The complexity of computing a Nash equilibrium. *Proc. Ann. 38th STOC*, pp. 71–78.

change ref to econometrica(?)

[4] J. Edmonds (1965). Paths, trees, and flowers. *Canad. J. Math.* 17, pp. 449–467.

[5] D. Gale (1963), Neighborly and cyclic polytopes. *Convexity, Proc. Symposia in Pure Math.*, Vol. 7, ed. V. Klee, American Math. Soc., Providence, Rhode Island, pp. 225–232.

[6] J. Merschen (2012). Nash Equilibria, Gale Strings, and Perfect Matchings. PhD Thesis, London School of Economics and Political Science.

[7] C. E. Lemke, J. T. Howson, Jr. (1964). Equilibrium points of bimatrix games. *J. Soc. Indust. Appl. Mathematics* 12, pp. 413–423.

[8] N. Megiddo, C. H. Papadimitriou (1991). On total functions, existence theorems and computational complexity. *Theoretical Computer Science* 81, pp. 317 – 324.

[9] C. H. Papadimitriou (1994). On the complexity of the parity argument and other inefficient proofs of existence. *J. Comput. System Sci.* 48, pp. 498–532.

[10] R. Savani, B. von Stengel (2006). Hard-to-solve bimatrix games. *Econometrica* 74, pp. 397–429.

[11] L. Végh, B. von Stengel.

ref

1